



RTRT PROJECT „HOW TO“

Version 2.0




Prerequisites:


- Node.js
- IDE (IntelliJ IDEA or different)
- MySQL
- JRE

Steps:


1. Open IntelliJ IDEA (is used for this “how to”) or open other IDE
2. File → open → ...\RTRT_1344943\Final_FrontEnd_RTRT-main (IDE1)




3. Open new instance of IDE File → open → ...\RTRT_1344943\RTRT-Project\RTRT (IDE2)




4. Open MySQL → Log in to SQL Server → right click on “schema navigator” → create schema




Name: "rtrt" → apply → apply next windows with default settings




5. Now there should be a schema/db "rtrt"



6. (IDE2) open file "RTRT-Project\RTRT\src\main\resources\application.properties" and set "spring.datasource.username" and "spring.datasource.password" to the database user you want to use




7. (IDE2) run com/project/RTRT/RtrtApplication.java



8. (IDE1) Execute "npm start" in terminal in IDE

PS C:\Users\joann\Desktop\RTRT_1344943\Final_FrontEnd_RTRT-main> npm start



9. Open <http://localhost:3000/> in web browser → start page

10. Sign up new customer account and log in with this new customer or with admin (email: admin@gmail.com , pw: adminadmin