Implanted type errors in Pandoc for evaluating Eclectic

Joanna Sharrad

May 1, 2021

The Pandoc program contains 75541 lines of code across 211 modules, with 14 modules containing over 1000 lines.

1 Lines of Code < 150

1.1 Program 1 Error 1

Listing 1: Error 1

```
        insert key value setMap = M.insertWith S.union value (S.singleton value)
            setMap
-- Should be: insert key value setMap = M.insertWith S.union key (S.singleton value)
    setMap
```

Location: /src/Text/Pandoc/Readers/Odt/Generic/SetMap.hs
Error Line: 29

1.2 Program 1 Error 2

Listing 2: Error 2

```
        fromList = foldl (uncurry insert) empty
-- Should be: fromList = foldr (uncurry insert) empty
```

Location: /src/Text/Pandoc/Readers/Odt/Generic/SetMap.hs
Error Line: 26

1.3 Program 2 Error 3

Listing 3: Error 3

```
        fpExists <- fp
-- Should be: fpExists <- fileExists fp
```

Location: /src/Text/Pandoc/Filter/Path.hs
Error Line: 27

1.4 Program 2 Error 4

Listing 4: Error 4

```
        _ -> return fpExists
-- Should be: _ -> return fp
```

Location: /src/Text/Pandoc/Filter/Path.hs
Error Line: 37

1.5 Program 3 Error 5

Listing 5: Error 5

```
        let blks' = walk blks fixDisplayMath
-- Should be: let blks' = walk fixDisplayMath blks
```

Location: /src/Text/Pandoc/Writers/Powerpoint.hs
Error Line: 41

1.6 Program 3 Error 6

Listing 6: Error 6

```
        let archv = presentationToArchive opts pres
-- Should be:  archv <- presentationToArchive opts pres
```

Location: /src/Text/Pandoc/Writers/Powerpoint.hs
Error Line: 44

1.7 Program 4 Error 7

Listing 7: Error 7

```
let format = case args of
            (x:_) -> True -- Added in this line
            (x:_) -> x
```

Location: /src/Text/Pandoc/Filter/Lua.hs
Error Line: 35

1.8 Program 4 Error 8

Listing 8: Error 8

```
        forceResult fp eitherResult = case fp of
-- Should be forceResult fp eitherResult = case eitherResult of
```

Location: /src/Text/Pandoc/Filter/Lua.hs
Error Line: 46

1.9 Program 5 Error 9

Listing 9: Error 9

```
              | n < least && nonHOrHR x = go n x
-- Should be         | n < least && nonHOrHR x = go n xs
```

Location: /src/Text/Pandoc/Slides.hs
Error Line: 23

1.10 Program 5 Error 10

Listing 10: Error 9

```
              prepSlides = ensureStartWithH . splitHrule .
                  extractRefsHeader
-- Should be         prepSlides slideLevel = ensureStartWithH . splitHrule .
    extractRefsHeader
```

Location: /src/Text/Pandoc/Slides.hs
Error Line: 33

1.11 Program 6 Error 11

Listing 11: Error 9

```
                          parsed <- flip runReaderT def
-- Should be              parsed <- flip runReaderT def $
```

Location: /src/Text/Pandoc/Readers/Org.hs
Error Line: 37

1.12 Program 6 Error 12

Listing 12: Error 9

```
                          (T.unpack (s crFilter) ++ "\n\n")
-- Should be              (T.unpack (crFilter s) ++ "\n\n")
```

Location: /src/Text/Pandoc/Readers/Org.hs
Error Line: 39

1.13 Program 7 Error 13

Listing 13: Error 13

```
                          mkFallback str mt = Str (delim ++ str ++ delim)
-- Should be              mkFallback mt str = Str (delim ++ str ++ delim)
```

Location: /src/Text/Pandoc/Writers/Math.hs
Error Line: 33

1.14 Program 7 Error 14

Listing 14: Error 13

```
                          return (Left mkFallback mt str)
-- Should be              return (Left $ mkFallback mt str)
```

Location: /src/Text/Pandoc/Writers/Math.hs
Error Line: 49

1.15 Program 8 Error 15

Listing 15: Error 13

```
                          foldOrElse Nothing $ map (styles) lookupProps
-- Should be              foldOrElse Nothing $ map (`lookup` styles) lookupProps
```

Location: /src/Text/Pandoc/CSS.hs
Error Line: 58

1.16 Program 8 Error 16

Listing 16: Error 13

```
                          Left _      -> [[]]
-- Should be              Left _      -> []
```

Location: /src/Text/Pandoc/CSS.hs
Error Line: 50

1.17   Program 9 Error 17

Listing 17: Error 17

```
                        in UTF8.toString readDataFile fname
-- Should be            in UTF8.toString <$> readDataFile fname
```

Location: /src/Text/Pandoc/Template.hs
Error Line: 56

1.18   Program 9 Error 18

Listing 18: Error 18

```
                        let format = takeWhile ('notElem' ("+-")) writer -- strip
                            off extensions
-- Should be            let format = takeWhile ('notElem' ("+-" :: String)) writer
    -- strip off extensions
```

Location: /src/Text/Pandoc/Template.hs
Error Line: 36

1.19   Program 10 Error 19

Listing 19: Error 19

```
                        -> PandocIO Pandoc
-- Should be            -> Pandoc
```

Location: /src/Text/Pandoc/Filter.hs
Error Line: 48

## 1.20   Program 10 Error 20

Listing 20: Error 20

```
                        let expandedFilters = mapM expandFilterPath filters
-- Should be            expandedFilters <- mapM expandFilterPath filters
```

Location: /src/Text/Pandoc/Filter.hs
Error Line: 51

1.21   Program 11 Error 21

Listing 21: Error 21

```
                        concat <$> inQuotes (try (char '"'))
-- Should be            concat <$> manyTill inQuotes (try (char '"'))
```

Location: /src/Text/Pandoc/Readers/Docx/Fields.hs
Error Line: 47

1.22 Program 11 Error 22

Listing 22: Error 22

```
                    switches <- spaces many hyperlinkSwitch
-- Should be        switches <- spaces *> many hyperlinkSwitch
```

Location: /src/Text/Pandoc/Readers/Docx/Fields.hs
Error Line: 69

1.23 Program 12 Error 23

Listing 23: Error 23

```
                formatFromFilePath :: FilePath -> String
-- Should be     formatFromFilePath :: FilePath -> Maybe String
```

Location: /src/Text/Pandoc/App/FormatHeuristics.hs
Error Line: 30

1.24 Program 12 Error 24

Listing 24: Error 24

```
                case formatFromFilePath (x:xs) of
-- Should be     case formatFromFilePath x of
```

Location: /src/Text/Pandoc/App/FormatHeuristics.hs
Error Line: 25

1.25 Program 13 Error 25

Listing 25: Error 25

```
                    Lua.TypeString -> Lua.ltype key >>= \case
-- Should be         Lua.TypeString -> Lua.peek key >>= \case
```

Location: /src/Text/Pandoc/Lua/Marshaling/ReaderOptions.hs
Error Line: 68

1.26 Program 13 Error 26

Listing 26: Error 26

```
                Lua.setmetatable (Lua.nthFromTop )
-- Should be     Lua.setmetatable (Lua.nthFromTop 2)
```

Location: /src/Text/Pandoc/Lua/Marshaling/ReaderOptions.hs
Error Line: 79

1.27 Program 14 Error 27

Listing 27: Error 27

```
                hasImageExtension = takeExtension imageExtensions `elem` fp
-- Should be     hasImageExtension = takeExtension fp `elem` imageExtensions
```

Location: /src/Text/Pandoc/Readers/Org/Shared.hs
Error Line: 30

1.28 Program 14 Error 28

Listing 28: Error 28

```
                in all (\c -> isAlphaNum c || c `elem` (".-"::String))
-- Should be    in all (\c -> isAlphaNum c || c `elem` (".-"::String)) scheme
```

Location: /src/Text/Pandoc/Readers/Org/Shared.hs
Error Line: 51

1.29 Program 15 Error 29

Listing 29: Error 29

```
                loadStringAsPackage script pkgName = do
-- Should be    loadStringAsPackage pkgName script = do
```

Location: /src/Text/Pandoc/Lua/Packages.hs
Error Line: 72

1.30 Program 15 Error 30

Listing 30: Error 30

```
                dataDirScript moduleFile datadir = do
-- Should be    dataDirScript datadir moduleFile = do
```

Location: /src/Text/Pandoc/Lua/Packages.hs
Error Line: 82

1.31 Program 16 Error 31

Listing 31: Error 31

```
                    then Just $ writerColumns
-- Should be        then Just $ writerColumns opts
```

Location: /src/Text/Pandoc/Writers/OPML.hs
Error Line: 38

1.32 Program 16 Error 32

Listing 32: Error 32

```
                    elementToOPML (Sec _ _num _ title elements) opts = do
-- Should be        elementToOPML opts (Sec _ _num _ title elements) = do
```

Location: /src/Text/Pandoc/Writers/OPML.hs
Error Line: 68

1.33 Program 17 Error 33

Listing 33: Error 33

```
                setGlobals = map setGlobal
-- Should be    setGlobals = mapM_ setGlobal
```

Location: /src/Text/Pandoc/Lua/Global.hs
Error Line: 46

1.34 Program 17 Error 34

```
          indexLazyPandoc field (LazyPandoc (Pandoc meta blks)) = 1 <$
-- Should be   indexLazyPandoc (LazyPandoc (Pandoc meta blks)) field = 1 <$
```

Location: /src/Text/Pandoc/Lua/Global.hs
Error Line: 87

1.35 Program 18 Error 35

```
          nsIDmap = foldl (uncurry $ flip M.insert) M.empty nsIDs
-- Should be   nsIDmap = foldr (uncurry $ flip M.insert) M.empty nsIDs
```

Location: /src/Text/Pandoc/Readers/Odt/Namespaces.hs
Error Line: 38

1.36 Program 18 Error 36

```
          nsIDmap = foldr (uncurry $ flip M.insert) M.empty
-- Should be   nsIDmap = foldr (uncurry $ flip M.insert) M.empty nsIDs
```

Location: /src/Text/Pandoc/Readers/Odt/Namespaces.hs
Error Line: 38

2 Lines of Code > 100 < 500

2.1 Program 19 Error 37

```
          foldS a = ArrowState $ \(s,f) -> foldl a' (s,mempty) f
-- Should be   foldS a = ArrowState $ \(s,f) -> foldr a' (s,mempty) f
```

Location: /src/Text/Pandoc/Readers/Odt/Arrows/State.hs
Error Line: 111

2.2 Program 19 Error 38

```
                    iterateS' a = ArrowState $ \(s,f) -> foldl (a' s) (s,Right
                       mzero) f
-- Should be         iterateS' a = ArrowState $ \(s,f) -> foldr (a' s) (s,Right
    mzero) f
```

Location: /src/Text/Pandoc/Readers/Odt/Arrows/State.hs
Error Line: 137

2.3 Program 20 Error 39

```
               Lua.call num
-- Should be        Lua.call num 1
```

Location: /src/Text/Pandoc/Lua/Util.hs
Error Line: 74

2.4 Program 20 Error 40

```
                      result <- pcallWithTraceback nresults
-- Should be          result <- pcallWithTraceback nargs nresults
```

Location: /src/Text/Pandoc/Lua/Util.hs
Error Line: 145

2.5 Program 21 Error 41

```
                genericExportSetting settingIdentifier setter = try $ do
-- Should be    genericExportSetting optionParser settingIdentifier setter = try $
    do
```

Location: /src/Text/Pandoc/Readers/Org/ExportSettings.hs
Error Line: 73

2.6 Program 21 Error 42

```
                ignoredSetting = try (() <$ string s <* char ':' <* many1
                    nonspaceChar)
-- Should be     ignoredSetting s = try (() <$ string s <* char ':' <* many1
    nonspaceChar)
```

Location: /src/Text/Pandoc/Readers/Org/ExportSettings.hs
Error Line: 145

2.7 Program 22 Error 43

```
                        then ([], bodyRows)
-- Should be            then ([], map toCells bodyRows)
```

Location: /src/Text/Pandoc/Readers/Haddock.hs
Error Line: 90

2.8 Program 22 Error 44

```
                Para (map extractContents xs) : consolidatePlains' ys
-- Should be            Para (concatMap extractContents xs) :
    consolidatePlains' ys
```

Location: /src/Text/Pandoc/Readers/Haddock.hs
Error Line: 101

2.9 Program 23 Error 45

```
                = case parseFormatSpec of
-- Should be        = case parseFormatSpec s of
```

Location: /src/Text/Pandoc/Writers.hs
Error Line: 178

2.10 Program 23 Error 46

```
                writeJSON _ = return . UTF8.toText . BL.toStrict
-- Should be              writeJSON _ = return . UTF8.toText . BL.toStrict . encode
```

Location: /src/Text/Pandoc/Writers.hs
Error Line: 187

2.11 Program 24 Error 47

```
        constructorsFor x = map (dataTypeConstrs x)
-- Should be          constructorsFor x = map show (dataTypeConstrs x)
```

Location: /src/Text/Pandoc/Lua/Filter.hs
Error Line: 165

2.12 Program 24 Error 48

```
tryFilter x (LuaFilter fnMap) =
-- Should be       tryFilter (LuaFilter fnMap) x =
```

Location: /src/Text/Pandoc/Lua/Filter.hs
Error Line: 110

2.13 Program 25 Error 49

```
blocksToDefinitions = blocksToDefinitions' []
-- Should be      blocksToDefinitions = blocksToDefinitions' [] []
```

Location: /src/Text/Pandoc/Readers/Docx/Lists.hs
Error Line: 204

2.14 Program 25 Error 50

```
plainParaInlines (Plain ils) = [ils]
-- Should be      plainParaInlines (Plain ils) = ils
```

Location: /src/Text/Pandoc/Readers/Docx/Lists.hs
Error Line: 153

2.15 Program 26 Error 51

```
   , optVariables           :: (String,String)-- ^ Template variables to set
-- Should be     , optVariables           :: [(String,String)]-- ^ Template variables
   to set
```

Location: /src/Text/Pandoc/App/Opt.hs
Error Line: 55

2.16 Program 26 Error 52

```
, optExtractMedia        = []
-- Should be         , optExtractMedia        = Nothing
```

Location: /src/Text/Pandoc/App/Opt.hs
Error Line: 177

2.17 Program 27 Error 53

```
    then opts
-- Should be          then addHeaderIdentifiers opts
```

Location: /src/Text/Pandoc/Readers/CommonMark.hs
Error Line: 35

2.18 Program 27 Error 54

```
 case break (=='':'') of
-- Should be        case break (=='':'') s of
```

Location: /src/Text/Pandoc/Readers/CommonMark.hs
Error Line: 52

2.19 Program 28 Error 55

```
   (s :< sq) -> (singleton sq, Many s)
-- Should be      (s :< sq) -> (singleton s, Many sq)
```

Location: /src/Text/Pandoc/Readers/Docx/Combine.hs
Error Line: 140

2.20 Program 28 Error 56

```
unstackInlines ms = case ms ilModifier of
-- Should be     unstackInlines ms = case ilModifier ms of
```

Location: /src/Text/Pandoc/Readers/Docx/Combine.hs
Error Line: 104

2.21 Program 29 Error 57

```
highlight formatter syntaxmap (ident, classes, keyvals) rawCode =
-- Should be    highlight syntaxmap formatter (ident, classes, keyvals) rawCode =
```

Location: /src/Text/Pandoc/Highlighting.hs
Error Line: 69

2.22 Program 29 Error 58

```
 in case (map (`lookupSyntax` syntaxmap) classes') msum of
-- Should be      in case msum (map (`lookupSyntax` syntaxmap) classes') of
```

Location: /src/Text/Pandoc/Highlighting.hs
Error Line: 84

2.23 Program 30 Error 59

```
 let source = concat ts
-- Should be      let source = mconcat ts
```

Location: /src/Text/Pandoc/Readers/Ipynb.hs
Error Line: 78

2.24 Program 30 Error 60

```
notebookToPandoc notebook opts = do
-- Should be   notebookToPandoc opts notebook = do
```

Location: /src/Text/Pandoc/Readers/Ipynb.hs
Error Line: 58

2.25 Program 31 Error 61

```
writeCustom opts luaFile doc@(Pandoc meta _) = do
-- Should be    writeCustom luaFile opts doc@(Pandoc meta _) = do
```

Location: /src/Text/Pandoc/Writers/Custom.hs
Error Line: 92

2.26 Program 31 Error 62

```
    rendered <- docToCustom doc opts
-- Should be    rendered <- docToCustom opts doc
```

Location: /src/Text/Pandoc/Writers/Custom.hs
Error Line: 103

2.27 Program 32 Error 63

```
writeIpynb d opts = do
-- Should be   writeIpynb opts d = do
```

Location: /src/Text/Pandoc/Writers/Ipynb.hs
Error Line: 44

2.28 Program 32 Error 64

```
  (mmap, meta) <- foldl go mempty $ consolidateAdjacentRawBlocks bs
-- Should be   (mmap, meta) <- foldM go mempty $ consolidateAdjacentRawBlocks bs
```

Location: /src/Text/Pandoc/Writers/Ipynb.hs
Error Line: 201

2.29 Program 33 Error 65

```
  let msg panErr = liftIO $ E.throwIO $ PandocAppError msg
-- Should be    let panErr msg = liftIO $ E.throwIO $ PandocAppError msg
```

Location: /src/Text/Pandoc/App/OutputSettings.hs
Error Line: 232

2.30 Program 33 Error 66

```
  case mWriter mEngine go of
-- Should be      case go mWriter mEngine of
```

Location: /src/Text/Pandoc/App/OutputSettings.hs
Error Line: 233

2.31 Program 34 Error 67

```
 case fromAttrib t "src" of
-- Should be      case fromAttrib "src" t of
```

Location: /src/Text/Pandoc/SelfContained.hs
Error Line: 72

2.32 Program 34 Error 68

```
                   then cssURLs raw
-- Should be                    then cssURLs d raw
```

Location: /src/Text/Pandoc/SelfContained.hs
Error Line: 217

2.33 Program 35 Error 69

```
              contents <- inlines inlineListToXWiki
-- Should be      contents <- inlineListToXWiki inlines
```

Location: /src/Text/Pandoc/Writers/XWiki.hs
Error Line: 102

2.34 Program 35 Error 70

```
escapeXWikiString s = foldl (uncurry replace) s $ zip ["--", "**", "//", "^^", ",,",
    "~"] ["~-~-", "~*~*", "~/~/", "~^~^", "~,~,", "~~"]
-- Should be   escapeXWikiString s = foldr (uncurry replace) s $ zip ["--", "**", "//",
    "^^", ",,", "~"] ["~-~-", "~*~*", "~/~/", "~^~^", "~,~,", "~~"]
```

Location: /src/Text/Pandoc/Writers/XWiki.hs
Error Line: 265

2.35 Program 36 Error 71

```
 (elemOrder, parts) <- unzip <$> many ((,) <$> placeholder <$> expansionPart)
-- Should be   (elemOrder, parts) <- unzip <$> many ((,) <$> placeholder <*>
    expansionPart)
```

Location: /src/Text/Pandoc/Readers/Org/Meta.hs
Error Line: 253

2.36 Program 36 Error 72

```
 setEmphasisPreChar st csMb =
-- Should be   setEmphasisPreChar csMb st =
```

Location: /src/Text/Pandoc/Readers/Org/Meta.hs
Error Line: 198

2.37 Program 37 Error 73

```
   st { orgStateIncludeFiles = drop 1 $ orgStateIncludeFiles }
-- Should be      st { orgStateIncludeFiles = drop 1 $ orgStateIncludeFiles st }
```

Location: /src/Text/Pandoc/Readers/Org/ParserState.hs
Error Line: 158

2.38   Program 37 Error 74

```
      , orgStateEmphasisCharStack :: Char
-- Should be    , orgStateEmphasisCharStack :: [Char]
```

Location: /src/Text/Pandoc/Readers/Org/ParserState.hs
Error Line: 95

2.39   Program 38 Error 75

```
    isEnabled opts ext = ext 'extensionEnabled' getExtensions opts
-- Should be  isEnabled ext opts = ext 'extensionEnabled' getExtensions opts
```

Location: /src/Text/Pandoc/Options.hs
Error Line: 230

2.40   Program 38 Error 76

```
                    , writerIdentifierPrefix = [""]
-- Should be                  , writerIdentifierPrefix = ""
```

Location: /src/Text/Pandoc/Options.hs
Error Line: 206

2.41   Program 39 Error 77

```
      findAttrE e q = mkE "findAttr" $ findAttr q e
-- Should be   findAttrE q e = mkE "findAttr" $ findAttr q e
```

Location: /src/Text/Pandoc/Readers/EPUB.hs
Error Line: 274

2.42   Program 39 Error 78

```
      let namespaces = attrToNSPair mapMaybe (elAttribs docElem)
-- Should be    let namespaces = mapMaybe attrToNSPair (elAttribs docElem)
```

Location: /src/Text/Pandoc/Readers/EPUB.hs
Error Line: 178

3   Lines of Code > 2000

3.1   Program 100 Error 79

```
              trace (show 60 $ take $ B.toList res)
-- Should be    trace (take 60 $ show $ B.toList res)
```

Location: /src/Text/Pandoc/Readers/LaTeX.hs
Error Line: 2288

3.2 Program 100 Error 80

```
            rawInlineOr fallback name' = do
-- Should be   rawInlineOr name' fallback = do
```

Location: /src/Text/Pandoc/Readers/LaTeX.hs
Error Line: 1269