

NEXTLEVEL

FREE GUIDE · SUMMER PROJECT COLLECTION

10 minutes to stop eating on impulse

The habit cycle + anti-impulse protocol + emotional emergency card

A simple way to create space between the trigger and the action — no guilt, no extremes.



What you'll get

The habit cycle, the 10-minute anti-impulse protocol, and the emotional emergency card.

No guilt

A simple way to restart quickly, with no punishment and no extremes.

FREE NEXTLEVEL GUIDE · SAMPLE OF THE COMPLETE GUIDE


Before you start

This guide is educational and is here to help you organize your routine better, not to replace professional guidance.

Read before using

This material does not replace medical, nutritional, or psychological assessment. People with a history of eating disorders, persistent anxiety, or intense distress should seek professional guidance.

- The goal isn't to never slip up — it's to shrink the mistake and the time it takes to come back.
- One episode doesn't define your progress; what matters is the next decision.
- If you have any doubt about your emotional health, the decision should be a professional one.



The habit cycle

Every repeated behavior has a trigger, a response, and a reward. Learning to see this cycle lets you swap impulses for planned choices.

Step	What it is	Example
1. Trigger	What sets off the behavior.	Anxiety, boredom, hunger, environment.
2. Response	The automatic action.	Eating, snacking, putting off training.
3. Reward	What the behavior delivers.	Short relief; guilt afterward.

• The shift

When the trigger shows up, test an alternative response for 10 minutes before eating. If real physical hunger remains afterward, have a planned meal.

10-minute anti-impulse protocol

A simple routine to create space between the trigger and the impulsive action.

Minute	Action	How to do it
0-2	Name it	Write: "I'm feeling anxiety / boredom / fatigue."
2-5	Breathe	Inhale through your nose, exhale more slowly than you inhaled. Repeat.
5-8	Move	Walk, stretch your shoulders, wash your face, or organize something small.
8-10	Decide	Ask: "Do I still need to eat? What would a planned choice look like?"




Emotional emergency card

Use this card during moments of anxiety, the urge to eat on impulse, or a thought of giving up.

- ☐ I don't need to solve my whole life right now; I just need to get through the next 10 minutes.
- ☐ A craving isn't an order. I can observe before obeying.
- ☐ If I'm really hungry, I'll have a planned meal.
- ☐ If I'm seeking relief, I'll try a regulation action first.
- ☐ One episode doesn't define my identity or erase my progress.

! When to seek help

If anxiety is frequent, intense, and disrupts sleep, study, work, or relationships, seek a psychologist, doctor, or health service.



Ready for the complete guide?

That was just the beginning. In the complete **Mindset, Anxiety and Habits** guide you get: the 5 pillars of consistency, physical vs. emotional hunger, an environment that makes dieting easier, sleep and movement as regulation, a 30-day plan, a trigger lab, and complete tracking tools.

To be transparent: results depend on your routine and consistency. That's why the focus is method and organization, not a magic promise.

[I want the complete guide](#)

NEXTLEVEL

Regulate with method. Restart without guilt. Progress with patience.