

```
CREATE TABLE
Prescription (
prescriptionid
INT PRIMARY
KEY
AUTO_INCREMENT
appointmentid
INT,
doctorid INT,
issuedate
DATETIME,
notes TEXT,
validuntil DATE,
status
VARCHAR(20),
FOREIGN KEY
(appointmentid)
REFERENCES
appointment(appointmentid),
FOREIGN KEY
(doctorid)
REFERENCES
doctor(doctorid)
);
CREATE TABLE
Prescription_item
(
prescriptionitemid
INT PRIMARY
KEY
AUTO_INCREMENT
medicationid INT,
prescriptionid
INT,
appointmentid
INT,
doctorid INT,
issuedate
DATETIME,
notes TEXT,
valid_until DATE,
status
VARCHAR(20),
FOREIGN KEY
(medicationid)
REFERENCES
medication(medicationid),
FOREIGN KEY
(prescriptionid)
REFERENCES
prescription(prescriptionid)
);
CREATE TABLE
contact (
contactid INT
PRIMARY KEY
AUTO_INCREMENT
patientid INT,
doctorid INT,
FOREIGN KEY
(patientid)
REFERENCES
patient(patientid),
FOREIGN KEY
(doctorid)
REFERENCES
doctor(doctorid)
);
```

