Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
Show source
                outline
                                        Options...
                         image report
Check by text input ∨
 <!DOCTYPE html>
 <html lang="en">
   <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="description" content="Assembling a community-driven database of</pre>
 knowledge by asking and answering questions.">
     <!-- CSRF Token -->
     <meta name="csrf-token" content="M3VA36gc1YekrQKvvLKzho0xncMgRIy1V5Sc6Peg">
     <title>News - SegmentationFault</title>
     <!-- Bootstrap (must come before all other stylesheets) -->
     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0</pre>
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↔
 2. <html lang="en">↩
 3.
     <head>←
        <meta charset="utf-8">↔
 4.
 5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
        <meta name="viewport" content="width=device-width, initial-</pre>
   scale=1">↩
        <meta name="description" content="Assembling a community-driven</pre>
7.
   database of knowledge by asking and answering questions.">↔
8. ب
        <!-- CSRF Token -->↔
9.
        <meta name="csrf-token"</pre>
10.
   content="M3VA36gc1YekrQKvvLKzho0xncMgRIy1V5Sc6Peg">
4 .11
        <title>News - SegmentationFault</title>↔
12.
```

```
13.
       <!-- Bootstrap (must come before all other stylesheets) -->↔
14.
       <link rel="stylesheet" href="https://cdn.jsdelivr.net</pre>
   /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">↔
       <!-- using themed bootstrap -->↔
15.
       <link rel="stylesheet" href="http://localhost:8000</pre>
16.
   /css/bootstrap.min.css">↩
17. ↔
       <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1</pre>
18.
   /jquery.min.js"></script>↔
       <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
19.
   /css/select2.min.css" rel="stylesheet"/>↔
       <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
20.
   /js/select2.min.js"></script>↔
21. ب
       <!-- Remarkable -->↔
22.
       <script src="http://localhost:8000/js/app.js"></script>↩
23.
       <!-- StackEdit Markdown -->↔
24.
25.
       <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib</pre>
   /stackedit.min.js"></script>↩
26. ↔
27.
       <!-- CSS -->+
28.
       <link rel="stylesheet" href="http://localhost:8000/css/admin.css"</pre>
   type="text/css" />↩
29.
       <link rel="stylesheet" href="http://localhost:8000</pre>
   /css/profile.css" type="text/css" />↩
        <link rel="stylesheet" href="http://localhost:8000</pre>
30.
   /css/responsive.css" type="text/css" />↩
        rel="stylesheet" href="http://localhost:8000/css/style.css"
31.
   type="text/css" />↔
32.
       <link rel="stylesheet" href="http://localhost:8000/css/print.css"</pre>
   media="print" type="text/css" />↩
33. ↩
34.
       <!-- OpenGraph -->↔
35.
       <meta property="og:title" content="News - SegmentationFault" />↩
       <meta property="og:url" content="http://localhost:8000/news" />←
36.
37.
        <meta property="og:image" content="http://localhost:8000/image</pre>
   /logo/default.png" />↩
38.
       <meta property="og:type" content="article" />↩
       <meta property="og:description" content="Assembling a community-</pre>
39.
   driven database of knowledge by asking and answering questions." />↔
        <meta property="og:locale" content="en" />↔
40.
     </head>↔
41.
42.
     <body>↩
43.
       <!-- skip link -->↔
       <a id="skip-nav" class="screenreader-text" href="#main-content">↔
44.
45.
          Skip navigation and sidebar↔
46.
       </a>↔
47. ↔
48.
       <header>↔
49.
          <!-- Header -->↔
          <nav class="navbar fixed-top navbar-expand bg-dark navbar-</pre>
50.
   dark">↔
51.
            <div class="container d-flex justify-content-between">←
52.
              <div class="d-flex align-items-center">↔
```

```
53.
                <button id="sidebar-toggler" class="navbar-toggler"</pre>
   type="button" aria-expanded="false" aria-label="Toggle navigation">↔
54.
                  <span class="navbar-toggler-icon"></span>↔
                </button>↔
55.
                <div class="navbar-brand">↔
56.
57.
                  <a id="brand-logo" href="http://localhost:8000/home">↔
                     <span id="brand">Segmentation <b>fault</b></span>↔
58.
59.
                  </a>↔
                  <i class="bi bi-cpu"></i>↔
60.
61.
                  News
                                    </div>↔
              </div> <!-- .d-flex -->↔
62.
63.
              <!-- search -->↔
              <div id="searchModal-toggler">↔
64
65.
                <button type="button" class="btn btn-outline-success"</pre>
   aria-label="Open search form" data-bs-toggle="modal" data-bs-
   target="#searchModal">↩
66.
                  <i class="bi-search"></i>↔
67.
                </button>↔
              </div>↔
68.
              <form id="navbarSeachForm" class="d-flex"</pre>
69
   action="http://localhost:8000/search">↔
70.
                <input class="form-control me-2" name="q" value=""</pre>
   type="search" placeholder="Search" aria-label="Search">↔
71.
                <button class="btn btn-outline-success" type="submit"</pre>
   aria-label="Search"><i class="bi-search"></i></button>↔
72.
              </form>↔
            </div> <!-- .container .d-flex -->↔
73.
          </nav>↩
74
75.
        </header>↔
76. ↔
77.
        <!-- BEGIN SEARCH MODAL -->₽
        <div class="modal fade" id="searchModal" tabindex="-1" aria-</pre>
78.
   labelledby="searchModal" aria-hidden="true">↔
79.
          <div class="modal-dialog">↔
            <div class="modal-content">↔
80.
              <!-- bg-dark -->↔
81.
              <div class="modal-body">↔
82.
83.
                <form action="http://localhost:8000/search">←
                  <!-- button is not needed -->↔
84.
                  <!-- <button class="btn btn-outline-success"
85.
   type="submit"><i class="bi-search"></i></button> -->↔
86.
                  <input class="form-control" type="search" name="q"</pre>
   value="" placeholder="Search" aria-label="Search">↔
                </form>↔
87.
              </div>↔
88.
89.
            </div>↔
90.
          </div>↔
        </div>↔
91.
        <!-- END SEARCH MODAL -->↔
92.
93. و
        <!-- Sidebar -->↔
94.
95.
        <nav id="sidebar" class="bg-dark text-light" tabindex="0">←
        <div class="sidebar-header">↔
96.
```

```
97.
         <h3>News</h3>↔
98.
       </div>↔
99. ب
       <div class="sidebar-subheader">↔
100.
101.
         <h4>Pages</h4>↔
102.
       </div>↔
103.
       ₽
           class="list-group-item ">₽
104.
     <a href=/home>↔
105.
106.
       <i class="bi bi-house-door"></i>↔
107.
             Home↔
108.
         </a>↔
109. ↔
110.
           class="list-group-item ">₽
     <a href=/search#questions>↔
111.
112.
      <i class="bi bi-question-circle"></i>↩
113.
             Search↩
114.
         </a>↔
115. ↔

116.
     <a href=/news>↔
117.
      <i class="bi bi-newspaper"></i>↔
118.
119.
             <b> News</b>↔
120.
         </a>↔
121. ↔
122.
123.
           class="list-group-item ">₽
124.
     <a href=/leaderboard>↔
125.
      <i class="bi bi-trophy"></i>↔
             Leaderboard↔
126.
         </a>↔
127.
128. ↔
           class="list-group-item ">↔
129.
      <a href=/about>↔
130.
      <i class="bi bi-info-circle"></i>↔
131.
132.
             About↔
         </a>↔
133.
134. 
                                       class="list-group-item ">↔
135.
136.
     <a href=/administration>↔
137.
      <i class="bi bi-clipboard-data"></i>↩
             Administration↔
138.
139.
         </a>↔
140. ↔
141.
142.
       ↔
43. ←
144.
       <!-- auth -->₽
145.
146.
           <div class="sidebar-subheader d-flex justify-content-start</pre>
    align-items-center gap-1">↩
```

```
147.
          <a href="/profile/admin">↔
            <img class="rounded-2 fit-cover" src="http://localhost:8000</pre>
148.
    /storage/avatars/aa.jpeg"↩
149.
             alt="admin profile picture" width=32 height=32>↔
150.
          </a>↔
151.
          <h4 class="d-inline-block text-truncate">admin</h4>↔
152.
        </div>↔
        ↔
153.
154.
          class="list-group-item ">₽
155.
      <a href=/profile/admin>↔
        <i class="bi bi-person-circle"></i>↔
156.
              My Profile↔
157.
          </a>↩
158.
159. ↔
160.
          class="list-group-item ">↔
161.
      <a href=/ask>↔
162.
        <i class="bi bi-plus-circle"></i>↔
163.
              Ask Question↔
164.
          </a>↔
165. ↔
166.
        ↔
167. ↔
        <div class="row justify-content-evenly sidebar-buttons">↩
168.
169.
            <a class="btn btn-danger col-4" href="/logout">Logout</a>↔
170.
        </div>↔
171.
172. </nav>↔
173. ↔
174. <script>↔
      document.querySelector("#sidebar-toggler").addEventListener("click",
175.
    function() {↔
        let sidebar = document.querySelector("#sidebar"); ↔
176.
        if (sidebar.classList.contains("active"))↔
177.
178.
          sidebar.classList.remove("active");↔
        else↩
179.
180.
          sidebar.classList.add("active"); ←
181.
      })↩
182. </script>↔
183. ↔
184. <!-- Notifications -->↔
185.
        <div class="container-fluid p-0" id="toast-container">↔
186.
                 </div>↔
        <script src="http://localhost:8000/js/notifications.js" defer>
187.
    </script>↩
188. ↔
189.
        <main>↔
          <section id="main-content" class=container-md>←
190.
191.
            <h2 class="page-title">News</h2>↔
192. <hr>→
193. <!-- START FEATURETTES -->↔
194. <article class="row gx-0 border border-dark p-3 mt-3">↔
```

```
195.
      <h3 class="featurette-heading col-12">↔
196.
        Hello and welcome.<span class="text-muted">The website is
    open.</span>↔
      </h3>↔
197.
      ↔
198.
199.
        You can now join and use our community. ↔
200.
      ↔
201. </article>↔
202. <article class="row gx-0 border border-dark p-3 mt-3">↔
      <h3 class="featurette-heading col-12">↔
203
        We have reached 100 members.<span class="text-muted">Our community
204.
    is growing.</span>↔
      </h3>↔
205.
      ↔
206.
207.
        Thank you everyone for trusting us.↔
208.
      ↔
209. </article>↔
210. <!-- END FEATURETTES -->↔
211
          </section>↔
212.
        </main>↔
213. ↔
        <!-- Footer -->↔
214.
215.
        <footer class="container">↔
                  <button id="notifications-btn" class="btn btn-secondary"</pre>
216
    tvpe="button">↔
217.
              <i class="bi bi-bell"></i>↔
              <span id="notification-amount">←
218.
219.
220.
              </span>↔
221.
            </button>↔
222
                <a id="go-up-button" class="btn btn-secondary" href="#"</pre>
    role="button" aria-label="Go to the top of the page">↩
            <i class="bi bi-arrow-up"></i>↔
223.
          </a>↔
224.
225.
          <br>→
226.
          <hr>→
227
          <div class="row justify-content-between">↔
            © 2021 Segmentation Fault,
228.
    Inc.↔
229.
            <a class="col-auto text-end" href="#">Go to the top</a>↔
230.
          </div>↔
        </footer>↔
231.
232.
        <!-- Bootstrap + Popper -->↔
233.
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js</pre>
    /bootstrap.bundle.min.js" integrity="sha384-
    gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    crossorigin="anonymous"></script>↔
234.
        <script>↩
235.
          var popoverTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="popover"]'))↔
236.
          var popoverList = popoverTriggerList.map(function
    (popoverTriggerEl) {↔
237.
            return new bootstrap.Popover(popoverTriggerEl)↔
```

```
238.
            ٠({
            // Tooltips↩
239.
240.
            var tooltipTriggerList =
     [].slice.call(document.querySelectorAll('[data-bs-
     toggle="tooltip"]'))↔
241.
            var tooltipList = tooltipTriggerList.map(function
     (tooltipTriggerEl) {↔
              return new bootstrap. Tooltip (tooltip Trigger El) ↔
242.
            ٠({
243.
244.
          </script>↩
          <script src="http://localhost:8000/js/textarea_resize.js">
245.
     </script>↩
       </body>↩
246.
247. </html>
Used the HTML parser.
Total execution time 23 milliseconds.
```

About this checker • Report an issue • Version: 21.5.28