Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options…]

Check by [text input ∨] ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Assembling a community-driven database of
knowledge by asking and answering questions.">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="M3VA36gc1YekrQKvvLKzhoOxncMgRIy1V5Sc6Peg">

    <title>Profile - SegmentationFault</title>
    <!-- Bootstrap (must come before all other stylesheets) -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>`↵
2. `<html lang="en">`↵
3. `  <head>`↵
4. `    <meta charset="utf-8">`↵
5. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">`↵
6. `    <meta name="viewport" content="width=device-width, initial-scale=1">`↵
7. `    <meta name="description" content="Assembling a community-driven database of knowledge by asking and answering questions.">`↵
8. ↵
9. `    <!-- CSRF Token -->`↵
10. `    <meta name="csrf-token" content="M3VA36gc1YekrQKvvLKzhoOxncMgRIy1V5Sc6Peg">`↵
11. ↵
12. `    <title>Profile - SegmentationFault</title>`↵

```html
13.     <!-- Bootstrap (must come before all other stylesheets) -->
14.     <link rel="stylesheet" href="https://cdn.jsdelivr.net
    /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">
15.     <!-- using themed bootstrap -->
16.     <link rel="stylesheet" href="http://localhost:8000
    /css/bootstrap.min.css">
17.
18.     <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1
    /jquery.min.js"></script>
19.     <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
    /css/select2.min.css" rel="stylesheet"/>
20.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
    /js/select2.min.js"></script>
21.
22.     <!-- Remarkable -->
23.     <script src="http://localhost:8000/js/app.js"></script>
24.     <!-- StackEdit Markdown -->
25.     <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib
    /stackedit.min.js"></script>
26.
27.     <!-- CSS -->
28.     <link rel="stylesheet" href="http://localhost:8000/css/admin.css"
    type="text/css" />
29.     <link rel="stylesheet" href="http://localhost:8000
    /css/profile.css" type="text/css" />
30.     <link rel="stylesheet" href="http://localhost:8000
    /css/responsive.css" type="text/css" />
31.     <link rel="stylesheet" href="http://localhost:8000/css/style.css"
    type="text/css" />
32.     <link rel="stylesheet" href="http://localhost:8000/css/print.css"
    media="print" type="text/css" />
33.
34.     <!-- OpenGraph -->
35.     <meta property="og:title" content="Profile - SegmentationFault"
    />
36.     <meta property="og:url" content="http://localhost:8000/profile
    /admin" />
37.     <meta property="og:image" content="http://localhost:8000/image
    /logo/default.png" />
38.     <meta property="og:type" content="website" />
39.     <meta property="og:description" content="Assembling a community-
    driven database of knowledge by asking and answering questions." />
40.     <meta property="og:locale" content="en" />
41.   </head>
42.   <body>
43.     <!-- skip link -->
44.     <a id="skip-nav" class="screenreader-text" href="#main-content">
45.       Skip navigation and sidebar
46.     </a>
47.
48.     <header>
49.       <!-- Header -->
50.       <nav class="navbar fixed-top navbar-expand bg-dark navbar-
    dark">
51.         <div class="container d-flex justify-content-between">
```

```
52.          <div class="d-flex align-items-center">↵
53.            <button id="sidebar-toggler" class="navbar-toggler"
     type="button" aria-expanded="false" aria-label="Toggle navigation">↵
54.              <span class="navbar-toggler-icon"></span>↵
55.            </button>↵
56.            <div class="navbar-brand">↵
57.              <a id="brand-logo" href="http://localhost:8000/home">↵
58.                <span id="brand">Segmentation <b>fault</b></span>↵
59.              </a>↵
60.              <i class="bi bi-cpu"></i>↵
61.              Profile              </div>↵
62.          </div> <!-- .d-flex -->↵
63.          <!-- search -->↵
64.          <div id="searchModal-toggler">↵
65.            <button type="button" class="btn btn-outline-success"
     aria-label="Open search form" data-bs-toggle="modal" data-bs-
     target="#searchModal">↵
66.              <i class="bi-search"></i>↵
67.            </button>↵
68.          </div>↵
69.          <form id="navbarSeachForm" class="d-flex"
     action="http://localhost:8000/search">↵
70.            <input class="form-control me-2" name="q" value=""
     type="search" placeholder="Search" aria-label="Search">↵
71.            <button class="btn btn-outline-success" type="submit"
     aria-label="Search"><i class="bi-search"></i></button>↵
72.          </form>↵
73.        </div> <!-- .container .d-flex -->↵
74.      </nav>↵
75.    </header>↵
76. ↵
77.    <!-- BEGIN SEARCH MODAL -->↵
78.    <div class="modal fade" id="searchModal" tabindex="-1" aria-
     labelledby="searchModal" aria-hidden="true">↵
79.      <div class="modal-dialog">↵
80.        <div class="modal-content">↵
81.          <!-- bg-dark -->↵
82.          <div class="modal-body">↵
83.            <form action="http://localhost:8000/search">↵
84.              <!-- button is not needed -->↵
85.              <!-- <button class="btn btn-outline-success"
     type="submit"><i class="bi-search"></i></button> -->↵
86.              <input class="form-control" type="search" name="q"
     value="" placeholder="Search" aria-label="Search">↵
87.            </form>↵
88.          </div>↵
89.        </div>↵
90.      </div>↵
91.    </div>↵
92.    <!-- END SEARCH MODAL -->↵
93. ↵
94.    <!-- Sidebar -->↵
95.    <nav id="sidebar" class="bg-dark text-light" tabindex="0">↵
```

```html
96.    <div class="sidebar-header">
97.      <h3>Profile</h3>
98.    </div>
99.
100.    <div class="sidebar-subheader">
101.      <h4>Pages</h4>
102.    </div>
103.    <ul class="list-group">
104.        <li class="list-group-item ">
105.  <a href=/home>
106.    <i class="bi bi-house-door"></i>
107.          Home
108.      </a>
109. </li>
110.        <li class="list-group-item ">
111.  <a href=/search#questions>
112.    <i class="bi bi-question-circle"></i>
113.          Search
114.      </a>
115. </li>
116.        <li class="list-group-item ">
117.  <a href=/news>
118.    <i class="bi bi-newspaper"></i>
119.          News
120.      </a>
121. </li>
122.
123.        <li class="list-group-item ">
124.  <a href=/leaderboard>
125.    <i class="bi bi-trophy"></i>
126.          Leaderboard
127.      </a>
128. </li>
129.        <li class="list-group-item ">
130.  <a href=/about>
131.    <i class="bi bi-info-circle"></i>
132.          About
133.      </a>
134. </li>
135.                                <li class="list-group-item ">
136.  <a href=/administration>
137.    <i class="bi bi-clipboard-data"></i>
138.          Administration
139.      </a>
140. </li>
141.
142.    </ul>
143.
144.    <!-- auth -->
145.
```

```
146.        <div class="sidebar-subheader d-flex justify-content-start
      align-items-center gap-1">↵
147.          <a href="/profile/admin">↵
148.            <img class="rounded-2 fit-cover" src="http://localhost:8000
      /storage/avatars/aa.jpeg"↵
149.              alt="admin profile picture" width=32 height=32>↵
150.          </a>↵
151.          <h4 class="d-inline-block text-truncate">admin</h4>↵
152.        </div>↵
153.        <ul class="list-group">↵
154.          <li class="list-group-item  active ">↵
155.    <a href=/profile/admin>↵
156.      <i class="bi bi-person-circle"></i>↵
157.            <b> My Profile</b>↵
158.        </a>↵
159.  </li>↵
160.          <li class="list-group-item ">↵
161.    <a href=/ask>↵
162.      <i class="bi bi-plus-circle"></i>↵
163.            Ask Question↵
164.        </a>↵
165.  </li>↵
166.        </ul>↵
167.  ↵
168.        <div class="row justify-content-evenly sidebar-buttons">↵
169.          <a class="btn btn-danger col-4" href="/logout">Logout</a>↵
170.        </div>↵
171.        ↵
172.  </nav>↵
173.  ↵
174.  <script>↵
175.    document.querySelector("#sidebar-toggler").addEventListener("click",
      function() {↵
176.      let sidebar = document.querySelector("#sidebar");↵
177.      if (sidebar.classList.contains("active"))↵
178.        sidebar.classList.remove("active");↵
179.      else↵
180.        sidebar.classList.add("active");↵
181.    })↵
182.  </script>↵
183.  ↵
184.  <!-- Notifications -->↵
185.      <div class="container-fluid p-0" id="toast-container">↵
186.            </div>↵
187.      <script src="http://localhost:8000/js/notifications.js" defer>
      </script>↵
188.  ↵
189.      <main>↵
190.        <section id="main-content" class=container-md>↵
191.          <!-- Status Message -->↵
192.  ↵
193.  <!-- BEGIN TABS -->↵
```

```html
194. <div class="page-title d-flex flex-row align-items-center justify-
     content-between">↵
195.   <div class="row">↵
196.     <h2 class="col-12">↵
197.             Your Profile↵
198.         </h2>↵
199.     <div class="col-12">↵
200.             <span class="badge bg-success text-decoration-none"
     data-bs-toggle="tooltip"↵
201.         data-bs-placement="left" title="This user has administrator
     role.">↵
202.             <i class="bi bi-wrench"></i> Administrator↵
203.         </span>↵
204.           </div>↵
205.   </div>↵
206. ↵
207.       <div class="row justify-content-end gap-1">↵
208.           <div class="col-auto">↵
209.         <a class="btn btn-primary" href="/user/edit" role="button"
     data-bs-toggle="tooltip" data-bs-placement="right" title="Edit your
     account information.">↵
210.           Edit <i class="bi bi-pencil-square"></i>↵
211.         </a>↵
212.       </div>↵
213.         <div class="col-auto">↵
214.       <button type="button" class="btn btn-secondary" title="Help:
     Profile" data-bs-container="body" data-bs-toggle="popover" data-bs-
     placement="bottom"↵
215.         data-bs-content="This is a user's profile page. Here, you can
     take a look at a user's activity, information and achievements. In
     your own profile, you can change your account information.">↵
216.         Help <i class="bi bi-question-circle"></i>↵
217.       </button>↵
218.       </div>↵
219.     </div>↵
220.   </div>↵
221. ↵
222. <hr>↵
223. <nav class="mt-2">↵
224.   <ul class="nav nav-tabs justify-content-center">↵
225.     <li class="nav-item profile-tab">↵
226.       <a href="#profile" class="nav-link active fw-bold" data-
     toggle="tab" role="button">↵
227.         About↵
228.       </a>↵
229.     </li>↵
230.     <li class="nav-item profile-tab">↵
231.       <a href="#activity" class="nav-link fw-bold" data-toggle="tab"
     role="button">↵
232.         Activity↵
233.       </a>↵
234.     </li>↵
235.     <li class="nav-item profile-tab">↵
236.       <a href="#achievements" class="nav-link fw-bold" data-
```

```
        toggle="tab" role="button">↵
237.            Achievements↵
238.         </a>↵
239.       </li>↵
240.     </ul>↵
241. </nav>↵
242. <!-- END TABS -->↵
243. ↵
244. <!-- Profile -->↵
245. <div class="container p-2 text-center">↵
246.     <img↵
247.       src="http://localhost:8000/storage/avatars/aa.jpeg"↵
248.       id="profile-picture"↵
249.       class="img-thumbnail rounded"↵
250.       alt="admin profile picture"↵
251.     />↵
252.     <p class="text-center fs-5 m-0 text-wrap text-break">
     <b>admin</b></p>↵
253.     <p class="text-center m-0 text-wrap text-truncate">admin</p>↵
254. </div>↵
255. <div class="row user-engagement-count mb-1">↵
256.     <div class="col-4 themed-grid-col text-center" data-bs-
     toggle="tooltip" data-bs-placement="top" title="This user posted 0
     answer(s).">↵
257.       <h4 class="m-0 p-0">0</h4>↵
258.       <p class="m-0 p-0">Answers</p>↵
259.     </div>↵
260.     <div class="col-4 themed-grid-col text-center"  data-bs-
     toggle="tooltip" data-bs-placement="top" title="This user posted 0
     question(s).">↵
261.       <h4 class="m-0 p-0">0</h4>↵
262.       <p class="m-0 p-0">Questions</p>↵
263.     </div>↵
264.     <div class="col-4 themed-grid-col text-center"  data-bs-
     toggle="tooltip" data-bs-placement="top" title="This user has 0
     reputation points.">↵
265.       <h4 class="m-0 p-0">0</h4>↵
266.       <p class="m-0 p-0">Reputation</p>↵
267.     </div>↵
268. </div>↵
269. ↵
270. <!-- BEGIN TAB CONTENTS -->↵
271. <div class="tab-content">↵
272.     <!-- BEGIN ABOUT TAB -->↵
273. <div id="profile" class="tab-pane fade show active">↵
274.     <div class="container themed-container">↵
275.       <h3 class="m-0 fw-bold">About</h3>↵
276.     </div>↵
277.     <p class="p-3 border border-dark text-break">↵
278.       admin↵
279.     </p>↵
280. </div>↵
281. <!-- END ABOUT TAB -->↵
```

```html
282.
283.   <!-- BEGIN ACTIVITY TAB -->
284.   <div id="activity" class="tab-pane fade container">
285.     <div class="row">
286.       <!-- Top Topics -->
287.       <div class="col-lg p-1">
288.         <div class="container themed-container">
289.           <h3 class="m-0 fw-bold"  data-bs-toggle="tooltip" data-bs-
   placement="top" title="Top topics the user participated in.">Top
   Topics</h3>
290.         </div>
291.         <div class="text-center mb-3">
292.           <span>-- This user has no activity --</span>
293.         </div>
294.       </div>
295.       <!-- Top Questions -->
296.       <div class="col-lg p-1">
297.         <div class="container themed-container">
298.           <h3 class="m-0 fw-bold" data-bs-toggle="tooltip" data-bs-
   placement="top" title="Questions with the most score points posted by
   this user.">Top Questions</h3>
299.         </div>
300.         <div class="text-center">
301.           <span>-- This user has no questions --</span>
302.         </div>
303.       </div>
304.     </div>
305.   </div>
306.   <!-- END ACTIVITY TAB -->
307.
308.   <!-- BEGIN ACHIEVEMENTS TAB -->
309.   <div id="achievements" class="tab-pane fade">
310.     <div class="container themed-container">
311.       <h3 class="m-0 fw-bold">Achievements</h3>
312.     </div>
313.     <!-- Progress bar -->
314.       <div class="p-2 m-auto">
315.       <div class="container d-flex justify-content-between p-0">
316.         <span><i class="bi bi-award-fill"></i> Progress</span>
317.         <span
318.           >0/6
319.           Achieved</span
320.         >
321.       </div>
322.       <span
323.         class="p-0 progress m-auto"
324.         data-bs-toggle="popover"
325.         data-bs-trigger="hover focus"
326.         data-bs-content="0% completed achievements"
327.       >
328.         <span
329.           class="progress-bar p-0 m-0"
```

```
330.            role="progressbar"↵
331.            style="width: 0%;"↵
332.            aria-valuenow="25"↵
333.            aria-valuemin="0"↵
334.            aria-valuemax="100"↵
335.          >↵
336.            0%↵
337.          </span>↵
338.        </span>↵
339.      </div>↵
340.      <div class="container d-flex flex-wrap justify-content-center
      mt-3">↵
341.              <div class="container-fluid row align-items-center border
      rounded ↵
342.    border↵
343. m-1 p-1 bg-dark" style="max-width: 20em;">↵
344.    <div class="col-3 text-start ps-2">↵
345.      <span class="achievement-logo rounded"></span>↵
346.    </div>↵
347.    <div class="col-9 col-xs-7 align-middle text-start text-wrap lh-
      sm">↵
348.      <h6 class="text-start mt-3 mb-0"><b>Post first question</b></h6>↵
349.      <p class="text-start fs-7 mb-3">You posted your first question on
      Segmentation Fault </p>↵
350.    </div>↵
351. </div>↵
352.        <div class="container-fluid row align-items-center border
      rounded ↵
353.    border↵
354. m-1 p-1 bg-dark" style="max-width: 20em;">↵
355.    <div class="col-3 text-start ps-2">↵
356.      <span class="achievement-logo rounded"></span>↵
357.    </div>↵
358.    <div class="col-9 col-xs-7 align-middle text-start text-wrap lh-
      sm">↵
359.      <h6 class="text-start mt-3 mb-0"><b>Get first accepted answer</b>
      </h6>↵
360.      <p class="text-start fs-7 mb-3">An answer you posted was chosen as
      the accepted answer </p>↵
361.    </div>↵
362. </div>↵
363.        <div class="container-fluid row align-items-center border
      rounded ↵
364.    border↵
365. m-1 p-1 bg-dark" style="max-width: 20em;">↵
366.    <div class="col-3 text-start ps-2">↵
367.      <span class="achievement-logo rounded"></span>↵
368.    </div>↵
369.    <div class="col-9 col-xs-7 align-middle text-start text-wrap lh-
      sm">↵
370.      <h6 class="text-start mt-3 mb-0"><b>Reached 100 reputation</b>
      </h6>↵
371.      <p class="text-start fs-7 mb-3">You have reached 100 reputation!
      Thank you for your contribution </p>↵
```

```
372.    </div>↵
373. </div>↵
374.        <div class="container-fluid row align-items-center border
     rounded ↵
375.    border↵
376. m-1 p-1 bg-dark" style="max-width: 20em;">↵
377.    <div class="col-3 text-start ps-2">↵
378.      <span class="achievement-logo rounded"></span>↵
379.    </div>↵
380.    <div class="col-9 col-xs-7 align-middle text-start text-wrap lh-
     sm">↵
381.      <h6 class="text-start mt-3 mb-0"><b>Reached 200 reputation</b>
     </h6>↵
382.      <p class="text-start fs-7 mb-3">You have reached 200 reputation!
     Thank you for your contribution </p>↵
383.    </div>↵
384. </div>↵
385.        <div class="container-fluid row align-items-center border
     rounded ↵
386.    border↵
387. m-1 p-1 bg-dark" style="max-width: 20em;">↵
388.    <div class="col-3 text-start ps-2">↵
389.      <span class="achievement-logo rounded"></span>↵
390.    </div>↵
391.    <div class="col-9 col-xs-7 align-middle text-start text-wrap lh-
     sm">↵
392.      <h6 class="text-start mt-3 mb-0"><b>Reached 500 reputation</b>
     </h6>↵
393.      <p class="text-start fs-7 mb-3">You have reached 500 reputation!
     Thank you for your contribution </p>↵
394.    </div>↵
395. </div>↵
396.        <div class="container-fluid row align-items-center border
     rounded ↵
397.    border↵
398. m-1 p-1 bg-dark" style="max-width: 20em;">↵
399.    <div class="col-3 text-start ps-2">↵
400.      <span class="achievement-logo rounded"></span>↵
401.    </div>↵
402.    <div class="col-9 col-xs-7 align-middle text-start text-wrap lh-
     sm">↵
403.      <h6 class="text-start mt-3 mb-0"><b>Reached 1000 reputation</b>
     </h6>↵
404.      <p class="text-start fs-7 mb-3">You have reached 1000 reputation!
     Thank you for your contribution </p>↵
405.    </div>↵
406. </div>↵
407.        </div>↵
408.    </div>↵
409.    <!-- END ACHIEVEMENTS TAB -->↵
410. </div>↵
411. <!-- END TAB CONTENTS -->↵
412. ↵
413. <script src="http://localhost:8000/js/tabs.js" defer></script>↵
```

```
414.
415.        </section>
416.     </main>
417.
418.     <!-- Footer -->
419.     <footer class="container">
420.             <button id="notifications-btn" class="btn btn-secondary"
    type="button">
421.           <i class="bi bi-bell"></i>
422.           <span id="notification-amount">
423.             0
424.           </span>
425.         </button>
426.             <a id="go-up-button" class="btn btn-secondary" href="#"
    role="button" aria-label="Go to the top of the page">
427.           <i class="bi bi-arrow-up"></i>
428.         </a>
429.         <br>
430.         <hr>
431.         <div class="row justify-content-between">
432.           <p class="col-auto text-muted">&#169; 2021 Segmentation Fault,
    Inc.</p>
433.           <a class="col-auto text-end" href="#">Go to the top</a>
434.         </div>
435.     </footer>
436.     <!-- Bootstrap + Popper -->
437.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js
    /bootstrap.bundle.min.js" integrity="sha384-
    gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    crossorigin="anonymous"></script>
438.     <script>
439.     var popoverTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="popover"]'))
440.     var popoverList = popoverTriggerList.map(function
    (popoverTriggerEl) {
441.       return new bootstrap.Popover(popoverTriggerEl)
442.     })
443.     // Tooltips
444.     var tooltipTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="tooltip"]'))
445.     var tooltipList = tooltipTriggerList.map(function
    (tooltipTriggerEl) {
446.       return new bootstrap.Tooltip(tooltipTriggerEl)
447.     })
448.     </script>
449.     <script src="http://localhost:8000/js/textarea_resize.js">
    </script>
450.   </body>
451. </html>
```

Used the HTML parser.

Total execution time 31 milliseconds.