

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by 

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Assembling a community-driven database of
knowledge by asking and answering questions.">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="M3VA36gc1YekrQKvvLKzho0xncMgRIy1V5Sc6Peg">

    <title>Homepage - SegmentationFault</title>
    <!-- Bootstrap (must come before all other stylesheets) -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

## Source

1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-  
scale=1">↵
7.     <meta name="description" content="Assembling a community-driven  
database of knowledge by asking and answering questions.">↵
8.   ↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"  
content="M3VA36gc1YekrQKvvLKzho0xncMgRIy1V5Sc6Peg">↵
11.   ↵
12.    <title>Homepage - SegmentationFault</title>↵

```

13.     <!-- Bootstrap (must come before all other stylesheets) -->
14.     <link rel="stylesheet" href="https://cdn.jsdelivr.net
/npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">
15.     <!-- using themed bootstrap -->
16.     <link rel="stylesheet" href="http://localhost:8000
/css/bootstrap.min.css">
17.
18.     <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1
/jquery.min.js"></script>
19.     <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet"/>
20.     <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js"></script>
21.
22.     <!-- Remarkable -->
23.     <script src="http://localhost:8000/js/app.js"></script>
24.     <!-- StackEdit Markdown -->
25.     <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib
/stackedit.min.js"></script>
26.
27.     <!-- CSS -->
28.     <link rel="stylesheet" href="http://localhost:8000/css/admin.css"
type="text/css" />
29.     <link rel="stylesheet" href="http://localhost:8000
/css/profile.css" type="text/css" />
30.     <link rel="stylesheet" href="http://localhost:8000
/css/responsive.css" type="text/css" />
31.     <link rel="stylesheet" href="http://localhost:8000/css/style.css"
type="text/css" />
32.     <link rel="stylesheet" href="http://localhost:8000/css/print.css"
media="print" type="text/css" />
33.
34.     <!-- OpenGraph -->
35.     <meta property="og:title" content="Homepage - SegmentationFault"
/>
36.     <meta property="og:url" content="http://localhost:8000/home" />
37.     <meta property="og:image" content="http://localhost:8000/image
/logo/default.png" />
38.     <meta property="og:type" content="website" />
39.     <meta property="og:description" content="Assembling a community-
driven database of knowledge by asking and answering questions." />
40.     <meta property="og:locale" content="en" />
41. </head>
42. <body>
43.     <!-- skip link -->
44.     <a id="skip-nav" class="screenreader-text" href="#main-content">
45.         Skip navigation and sidebar
46.     </a>
47.
48.     <header>
49.         <!-- Header -->
50.         <nav class="navbar fixed-top navbar-expand bg-dark navbar-
dark">
51.             <div class="container d-flex justify-content-between">
52.                 <div class="d-flex align-items-center">

```

```

53.         <button id="sidebar-toggler" class="navbar-toggler"
type="button" aria-expanded="false" aria-label="Toggle navigation">
54.             <span class="navbar-toggler-icon"></span>
55.         </button>
56.         <div class="navbar-brand">
57.             <a id="brand-logo" href="http://localhost:8000/home">
58.                 <span id="brand">Segmentation <b>fault</b></span>
59.             </a>
60.             <i class="bi bi-cpu"></i>
61.             Homepage </div>
62.     </div> <!-- .d-flex -->
63.     <!-- search -->
64.     <div id="searchModal-toggler">
65.         <button type="button" class="btn btn-outline-success"
aria-label="Open search form" data-bs-toggle="modal" data-bs-
target="#searchModal">
66.             <i class="bi-search"></i>
67.         </button>
68.     </div>
69.     <form id="navbarSeachForm" class="d-flex"
action="http://localhost:8000/search">
70.         <input class="form-control me-2" name="q" value=""
type="search" placeholder="Search" aria-label="Search">
71.         <button class="btn btn-outline-success" type="submit"
aria-label="Search"><i class="bi-search"></i></button>
72.     </form>
73. </div> <!-- .container .d-flex -->
74. </nav>
75. </header>
76.
77.     <!-- BEGIN SEARCH MODAL -->
78.     <div class="modal fade" id="searchModal" tabindex="-1" aria-
labelledby="searchModal" aria-hidden="true">
79.         <div class="modal-dialog">
80.             <div class="modal-content">
81.                 <!-- bg-dark -->
82.                 <div class="modal-body">
83.                     <form action="http://localhost:8000/search">
84.                         <!-- button is not needed -->
85.                         <!-- <button class="btn btn-outline-success"
type="submit"><i class="bi-search"></i></button> -->
86.                         <input class="form-control" type="search" name="q"
value="" placeholder="Search" aria-label="Search">
87.                     </form>
88.                 </div>
89.             </div>
90.         </div>
91.     </div>
92.     <!-- END SEARCH MODAL -->
93.
94.     <!-- Sidebar -->
95.     <nav id="sidebar" class="bg-dark text-light" tabindex="0">
96.         <div class="sidebar-header">

```

```

97.         <h3>Homepage</h3>↵
98.     </div>↵
99. ↵
100.    <div class="sidebar-subheader">↵
101.        <h4>Pages</h4>↵
102.    </div>↵
103.    <ul class="list-group">↵
104.        <li class="list-group-item active ">↵
105.            <a href=/home>↵
106.                <i class="bi bi-house-door"></i>↵
107.                <b> Home</b>↵
108.            </a>↵
109.        </li>↵
110.        <li class="list-group-item ">↵
111.            <a href=/search#questions>↵
112.                <i class="bi bi-question-circle"></i>↵
113.                Search↵
114.            </a>↵
115.        </li>↵
116.        <li class="list-group-item ">↵
117.            <a href=/news>↵
118.                <i class="bi bi-newspaper"></i>↵
119.                News↵
120.            </a>↵
121.        </li>↵
122.        ↵
123.        <li class="list-group-item ">↵
124.            <a href=/leaderboard>↵
125.                <i class="bi bi-trophy"></i>↵
126.                Leaderboard↵
127.            </a>↵
128.        </li>↵
129.        <li class="list-group-item ">↵
130.            <a href=/about>↵
131.                <i class="bi bi-info-circle"></i>↵
132.                About↵
133.            </a>↵
134.        </li>↵
135.        <li class="list-group-item ">↵
136.            <a href=/administration>↵
137.                <i class="bi bi-clipboard-data"></i>↵
138.                Administration↵
139.            </a>↵
140.        </li>↵
141.        ↵
142.    </ul>↵
143. ↵
144.    <!-- auth -->↵
145.    ↵
146.    <div class="sidebar-subheader d-flex justify-content-start
align-items-center gap-1">↵

```

```

147.         <a href="/profile/admin">␣
148.             ␣
150.         </a>␣
151.         <h4 class="d-inline-block text-truncate">admin</h4>␣
152.     </div>␣
153.     <ul class="list-group">␣
154.         <li class="list-group-item ">␣
155.             <a href=/profile/admin>␣
156.                 <i class="bi bi-person-circle"></i>␣
157.                 My Profile␣
158.             </a>␣
159. </li>␣
160.         <li class="list-group-item ">␣
161.             <a href=/ask>␣
162.                 <i class="bi bi-plus-circle"></i>␣
163.                 Ask Question␣
164.             </a>␣
165. </li>␣
166.     </ul>␣
167. ␣
168.     <div class="row justify-content-evenly sidebar-buttons">␣
169.         <a class="btn btn-danger col-4" href="/logout">Logout</a>␣
170.     </div>␣
171. ␣
172. </nav>␣
173. ␣
174. <script>␣
175.     document.querySelector("#sidebar-toggler").addEventListener("click",
function() {␣
176.         let sidebar = document.querySelector("#sidebar");␣
177.         if (sidebar.classList.contains("active"))␣
178.             sidebar.classList.remove("active");␣
179.         else␣
180.             sidebar.classList.add("active");␣
181.     })␣
182. </script>␣
183. ␣
184. <!-- Notifications -->␣
185.     <div class="container-fluid p-0" id="toast-container">␣
186.         </div>␣
187.     <script src="http://localhost:8000/js/notifications.js" defer>
</script>␣
188. ␣
189.     <main>␣
190.         <section id="main-content" >␣
191.             <!-- START CAROUSEL -->␣
192. <div id="marketingCarousel" class="carousel slide" data-bs-
ride="carousel" data-bs-interval="false">␣
193.     <div class="carousel-indicators">␣
194.         <button type="button" data-bs-target="#marketingCarousel" data-bs-

```

```

slide-to="0" class="active" aria-current="true" aria-label="Slide
1"></button>↵
195.     <button type="button" data-bs-target="#marketingCarousel" data-bs-
slide-to="1" aria-label="Slide 2"></button>↵
196.     <button type="button" data-bs-target="#marketingCarousel" data-bs-
slide-to="2" aria-label="Slide 3"></button>↵
197. </div>↵
198. <div class="carousel-inner">↵
199.     <!-- START CAROUSEL ITEM -->↵
200.     <div class="carousel-item active text-white bg-dark text-center
marketingCarousel">↵
201.         <div class="container p-4 p-md-5 mb-4">↵
202.             <h1 class="display-4 fst-italic">We <i class="bi-heart
fs-2"></i> tech</h1>↵
203.             <p class="lead my-3">So we built this for you</p>↵
204.             <p class="lead mb-0">↵
205.                 <a class="btn btn-secondary" href="#find-out-more"
role="button">Find out more</a>↵
206.                 <a class="btn btn-primary" href="/register"
role="button">Join now</a>↵
207.             </p>↵
208.         </div>↵
209.     </div>↵
210.     <div class="carousel-item text-white bg-dark text-center
marketingCarousel">↵
211.         <div class="container p-4 p-md-5 mb-4">↵
212.             <h1 class="display-4 fst-italic">Top question of the
site</h1>↵
213.             <p class="lead my-3">Difference between staticmethod and
classmethod</p>↵
214.             <a class="btn btn-primary" href=/question/5
role="button">Visit question</a>↵
215.         </div>↵
216.     </div>↵
217.     <div class="carousel-item text-white bg-dark text-center
marketingCarousel">↵
218.         <div class="container p-4 p-md-5 mb-4">↵
219.             <h1 class="display-4 fst-italic">Read the latest news about
us</h1>↵
220.             <p class="lead my-3">Stay up-to-date on everything that is
going on with the site</p>↵
221.             <a class="btn btn-primary" href="/news"
role="button">News</a>↵
222.         </div>↵
223.     </div>↵
224.     <!-- END CAROUSEL ITEM -->↵
225. </div>↵
226. <button class="carousel-control-prev" type="button" data-bs-
target="#marketingCarousel" data-bs-slide="prev">↵
227.     <span class="carousel-control-prev-icon" aria-hidden="true">
</span>↵
228.     <span class="visually-hidden">Previous</span>↵
229. </button>↵
230. <button class="carousel-control-next" type="button" data-bs-
target="#marketingCarousel" data-bs-slide="next">↵
231.     <span class="carousel-control-next-icon" aria-hidden="true">

```

```

    </span>↵
232.     <span class="visually-hidden">Next</span>↵
233.   </button>↵
234. </div>↵
235. <!-- END CAROUSEL -->↵
236. ↵
237. <div class="container">↵
238.   <!-- START FEATURETTES -->↵
239.   <div id="find-out-more">↵
240.     <hr class="featurette-divider">↵
241.   ↵
242.     <div class="row featurette">↵
243.       <div class="col-12 col-sm-8 col-md-10">↵
244.         <h2 class="featurette-heading">↵
245.           Share your questions. <span class="text-muted">There's
always someone ready to answer.</span>↵
246.         </h2>↵
247.         <p class="lead">↵
248.           You'll get the help you need and leave behind content
that'll help others that have the same problem as you.↵
249.         </p>↵
250.       </div>↵
251.       <div class="col-12 col-sm-4 col-md-2 text-center text-sm-end">↵
252.         <span id="share_img" class="featurette-img mx-auto"></span>↵
253.       </div>↵
254.     </div>↵
255.   ↵
256.   <hr class="featurette-divider">↵
257. ↵
258.   <div class="row featurette">↵
259.     <div class="col-12 col-sm-8 col-md-10 order-md-2 text-md-end">↵
260.       <h2 class="featurette-heading">↵
261.         Help the community. <span class="text-muted">Answer the
questions you see.</span>↵
262.       </h2>↵
263.       <p class="lead">↵
264.         Every answer can make the difference.↵
265.       </p>↵
266.     </div>↵
267.     <div class="col-12 col-sm-4 col-md-2 text-center text-sm-end
text-md-start order-md-1">↵
268.       <span id="help_img" class="featurette-img mx-auto"></span>↵
269.     </div>↵
270.   </div>↵
271. ↵
272.   <hr class="featurette-divider">↵
273. ↵
274.   <div class="row featurette">↵
275.     <div class="col-12 col-sm-8 col-md-10">↵
276.       <h2 class="featurette-heading">↵
277.         Be recognised by your worth. <span class="text-muted">Become
a valuable member of the community.</span>↵

```

```

278.         </h2><␣
279.         <p class="lead"><␣
280.             The more good answers you give, the more standing you get.
                People will see you as a valuable and helpful member of the
                community.<␣
281.         </p><␣
282.     </div><␣
283.     <div class="col-12 col-sm-4 col-md-2 text-center text-sm-end"><␣
284.         <span id="be_img" class="featurette-img mx-auto"></span><␣
285.     </div><␣
286. </div><␣
287. ␣
288.     <hr class="featurette-divider"><␣
289. </div><␣
290. <!-- END FEATURETTES --><␣
291. ␣
292. <!-- START FEATURE LIST --><␣
293. <div id="site-features"><␣
294.     <h2>Features</h2><␣
295.     <hr><␣
296.     You can browse the contents freely forever and become a member at
297.     any␣
298.     time. We're always looking for people ready to contribute and help
299.     each␣
300.     other. These are some of the features you'll find in our website:<␣
301.     <ul><␣
302.         <li>Search and filters</li><␣
303.         <li>Ask and answer questions</li><␣
304.         <li>Comment on answer and questions</li><␣
305.         <li>Vote on questions, answers and comments</li><␣
306.         <li>Propose edits</li><␣
307.         <li>Get notified of activity in you questions you
                participate</li><␣
308.         <li>View other users' profile</li><␣
309.         <li>Get achievements</li><␣
310.         <li>Earn perks based on your reputation</li><␣
311.     </ul><␣
312. </div><␣
313.     </section><␣
314. </main><␣
315. ␣
316. <!-- Footer --><␣
317. <footer class="container"><␣
318.     <button id="notifications-btn" class="btn btn-secondary"
                type="button"><␣
319.         <i class="bi bi-bell"></i><␣
320.         <span id="notification-amount"><␣
321.             0<␣
322.         </span><␣
323.     </button><␣

```



```

324.         <a id="go-up-button" class="btn btn-secondary" href="#"
role="button" aria-label="Go to the top of the page">↵
325.         <i class="bi bi-arrow-up"></i>↵
326.     </a>↵
327.     <br>↵
328.     <hr>↵
329.     <div class="row justify-content-between">↵
330.         <p class="col-auto text-muted">⌘; 2021 Segmentation Fault,
Inc.</p>↵
331.         <a class="col-auto text-end" href="#">Go to the top</a>↵
332.     </div>↵
333. </footer>↵
334. <!-- Bootstrap + Popper -->↵
335. <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js
/bootstrap.bundle.min.js" integrity="sha384-
gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
crossorigin="anonymous"></script>↵
336. <script>↵
337.     var popoverTriggerList =
[[]].slice.call(document.querySelectorAll('[data-bs-
toggle="popover"]'))↵
338.     var popoverList = popoverTriggerList.map(function
(popoverTriggerEl) {↵
339.         return new bootstrap.Popover(popoverTriggerEl)↵
340.     })↵
341.     // Tooltips↵
342.     var tooltipTriggerList =
[[]].slice.call(document.querySelectorAll('[data-bs-
toggle="tooltip"]'))↵
343.     var tooltipList = tooltipTriggerList.map(function
(tooltipTriggerEl) {↵
344.         return new bootstrap.Tooltip(tooltipTriggerEl)↵
345.     })↵
346. </script>↵
347. <script src="http://localhost:8000/js/textarea_resize.js">
</script>↵
348. </body>↵
349. </html>

```

Used the HTML parser.

Total execution time 124 milliseconds.

---