Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show [✓] source [ ] outline [ ] image report [Options...]

Check by [text input ⌄]

[Enter the URL for an HTML, CSS, or SVG document]

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

```
 1.  <!DOCTYPE html>↵
 2.  <html lang="en">↵
 3.    <head>↵
 4.      <meta charset="utf-8">↵
 5.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
 6.      <meta name="viewport" content="width=device-width, initial-
     scale=1">↵
 7.      <meta name="description" content="Assembling a community-driven
     database of knowledge by asking and answering questions.">↵
 8.  ↵
 9.      <!-- CSRF Token -->↵
10.      <meta name="csrf-token"
     content="N8U035hFYcm6VIL8qE16zAPfGSB2rvCItJIasDLB">↵
11.  ↵
12.      <title>Reset Password - SegmentationFault</title>↵
13.      <!-- Bootstrap (must come before all other stylesheets) -->↵
14.      <link rel="stylesheet" href="https://cdn.jsdelivr.net
     /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">↵
15.      <!-- using themed bootstrap -->↵
16.      <link rel="stylesheet" href="http://lbaw2113.lbaw-prod.fe.up.pt
     /css/bootstrap.min.css">↵
17.  ↵
18.      <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1
     /jquery.min.js"></script>↵
19.      <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
     /css/select2.min.css" rel="stylesheet"/>↵
20.      <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
     /js/select2.min.js"></script>↵
21.  ↵
22.      <!-- Remarkable -->↵
23.      <script src="http://lbaw2113.lbaw-prod.fe.up.pt/js/app.js">
     </script>↵
24.      <!-- StackEdit Markdown -->↵
25.      <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib
```

```
       /stackedit.min.js"></script>↵
26.  ↵
27.      <!-- CSS -->↵
28.      <link rel="stylesheet" href="http://lbaw2113.lbaw-prod.fe.up.pt
     /css/admin.css" type="text/css" />↵
29.      <link rel="stylesheet" href="http://lbaw2113.lbaw-prod.fe.up.pt
     /css/profile.css" type="text/css" />↵
30.      <link rel="stylesheet" href="http://lbaw2113.lbaw-prod.fe.up.pt
     /css/responsive.css" type="text/css" />↵
31.      <link rel="stylesheet" href="http://lbaw2113.lbaw-prod.fe.up.pt
     /css/style.css" type="text/css" />↵
32.      <link rel="stylesheet" href="http://lbaw2113.lbaw-prod.fe.up.pt
     /css/print.css" media="print" type="text/css" />↵
33.  ↵
34.      <!-- OpenGraph -->↵
35.      <meta property="og:title" content="Reset Password -
     SegmentationFault" />↵
36.      <meta property="og:url" content="http://lbaw2113.lbaw-
     prod.fe.up.pt/reset-password
     /a14e7ec35dfbbc0e7d0bacaef8bd36f0d9328a7523b8fff922bb3bc76fbce042"
     />↵
37.      <meta property="og:image" content="http://lbaw2113.lbaw-
     prod.fe.up.pt/image/logo/default.png" />↵
38.      <meta property="og:type" content="" />↵
39.      <meta property="og:description" content="Assembling a community-
     driven database of knowledge by asking and answering questions." />↵
40.      <meta property="og:locale" content="en" />↵
41.   </head>↵
42.   <body>↵
43.      <!-- skip link -->↵
44.      <a id="skip-nav" class="screenreader-text" href="#main-content">↵
45.        Skip navigation and sidebar↵
46.      </a>↵
47.  ↵
48.      <header>↵
49.        <!-- Header -->↵
50.        <nav class="navbar fixed-top navbar-expand bg-dark navbar-
     dark">↵
51.          <div class="container d-flex justify-content-between">↵
52.            <div class="d-flex align-items-center">↵
53.              <button id="sidebar-toggler" class="navbar-toggler"
     type="button" aria-expanded="false" aria-label="Toggle navigation">↵
54.                <span class="navbar-toggler-icon"></span>↵
55.              </button>↵
56.              <div class="navbar-brand">↵
57.                <a id="brand-logo" href="http://lbaw2113.lbaw-
     prod.fe.up.pt/home">↵
58.                  <span id="brand">Segmentation <b>fault</b></span>↵
59.                </a>↵
60.                <i class="bi bi-cpu"></i>↵
61.                Reset Password          </div>↵
62.            </div> <!-- .d-flex -->↵
63.            <!-- search -->↵
64.            <div id="searchModal-toggler">↵
65.              <button type="button" class="btn btn-outline-success"
     aria-label="Open search form" data-bs-toggle="modal" data-bs-
     target="#searchModal">↵
66.                <i class="bi-search"></i>↵
67.              </button>↵
68.            </div>↵
69.            <form id="navbarSeachForm" class="d-flex"
     action="http://lbaw2113.lbaw-prod.fe.up.pt/search">↵
70.              <input class="form-control me-2" name="q" value=""
     type="search" placeholder="Search" aria-label="Search">↵
71.              <button class="btn btn-outline-success" type="submit"
     aria-label="Search"><i class="bi-search"></i></button>↵
```

```
72.              </form>↵
73.            </div> <!-- .container .d-flex -->↵
74.          </nav>↵
75.        </header>↵
76.  ↵
77.        <!-- BEGIN SEARCH MODAL -->↵
78.        <div class="modal fade" id="searchModal" tabindex="-1" aria-
      labelledby="searchModal" aria-hidden="true">↵
79.          <div class="modal-dialog">↵
80.            <div class="modal-content">↵
81.              <!-- bg-dark -->↵
82.              <div class="modal-body">↵
83.                <form action="http://lbaw2113.lbaw-prod.fe.up.pt
      /search">↵
84.                  <!-- button is not needed -->↵
85.                  <!-- <button class="btn btn-outline-success"
      type="submit"><i class="bi-search"></i></button> -->↵
86.                  <input class="form-control" type="search" name="q"
      value="" placeholder="Search" aria-label="Search">↵
87.                </form>↵
88.              </div>↵
89.            </div>↵
90.          </div>↵
91.        </div>↵
92.        <!-- END SEARCH MODAL -->↵
93.  ↵
94.        <!-- Sidebar -->↵
95.        <nav id="sidebar" class="bg-dark text-light" tabindex="0">↵
96.        <div class="sidebar-header">↵
97.          <h3>Reset Password</h3>↵
98.        </div>↵
99.  ↵
100.       <div class="sidebar-subheader">↵
101.         <h4>Pages</h4>↵
102.       </div>↵
103.       <ul class="list-group">↵
104.           <li class="list-group-item ">↵
105.  <a href=/home>↵
106.    <i class="bi bi-house-door"></i>↵
107.             Home↵
108.         </a>↵
109. </li>↵
110.           <li class="list-group-item ">↵
111.  <a href=/search#questions>↵
112.    <i class="bi bi-question-circle"></i>↵
113.             Search↵
114.         </a>↵
115. </li>↵
116.           <li class="list-group-item ">↵
117.  <a href=/news>↵
118.    <i class="bi bi-newspaper"></i>↵
119.             News↵
120.         </a>↵
121. </li>↵
122.           ↵
123.           <li class="list-group-item ">↵
124.  <a href=/leaderboard>↵
125.    <i class="bi bi-trophy"></i>↵
126.             Leaderboard↵
127.         </a>↵
128. </li>↵
129.           <li class="list-group-item ">↵
130.  <a href=/about>↵
131.    <i class="bi bi-info-circle"></i>↵
132.             About↵
```

```
133.        </a>↵
134. </li>↵
135.            ↵
136.      </ul>↵
137.  ↵
138.      <!-- auth -->↵
139.            <div class="row justify-content-evenly sidebar-buttons">↵
140.          <a class="btn btn-info col-auto" href="/login" role="button"
     aria-label="Go to login page">↵
141.             Log in↵
142.          </a>↵
143.          <a class="btn btn-primary col-auto" href="/register"
     role="button" aria-label="Go to register page">↵
144.             Sign up↵
145.          </a>↵
146.        </div>↵
147.      ↵
148.      ↵
149. </nav>↵
150. ↵
151. <script>↵
152.    document.querySelector("#sidebar-toggler").addEventListener("click",
     function() {↵
153.      let sidebar = document.querySelector("#sidebar");↵
154.      if (sidebar.classList.contains("active"))↵
155.        sidebar.classList.remove("active");↵
156.      else↵
157.        sidebar.classList.add("active");↵
158.    })↵
159. </script>↵
160. ↵
161. <!-- Notifications -->↵
162. ↵
163.      <main>↵
164.        <section id="main-content" >↵
165.          <div class="auth-container">↵
166.      <div class="auth-form-container">↵
167.        <h2 class="lead fs-3 fw-bold">Reset Password</h2>↵
168.        <form class="auth-form" method="post"
     action="http://lbaw2113.lbaw-prod.fe.up.pt/reset-password">↵
169.            <input type="hidden" name="_token"
     value="N8U035hFYcm6VIL8qE16zAPfGSB2rvCItJIasDLB">↵
170.            <input type="hidden" id="token" name="token"
     value="a14e7ec35dfbbc0e7d0bacaef8bd36f0d9328a7523b8fff922bb3bc76fbce04
     2">↵
171.            <!-- Email -->↵
172.            <div class="input-group mb-3">↵
173.                <label for="email" class="form-label"><i class="bi bi-
     envelope-fill"></i> <b>Email address</b> <span class="text-danger">*
     </span></label>↵
174.                <div class="input-group has-validation">↵
175.                    <input id="email" type="email" class="form-
     control" name="email" placeholder="Enter email... (e.g.:
     email@example.com)" value="" required autofocus>↵
176.                                </div>↵
177.            </div>↵
178. ↵
179.            <!-- Password -->↵
180.            <div class="input-group mb-3">↵
181.                <label for="password" class="form-label"><i class="bi
     bi-lock-fill"></i> <b>New Password</b> <span class="text-danger">*
     </span></label>↵
182.                <div class="input-group has-validation">↵
183.                    <input id="password" type="password" class="form-
     control" name="password" placeholder="Enter new password..."
     required>↵
```

```
184.                                                    </div>↵
185.                    </div>↵
186.                    <!-- Repeated Password -->↵
187.                    <div class="input-group mb-3">↵
188.                        <label for="repeated_password" class="form-label"><i
     class="bi bi-lock-fill"></i> <b>Repeat New Password</b> <span
     class="text-danger">*</span></label>↵
189.                        <div class="input-group has-validation">↵
190.                            <input id="repeated_password" type="password"
     class="form-control" name="password_confirmation" placeholder="Repeat
     new password..." required>↵
191.                        </div>↵
192.                    </div>↵
193.                    <!-- submit button -->↵
194.                    <button type="submit" class="btn btn-primary mt-2">Reset
     Password</button>↵
195.            </form>↵
196.        </div>↵
197. </div>↵
198. <script src="/js/form-validation.js"></script>↵
199.        </section>↵
200.      </main>↵
201. ↵
202.      <!-- Footer -->↵
203.      <footer class="container">↵
204.            <a id="go-up-button" class="btn btn-secondary" href="#"
     role="button" aria-label="Go to the top of the page">↵
205.            <i class="bi bi-arrow-up"></i>↵
206.        </a>↵
207.        <br>↵
208.        <hr>↵
209.        <div class="row justify-content-between">↵
210.          <p class="col-auto text-muted">&#169; 2021 Segmentation Fault,
     Inc.</p>↵
211.            <a class="col-auto text-end" href="#">Go to the top</a>↵
212.        </div>↵
213.      </footer>↵
214.      <!-- Bootstrap + Popper -->↵
215.      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js
     /bootstrap.bundle.min.js" integrity="sha384-
     gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
     crossorigin="anonymous"></script>↵
216.      <script>↵
217.        var popoverTriggerList =
     [].slice.call(document.querySelectorAll('[data-bs-
     toggle="popover"]'))↵
218.        var popoverList = popoverTriggerList.map(function
     (popoverTriggerEl) {↵
219.          return new bootstrap.Popover(popoverTriggerEl)↵
220.        })↵
221.        // Tooltips↵
222.        var tooltipTriggerList =
     [].slice.call(document.querySelectorAll('[data-bs-
     toggle="tooltip"]'))↵
223.        var tooltipList = tooltipTriggerList.map(function
     (tooltipTriggerEl) {↵
224.          return new bootstrap.Tooltip(tooltipTriggerEl)↵
225.        })↵
226.      </script>↵
227.      <script src="http://lbaw2113.lbaw-prod.fe.up.pt
     /js/textarea_resize.js"></script>↵
228.    </body>↵
229. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

About this checker • Report an issue • Version: 21.5.28