## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

```
Checker Input
Show Source
                                               Options...
                   outline
                              image report
Check by text input V CSS
 <!DOCTYPE html>
 <html lang="en">
   <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="description" content="Assembling a community-driven database of knowledge by asking</pre>
 and answering questions.">
     <!-- CSRF Token -->
     <meta name="csrf-token" content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
     <title>Edit Question - SegmentationFault</title>
     <!-- Bootstrap (must come before all other stylesheets) -->
     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-</pre>
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## Source

```
1. <!DOCTYPE html>↔
2. <html lang="en">↔
3.
     <head>←
4.
        <meta charset="utf-8">↔
5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.
        <meta name="viewport" content="width=device-width, initial-</pre>
   scale=1">↔
7.
        <meta name="description" content="Assembling a community-driven</pre>
   database of knowledge by asking and answering questions.">
8. ب
9.
        <!-- CSRF Token -->€
        <meta name="csrf-token"</pre>
10.
   content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
11. ↩
12.
        <title>Edit Question - SegmentationFault</title>←
13.
        <!-- Bootstrap (must come before all other stylesheets) -->oldsymbol{\epsilon}
        <link rel="stylesheet" href="https://cdn.jsdelivr.net</pre>
   /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">
15.
        <!-- using themed bootstrap -->↔
        <link rel="stylesheet" href="http://localhost:8000</pre>
   /css/bootstrap.min.css">↔
17. ↔
18.
        <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1</pre>
```

```
/jquery.min.js"></script>
19.
        <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
    /css/select2.min.css" rel="stylesheet"/>↩
20.
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
    /js/select2.min.js"></script>
21. ←
22.
        <!-- Remarkable -->�
23.
        <script src="http://localhost:8000/js/app.js"></script>
24.
        <!-- StackEdit Markdown -->↔
25.
        <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib</pre>
    /stackedit.min.js"></script>↔
26. ~
27.
        <!-- CSS -->€
28.
        <link rel="stylesheet" href="http://localhost:8000/css/admin.css"</pre>
   type="text/css" />
29.
       <link rel="stylesheet" href="http://localhost:8000</pre>
    /css/profile.css" type="text/css" />
30.
        <link rel="stylesheet" href="http://localhost:8000</pre>
    /css/responsive.css" type="text/css" />
       <link rel="stylesheet" href="http://localhost:8000/css/style.css"</pre>
   type="text/css" />
       <link rel="stylesheet" href="http://localhost:8000/css/print.css"</pre>
   media="print" type="text/css" />
33
34
        <!-- OpenGraph -->↔
35.
        <meta property="og:title" content="Edit Question -</pre>
   SegmentationFault" />
36.
        <meta property="og:url" content="http://localhost:8000/question</pre>
    /18/edit" />↩
37.
        <meta property="og:image" content="http://localhost:8000/image</pre>
    /logo/default.png" />↔
38.
        <meta property="og:type" content="website" />
39.
        <meta property="og:description" content="Assembling a community-</pre>
   driven database of knowledge by asking and answering questions." \rightarrow
40.
        <meta property="og:locale" content="en" />↩
41.
     </head>↔
42.
     <body>
43.
        <!-- skip link -->↔
44.
        <a id="skip-nav" class="screenreader-text" href="#main-content">↔
45.
          Skip navigation and sidebar
        </a>↩
46.
47. ح
48.
        <header>↔
49.
          <!-- Header -->↩
50
          <nav class="navbar fixed-top navbar-expand bg-dark navbar-</pre>
   dark">
51.
            <div class="container d-flex justify-content-between">←
52.
              <div class="d-flex align-items-center">←
53.
                <button id="sidebar-toggler" class="navbar-toggler"</pre>
   type="button" aria-expanded="false" aria-label="Toggle navigation">↔
54.
                  <span class="navbar-toggler-icon"></span>←
55.
                </button>
56.
                <div class="navbar-brand">↔
57.
                  <a id="brand-logo" href="http://localhost:8000/home">
58.
                    <span id="brand">Segmentation <b>fault</b></span>←
59.
                  </a>↩
60.
                  <i class="bi bi-cpu"></i>↩
61.
                  Edit Question
                                            </div>
62.
              </div> <!-- .d-flex -->↔
63.
              <!-- search -->↔
64.
              <div id="searchModal-toggler">
65.
                <button type="button" class="btn btn-outline-success"</pre>
   aria-label="Open search form" data-bs-toggle="modal" data-bs-
   target="#searchModal">←
66.
                  <i class="bi-search"></i>€
67.
                </button>
```

```
68.
             </div>
             <form id="navbarSeachForm" class="d-flex"</pre>
69.
    action="http://localhost:8000/search">↩
70.
               <input class="form-control me-2" name="q" value=""</pre>
    type="search" placeholder="Search" aria-label="Search">
71.
               <button class="btn btn-outline-success" type="submit"</pre>
    aria-label="Search"><i class="bi-search"></i></button>
72.
             </form>
73.
           </div> <!-- .container .d-flex -->↔
74.
          </nav>
75.
       </header>↔
76. ↔
77.
        <!-- BEGIN SEARCH MODAL -->
78.
        <div class="modal fade" id="searchModal" tabindex="-1" aria-</pre>
    labelledby="searchModal" aria-hidden="true">←
         <div class="modal-dialog">
79.
80.
           <div class="modal-content">←
81.
             <!-- bg-dark -->↩
82.
             <div class="modal-body">
83.
               <form action="http://localhost:8000/search">
84.
                 <!-- button is not needed -->
85.
                 <!-- <button class="btn btn-outline-success"
    type="submit"><i class="bi-search"></i></button> -->
86.
                 <input class="form-control" type="search" name="q"</pre>
    value="" placeholder="Search" aria-label="Search">
87.
               </form>
88.
             </div>
89.
           </div>
90.
         </div>
91.
        </div>
92.
        <!-- END SEARCH MODAL -->
93. ك
94.
       <!-- Sidebar -->↩
        <nav id="sidebar" class="bg-dark text-light" tabindex="0">
95.
96.
        <div class="sidebar-header">
97.
         <h3>Edit Ouestion</h3>
98.
       </div>
99. \rightarrow
100.
       <div class="sidebar-subheader">↔
101.
         <h4>Pages</h4>↔
102.
        </div>
103.
        104.
            ←)
     <a href=/home>�
105.
        <i class="bi bi-house-door"></i>↔
106.
107.
             Home 
ightharpoonup 
angle
          </a>
108.
109. ↩
110.
           ←
111. <a href=/search#questions>€
112.
       <i class="bi bi-question-circle"></i>↩
113.
              Search 
114.
          </a>↩
115. ↩
116.
           ←
     <a href=/news>€
117.
       <i class="bi bi-newspaper"></i>↩
118.
119.
             News 
120.
         </a>↩
121. ↩
122.
123.
            ←)
124. <a href=/leaderboard>↔
125.
       <i class="bi bi-trophy"></i>↔
126.
             Leaderboard
```

```
127.
          </a>↩
128. ↩
129.
            ←)
130.
      <a href=/about>�
        <i class="bi bi-info-circle"></i>↔
131.
132.
              About 
133.
          </a>↩
134. ↩
135.
            4
136.
        137. ↩
138.
        <!-- auth -->↩
139.
              <div class="row justify-content-evenly sidebar-buttons">
140.
            <a class="btn btn-info col-auto" href="/login" role="button"</pre>
    aria-label="Go to login page">↩
141.
              Log in
            </a>
142.
143.
            <a class="btn btn-primary col-auto" href="/register"</pre>
    role="button" aria-label="Go to register page">←
144.
              Sign up
145.
            </a>↩
          </div>
146.
        ب
147.
        4
148.
149. </nav>↩
150. ↔
151. <script>↩
      document.querySelector("#sidebar-toggler").addEventListener("click",
152.
    function() {↩
153.
        let sidebar = document.querySelector("#sidebar");←
154.
        if (sidebar.classList.contains("active")) ↔
155.
          sidebar.classList.remove("active");

←
156.
        else
157.
          sidebar.classList.add("active");←
      })←
158.
159. </script>↩
160. ↔
161. <!-- Notifications -->€
162. ↔
163.
        <main>
164.
          <section id="main-content" class=container-md>←
165.
166. <h2 class="page-title">Edit Question</h2>↔
167. <hr class="mt-3">↩
168. <form method="POST" action="http://localhost:8000/question/18/edit">↔
169.
      <input type="hidden" name=" token"</pre>
    value="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1"> <input
    type="hidden" name="_method" value="PATCH"> <div class="input-
    group">↔
170.
        <label for="title" class="form-label"><b>Question Title</b><span</pre>
    class="text-danger"> *</span></label>
171.
        <div class="input-group has-validation">←
172.
          <input type="text" name="title" class="form-control "+</pre>
173.
           value="is it here?" id="title"↔
174.
           placeholder="Enter question title... (e.g.: How to sort an
    array in c?)" required>↩
175.
              </div>
      </div>
176.
177. ↩
178.
      <div class="input-group mt-2">←
        <label for="form-question-body" class="form-label"><b>Question
    details</b><span class="text-danger"> *</span></label>←
180.
        <div class="input-group has-validation">←
181
          <textarea id="form-question-body" class="no-resize-ta form-</pre>
    control "+
182.
           name="body" rows="16" placeholder="Enter question
```

```
details...">How do you post a question</textarea>€
183.
           <a id="edit-markdown" class="position-absolute fs-4"</pre>
    role="button" href="javascript:void(0)"
    onclick="openEditorQuestion()">↔
184.
             <i class="bi bi-markdown"></i>↩
185.
           </a>
186.
           <script src="http://localhost:8000/js/edit markdown.js">
     </script>↩
187.
               </div>
       </div>
188.
189. ↔
190.
      <div class="row input-group justify-content-center my-3 gx-0">←
191.
         <div id="topic-input" class="col-12 col-md-8 col-1g-6 card p-1</pre>
    mt-3 mb-3">↩
192.
           <div class="card-body">←
193.
             <span class="card-title"><b>Topics</b></span>←
194.
             <hr class="my-1">↔
195.
             <div class="mt-3 has-validation">←
196.
               <select id="topics" class="no-resize-ta topic-list form-</pre>
    control "+
197.
                  name="topics[]" multiple required>↩
                                               <option id="cpp"</pre>
198
    selected="selected" value="cpp">↔
199.
                      cpp
200.
                    </option>↔
201.
                                               <option id="python"</pre>
    selected="selected" value="python">↔
202.
                      python•
203.
                    </option>↩
204.
                                               <option id="javascript"</pre>
    value="javascript">←
205.
                      javascript ~
206.
                    </option>
207.
                                               <option id="c" value="c">←
208.
                      c
209.
                    </option>↔
210.
                                               <option id="sql"</pre>
    value="sql">و
211.
                      sql
212.
                    </option>↔
213.
                                               <option id="prolog"</pre>
    selected="selected" value="prolog">↔
214.
                      prolog
215.
                    </option>↩
216.
                            </select>€
217.
               <script>↔
218.
                 // Load select2 values
219.
                 $(document).ready(function() { ←
220.
                    $('.topic-list').select2();
221.
                    $('.topic-list').select2("val", null); //a lil' bit more
     :) 😜
222.
                 });↩
223.
               </script>
224.
               ب
225.
               <button type="button" class="btn btn-sm btn-outline-info</pre>
    mt-2" data-bs-toggle="modal" data-bs-target="#suggestTopicModal">↔
226.
                 Not seeing the tag you want? Suggest it.↔
227.
               </button>↔
228.
229.
             </div>
230.
           </div>
231.
         </div>
232.
      </div>
233. ↩
234.
      <div class="text-center">
235.
         <div class="d-inline-flex">←
```

```
<button type="submit" class="btn btn-success mx-2">Submit
236.
    Question</button>
237.
        </div>
238.
     </div>
239. </form>↩
240. ↔
241. <!-- Suggest topic modal -->€
242. <form method="POST" action="http://localhost:8000/suggest topic">←
      <input type="hidden" name="_token"</pre>
    value="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
244
     <div id="suggestTopicModal" class="modal fade" tabindex="-1" aria-</pre>
    labelledby="exampleModalLabel" aria-hidden="true">←
245.
       <div class="modal-dialog">↔
          <div class="modal-content">←
246.
247.
            <div class="modal-header">↔
              <h5 class="modal-title" id="exampleModalLabel">Suggest a
    topic</h5>↔
              <button type="button" class="btn-close" data-bs-</pre>
249.
    dismiss="modal" aria-label="Close"></button>←
250.
            </div>
251.
            <div class="modal-body">
    252.
253.
              <div class="input-group has-validation">
254.
                <input id="topicNameId" type="text" name="topic name"</pre>
    class="form-control"↔
255.
                 placeholder="Enter the topic title... (e.g.: python)"
    required>
256.
              </div>
257. ↔
258.
              <label for="topicReasonId" class="form-label mt-2"><b>Topic
    reason</b><span class="text-danger"> *</span></label>←
259.
              <div class="input-group has-validation">←
260.
                <textarea class="form-control" id="topicReasonId"</pre>
    name="reason"↔
261.
                 placeholder="Why do you think this topic should exist..."
    required></textarea>↩
262.
              </div>
263.
            </div>
264.
            <div class="modal-footer">↔
265.
              <input type="submit" class="btn btn-primary" value="Submit</pre>
    suggestion">↔
266.
            </div>
267.
          </div>
268.
        </div>
269.
     </div>
270. </form>↩
271. ↔
272. <script src="http://localhost:8000/js/form-validation.js"></script>↔
273.
          </section>↔
274.
        </main>
275. ↔
276.
        <!-- Footer -->↩
277.
        <footer class="container">↔
278.
                <a id="go-up-button" class="btn btn-secondary" href="#"</pre>
    role="button" aria-label="Go to the top of the page">←
279.
           <i class="bi bi-arrow-up"></i>↔
280.
          </a>↩
          <br>>
281.
282.
          <hr>
283.
          <div class="row justify-content-between">←
284.
           © 2021 Segmentation Fault,
    Inc.↩
285.
            <a class="col-auto text-end" href="#">Go to the top</a>↔
286.
          </div>
        </footer>↔
287.
```

```
288.
        <!-- Bootstrap + Popper -->←
289.
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js</pre>
    /bootstrap.bundle.min.js" integrity="sha384-
    gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    crossorigin="anonymous"></script>↩
290.
       <script>↔
291.
          var popoverTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="popover"]'))↔
292.
          var popoverList = popoverTriggerList.map(function
    (popoverTriggerEl) {↔
293.
           return new bootstrap.Popover(popoverTriggerEl)
294.
          ) ب
295.
          // Tooltips
296.
          var tooltipTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="tooltip"]'))↔
297.
         var tooltipList = tooltipTriggerList.map(function
    (tooltipTriggerEl) {←
298.
           return new bootstrap.Tooltip(tooltipTriggerEl)
299.
          ( {
300.
        </script>↔
       <script src="http://localhost:8000/js/textarea resize.js">
    </script>↩
302. </body>↩
303. </html>
```

Used the HTML parser.

Total execution time 27 milliseconds.

About this checker • Report an issue • Version: 21.5.28

7 of 7