Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options…]

Check by [text input ⌄] ☐ css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Assembling a community-driven database of
knowledge by asking and answering questions.">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="M3VA36gc1YekrQKvvLKzhoOxncMgRIy1V5Sc6Peg">

    <title>About - SegmentationFault</title>
    <!-- Bootstrap (must come before all other stylesheets) -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en">↵`
3. `  <head>↵`
4. `    <meta charset="utf-8">↵`
5. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">↵`
6. `    <meta name="viewport" content="width=device-width, initial-scale=1">↵`
7. `    <meta name="description" content="Assembling a community-driven database of knowledge by asking and answering questions.">↵`
8. `↵`
9. `    <!-- CSRF Token -->↵`
10. `    <meta name="csrf-token" content="M3VA36gc1YekrQKvvLKzhoOxncMgRIy1V5Sc6Peg">↵`
11. `↵`
12. `    <title>About - SegmentationFault</title>↵`

```
13.      <!-- Bootstrap (must come before all other stylesheets) -->
14.      <link rel="stylesheet" href="https://cdn.jsdelivr.net
    /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">
15.      <!-- using themed bootstrap -->
16.      <link rel="stylesheet" href="http://localhost:8000
    /css/bootstrap.min.css">
17.
18.      <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1
    /jquery.min.js"></script>
19.      <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
    /css/select2.min.css" rel="stylesheet"/>
20.      <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
    /js/select2.min.js"></script>
21.
22.      <!-- Remarkable -->
23.      <script src="http://localhost:8000/js/app.js"></script>
24.      <!-- StackEdit Markdown -->
25.      <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib
    /stackedit.min.js"></script>
26.
27.      <!-- CSS -->
28.      <link rel="stylesheet" href="http://localhost:8000/css/admin.css"
    type="text/css" />
29.      <link rel="stylesheet" href="http://localhost:8000
    /css/profile.css" type="text/css" />
30.      <link rel="stylesheet" href="http://localhost:8000
    /css/responsive.css" type="text/css" />
31.      <link rel="stylesheet" href="http://localhost:8000/css/style.css"
    type="text/css" />
32.      <link rel="stylesheet" href="http://localhost:8000/css/print.css"
    media="print" type="text/css" />
33.
34.      <!-- OpenGraph -->
35.      <meta property="og:title" content="About - SegmentationFault" />
36.      <meta property="og:url" content="http://localhost:8000/about" />
37.      <meta property="og:image" content="http://localhost:8000/image
    /logo/default.png" />
38.      <meta property="og:type" content="website" />
39.      <meta property="og:description" content="Assembling a community-
    driven database of knowledge by asking and answering questions." />
40.      <meta property="og:locale" content="en" />
41.   </head>
42.   <body>
43.      <!-- skip link -->
44.      <a id="skip-nav" class="screenreader-text" href="#main-content">
45.        Skip navigation and sidebar
46.      </a>
47.
48.      <header>
49.        <!-- Header -->
50.        <nav class="navbar fixed-top navbar-expand bg-dark navbar-
    dark">
51.          <div class="container d-flex justify-content-between">
52.            <div class="d-flex align-items-center">
```

```html
53.          <button id="sidebar-toggler" class="navbar-toggler"
    type="button" aria-expanded="false" aria-label="Toggle navigation">
54.             <span class="navbar-toggler-icon"></span>
55.          </button>
56.          <div class="navbar-brand">
57.            <a id="brand-logo" href="http://localhost:8000/home">
58.              <span id="brand">Segmentation <b>fault</b></span>
59.            </a>
60.            <i class="bi bi-cpu"></i>
61.            About           </div>
62.        </div> <!-- .d-flex -->
63.        <!-- search -->
64.        <div id="searchModal-toggler">
65.          <button type="button" class="btn btn-outline-success"
    aria-label="Open search form" data-bs-toggle="modal" data-bs-
    target="#searchModal">
66.             <i class="bi-search"></i>
67.          </button>
68.        </div>
69.        <form id="navbarSeachForm" class="d-flex"
    action="http://localhost:8000/search">
70.             <input class="form-control me-2" name="q" value=""
    type="search" placeholder="Search" aria-label="Search">
71.             <button class="btn btn-outline-success" type="submit"
    aria-label="Search"><i class="bi-search"></i></button>
72.          </form>
73.      </div> <!-- .container .d-flex -->
74.    </nav>
75.   </header>
76.
77.    <!-- BEGIN SEARCH MODAL -->
78.    <div class="modal fade" id="searchModal" tabindex="-1" aria-
    labelledby="searchModal" aria-hidden="true">
79.      <div class="modal-dialog">
80.       <div class="modal-content">
81.         <!-- bg-dark -->
82.         <div class="modal-body">
83.           <form action="http://localhost:8000/search">
84.             <!-- button is not needed -->
85.             <!-- <button class="btn btn-outline-success"
    type="submit"><i class="bi-search"></i></button> -->
86.             <input class="form-control" type="search" name="q"
    value="" placeholder="Search" aria-label="Search">
87.           </form>
88.         </div>
89.       </div>
90.      </div>
91.    </div>
92.    <!-- END SEARCH MODAL -->
93.
94.    <!-- Sidebar -->
95.    <nav id="sidebar" class="bg-dark text-light" tabindex="0">
96.     <div class="sidebar-header">
```

```
97.        <h3>About</h3>↵
98.     </div>↵
99.  ↵
100.        <div class="sidebar-subheader">↵
101.        <h4>Pages</h4>↵
102.     </div>↵
103.     <ul class="list-group">↵
104.         <li class="list-group-item ">↵
105.  <a href=/home>↵
106.     <i class="bi bi-house-door"></i>↵
107.            Home↵
108.       </a>↵
109. </li>↵
110.         <li class="list-group-item ">↵
111.  <a href=/search#questions>↵
112.     <i class="bi bi-question-circle"></i>↵
113.            Search↵
114.       </a>↵
115. </li>↵
116.         <li class="list-group-item ">↵
117.  <a href=/news>↵
118.     <i class="bi bi-newspaper"></i>↵
119.            News↵
120.       </a>↵
121. </li>↵
122.           ↵
123.         <li class="list-group-item ">↵
124.  <a href=/leaderboard>↵
125.     <i class="bi bi-trophy"></i>↵
126.            Leaderboard↵
127.       </a>↵
128. </li>↵
129.         <li class="list-group-item  active ">↵
130.  <a href=/about>↵
131.     <i class="bi bi-info-circle"></i>↵
132.            <b> About</b>↵
133.       </a>↵
134. </li>↵
135.                                 <li class="list-group-item ">↵
136.  <a href=/administration>↵
137.     <i class="bi bi-clipboard-data"></i>↵
138.            Administration↵
139.       </a>↵
140. </li>↵
141.                 ↵
142.     </ul>↵
143. ↵
144.     <!-- auth -->↵
145.    ↵
146.        <div class="sidebar-subheader d-flex justify-content-start
     align-items-center gap-1">↵
```

```
147.        <a href="/profile/admin">
148.          <img class="rounded-2 fit-cover" src="http://localhost:8000
     /storage/avatars/aa.jpeg"
149.             alt="admin profile picture" width=32 height=32>
150.        </a>
151.        <h4 class="d-inline-block text-truncate">admin</h4>
152.      </div>
153.      <ul class="list-group">
154.        <li class="list-group-item ">
155.    <a href=/profile/admin>
156.      <i class="bi bi-person-circle"></i>
157.           My Profile
158.      </a>
159. </li>
160.        <li class="list-group-item ">
161.    <a href=/ask>
162.      <i class="bi bi-plus-circle"></i>
163.           Ask Question
164.      </a>
165. </li>
166.      </ul>
167.
168.      <div class="row justify-content-evenly sidebar-buttons">
169.        <a class="btn btn-danger col-4" href="/logout">Logout</a>
170.      </div>
171.
172. </nav>
173.
174. <script>
175.   document.querySelector("#sidebar-toggler").addEventListener("click",
     function() {
176.     let sidebar = document.querySelector("#sidebar");
177.     if (sidebar.classList.contains("active"))
178.       sidebar.classList.remove("active");
179.     else
180.       sidebar.classList.add("active");
181.   })
182. </script>
183.
184. <!-- Notifications -->
185.     <div class="container-fluid p-0" id="toast-container">
186.           </div>
187.     <script src="http://localhost:8000/js/notifications.js" defer>
     </script>
188.
189.     <main>
190.       <section id="main-content" class=container-md>
191.         <h1 class="page-title">About</h1>
192. <hr>
193.
194. <section class="container">
```

```
195.    <h2>About Segmentation<b> fault</b></h2>↵
196.    <div class="row">↵
197.      <div class="col-12 col-md-6 col-lg-9">↵
198.        <p>This is a community for sharing knowledge online. People↵
199.        are encouraged to ask and answer questions, thus sharing what
     they know↵
200.        and leaving behind information to help others in the
     future.</p>↵
201.        <p>Topics group questions together and you can filter your↵
202.        search results by these. You can get achievements by being
     helpful to↵
203.        the community and earn perks. Other users will see your profile
     and↵
204.        recognize you for the worth of your achievements and community
     contributions.</p>↵
205.      </div>↵
206.      <img class="col-12 col-md-6 col-lg-3" src="http://localhost:8000
     /images/about.jpg"↵
207.       alt="First wireflow mockup of the website.">↵
208.    </div>↵
209. </section>↵
210. ↵
211. <section class="container mt-2">↵
212.    <h2>Our team</h2>↵
213.    <hr>↵
214.    <div class="row">↵
215.      <article class="col-12 col-sm-6 col-lg-3 text-center">↵
216.        <img src="http://localhost:8000/images/nachus.jpg" class="bd-
     placeholder-img rounded-circle"↵
217.         width="140" height="140" alt="Face of Ana Barros." aria-
     label="Ana Nachus">↵
218.        <h3>Ana Barros</h3>↵
219.        <p>Developer and designer</p>↵
220.        <p><a class="btn btn-secondary" href="https://github.com
     /anaines14">Visit on <i class="bi bi-github"></i></a></p>↵
221.      </article><!-- /.col -->↵
222.      <article class="col-12 col-sm-6 col-lg-3 text-center">↵
223.        <img src="http://localhost:8000/images/irao.jpg" class="bd-
     placeholder-img rounded-circle"↵
224.         width="140" height="140" alt="Face of João Costa." aria-
     label="Irao Forcas">↵
225.        <h3>João Costa</h3>↵
226.        <p>Developer and designer</p>↵
227.        <p><a class="btn btn-secondary" href="https://github.com
     /joaocostaifg">Visit on <i class="bi bi-github"></i></a></p>↵
228.      </article><!-- /.col -->↵
229.      <article class="col-12 col-sm-6 col-lg-3 text-center">↵
230.        <img src="http://localhost:8000/images/crocs.jpg" class="bd-
     placeholder-img rounded-circle"↵
231.         width="140" height="140" alt="Face of João Lucas." aria-
     label="Crocs">↵
232.        <h3>João Lucas</h3>↵
233.        <p>Developer and designer</p>↵
234.        <p><a class="btn btn-secondary" href="https://github.com
     /joaolucasmartins">Visit on <i class="bi bi-github"></i></a></p>↵
```

```
235.        </article><!-- /.col -->
236.        <article class="col-12 col-sm-6 col-lg-3 text-center">
237.          <img src="http://localhost:8000/images/fogao.jpg" class="bd-
      placeholder-img rounded-circle"
238.            width="140" height="140" alt="Face of Ricardo Fontão." aria-
      label="Fogardo Jorjao">
239.          <h3>Ricardo Fontão</h3>
240.          <p>Developer and designer</p>
241.          <p><a class="btn btn-secondary" href="https://github.com
      /rfontao">Visit on <i class="bi bi-github"></i></a></p>
242.        </article><!-- /.col -->
243.      </div><!-- /.row -->
244.  </section>
245.        </section>
246.      </main>
247. 
248.      <!-- Footer -->
249.      <footer class="container">
250.            <button id="notifications-btn" class="btn btn-secondary"
      type="button">
251.          <i class="bi bi-bell"></i>
252.          <span id="notification-amount">
253.            0
254.          </span>
255.        </button>
256.            <a id="go-up-button" class="btn btn-secondary" href="#"
      role="button" aria-label="Go to the top of the page">
257.          <i class="bi bi-arrow-up"></i>
258.        </a>
259.        <br>
260.        <hr>
261.        <div class="row justify-content-between">
262.          <p class="col-auto text-muted">&#169; 2021 Segmentation Fault,
      Inc.</p>
263.          <a class="col-auto text-end" href="#">Go to the top</a>
264.        </div>
265.      </footer>
266.      <!-- Bootstrap + Popper -->
267.      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js
      /bootstrap.bundle.min.js" integrity="sha384-
      gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
      crossorigin="anonymous"></script>
268.      <script>
269.      var popoverTriggerList =
      [].slice.call(document.querySelectorAll('[data-bs-
      toggle="popover"]'))
270.      var popoverList = popoverTriggerList.map(function
      (popoverTriggerEl) {
271.        return new bootstrap.Popover(popoverTriggerEl)
272.      })
273.      // Tooltips
274.      var tooltipTriggerList =
      [].slice.call(document.querySelectorAll('[data-bs-
      toggle="tooltip"]'))
```

```
275.        var tooltipList = tooltipTriggerList.map(function
    (tooltipTriggerEl) {↵
276.            return new bootstrap.Tooltip(tooltipTriggerEl)↵
277.        })↵
278.    </script>↵
279.    <script src="http://localhost:8000/js/textarea_resize.js">
    </script>↵
280.    </body>↵
281. </html>
```

Used the HTML parser.

Total execution time 20 milliseconds.

About this checker • Report an issue • Version: 21.5.28