

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Assembling a community-driven database of knowledge by asking
and answering questions.">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">

    <title>Register - SegmentationFault</title>
    <!-- Bootstrap (must come before all other stylesheets) -->
    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
7.     <meta name="description" content="Assembling a community-driven
database of knowledge by asking and answering questions.">↵
8.   ↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">↵
11.  ↵
12.    <title>Register - SegmentationFault</title>↵
13.    <!-- Bootstrap (must come before all other stylesheets) -->↵
14.    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net
/npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">↵
15.    <!-- using themed bootstrap -->↵
16.    <link rel="stylesheet" href="http://localhost:8000
/css/bootstrap.min.css">↵
17.  ↵
18.    <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1
```

```
/jquery.min.js"></script>↵
19. <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet"/>↵
20. <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js"></script>↵
21. ↵
22. <!-- Remarkable -->↵
23. <script src="http://localhost:8000/js/app.js"></script>↵
24. <!-- StackEdit Markdown -->↵
25. <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib
/stackedit.min.js"></script>↵
26. ↵
27. <!-- CSS -->↵
28. <link rel="stylesheet" href="http://localhost:8000/css/admin.css"
type="text/css" />↵
29. <link rel="stylesheet" href="http://localhost:8000
/css/profile.css" type="text/css" />↵
30. <link rel="stylesheet" href="http://localhost:8000
/css/responsive.css" type="text/css" />↵
31. <link rel="stylesheet" href="http://localhost:8000/css/style.css"
type="text/css" />↵
32. <link rel="stylesheet" href="http://localhost:8000/css/print.css"
media="print" type="text/css" />↵
33. ↵
34. <!-- OpenGraph -->↵
35. <meta property="og:title" content="Register - SegmentationFault"
/>↵
36. <meta property="og:url" content="http://localhost:8000/register"
/>↵
37. <meta property="og:image" content="http://localhost:8000/image
/logo/default.png" />↵
38. <meta property="og:type" content="" />↵
39. <meta property="og:description" content="Assembling a community-
driven database of knowledge by asking and answering questions." />↵
40. <meta property="og:locale" content="en" />↵
41. </head>↵
42. <body>↵
43. <!-- skip link -->↵
44. <a id="skip-nav" class="screenreader-text" href="#main-content">↵
45. Skip navigation and sidebar↵
46. </a>↵
47. ↵
48. <header>↵
49. <!-- Header -->↵
50. <nav class="navbar fixed-top navbar-expand bg-dark navbar-
dark">↵
51. <div class="container d-flex justify-content-between">↵
52. <div class="d-flex align-items-center">↵
53. <button id="sidebar-toggler" class="navbar-toggler"
type="button" aria-expanded="false" aria-label="Toggle navigation">↵
54. <span class="navbar-toggler-icon"></span>↵
55. </button>↵
56. <div class="navbar-brand">↵
57. <a id="brand-logo" href="http://localhost:8000/home">↵
58. <span id="brand">Segmentation <b>fault</b></span>↵
59. </a>↵
60. <i class="bi bi-cpu"></i>↵
61. Register </div>↵
62. </div> <!-- .d-flex -->↵
63. <!-- search -->↵
64. <div id="searchModal-toggler">↵
65. <button type="button" class="btn btn-outline-success"
aria-label="Open search form" data-bs-toggle="modal" data-bs-
target="#searchModal">↵
66. <i class="bi-search"></i>↵
67. </button>↵
```

```

68.         </div>↵
69.         <form id="navbarSeachForm" class="d-flex"
action="http://localhost:8000/search">↵
70.             <input class="form-control me-2" name="q" value=""
type="search" placeholder="Search" aria-label="Search">↵
71.             <button class="btn btn-outline-success" type="submit"
aria-label="Search"><i class="bi-search"></i></button>↵
72.         </form>↵
73.     </div> <!-- .container .d-flex -->↵
74. </nav>↵
75. </header>↵
76. ↵
77.     <!-- BEGIN SEARCH MODAL -->↵
78.     <div class="modal fade" id="searchModal" tabindex="-1" aria-
labelledby="searchModal" aria-hidden="true">↵
79.         <div class="modal-dialog">↵
80.             <div class="modal-content">↵
81.                 <!-- bg-dark -->↵
82.                 <div class="modal-body">↵
83.                     <form action="http://localhost:8000/search">↵
84.                         <!-- button is not needed -->↵
85.                         <!-- <button class="btn btn-outline-success"
type="submit"><i class="bi-search"></i></button> -->↵
86.                         <input class="form-control" type="search" name="q"
value="" placeholder="Search" aria-label="Search">↵
87.                     </form>↵
88.                 </div>↵
89.             </div>↵
90.         </div>↵
91.     </div>↵
92.     <!-- END SEARCH MODAL -->↵
93. ↵
94.     <!-- Sidebar -->↵
95.     <nav id="sidebar" class="bg-dark text-light" tabindex="0">↵
96.         <div class="sidebar-header">↵
97.             <h3>Register</h3>↵
98.         </div>↵
99. ↵
100.        <div class="sidebar-subheader">↵
101.            <h4>Pages</h4>↵
102.        </div>↵
103.        <ul class="list-group">↵
104.            <li class="list-group-item ">↵
105.                <a href=/home>↵
106.                    <i class="bi bi-house-door"></i>↵
107.                    Home↵
108.                </a>↵
109.            </li>↵
110.            <li class="list-group-item ">↵
111.                <a href=/search#questions>↵
112.                    <i class="bi bi-question-circle"></i>↵
113.                    Search↵
114.                </a>↵
115.            </li>↵
116.            <li class="list-group-item ">↵
117.                <a href=/news>↵
118.                    <i class="bi bi-newspaper"></i>↵
119.                    News↵
120.                </a>↵
121.            </li>↵
122.            ↵
123.            <li class="list-group-item ">↵
124.                <a href=/leaderboard>↵
125.                    <i class="bi bi-trophy"></i>↵
126.                    Leaderboard↵

```

```

127.         </a>↵
128. </li>↵
129.         <li class="list-group-item">↵
130.         <a href="/about">↵
131.             <i class="bi bi-info-circle"></i>↵
132.             About↵
133.         </a>↵
134. </li>↵
135.     ↵
136. </ul>↵
137. ↵
138.     <!-- auth -->↵
139.         <div class="row justify-content-evenly sidebar-buttons">↵
140.             <a class="btn btn-info col-auto" href="/login" role="button"
141.             aria-label="Go to login page">↵
142.                 Log in↵
143.             </a>↵
144.             <a class="btn btn-primary col-auto" href="/register"
145.             role="button" aria-label="Go to register page">↵
146.                 Sign up↵
147.             </a>↵
148.         </div>↵
149.     ↵
150. ↵
151. <script>↵
152.     document.querySelector("#sidebar-toggler").addEventListener("click",
153.     function() {↵
154.         let sidebar = document.querySelector("#sidebar");↵
155.         if (sidebar.classList.contains("active"))↵
156.             sidebar.classList.remove("active");↵
157.         else↵
158.             sidebar.classList.add("active");↵
159.     })↵
160. </script>↵
161. <!-- Notifications -->↵
162. ↵
163.     <main>↵
164.         <section id="main-content">↵
165.             <div class="auth-container">↵
166.                 <div class="auth-form-container">↵
167.                     <h2 class="lead fs-3 fw-bold">Welcome to Segmentation fault</h2>↵
168.                 ↵
169.                 <form class="auth-form" method="POST"
170.                 action="http://localhost:8000/register">↵
171.                     <input type="hidden" name="_token"
172.                     value="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">↵
173.                     <!-- Email -->↵
174.                     <div class="input-group mb-3">↵
175.                         <label for="email" class="form-label"><i class="bi bi-
176.                         envelope-fill"></i> <b>Email address</b> <span class="text-danger">*
177.                         </span></label>↵
178.                         <div class="input-group has-validation">↵
179.                             <input id="email" type="email" class="form-control"
180.                             name="email" placeholder="Enter email... (e.g.: email@example.com)"
181.                             value="" required autofocus>↵
182.                         </div>↵
183.                     </div>↵
184.                     <!-- Username -->↵
185.                     <div class="input-group mb-3">↵
186.                         <label for="username" class="form-label"><i class="bi bi-
187.                         person-fill"></i> <b>Username</b> <span class="text-danger">*</span>
188.                         </label>↵
189.                         <div class="input-group has-validation">↵

```

```

182.         <input id="username" type="text" class="form-control"
name="username" placeholder="Enter username..." value="" required>
183.             </div>
184.     </div>
185.     <!-- Password -->
186.     <div class="input-group mb-3">
187.         <label for="password" class="form-label"><i class="bi bi-lock-
fill"></i> <b>Password</b> <span class="text-danger">*</span>
</label>
188.         <div class="input-group has-validation">
189.             <input id="password" type="password" class="form-control"
name="password" placeholder="Enter password..." required pattern="
(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{6,}" >
190.             </div>
191.         </div>
192.         <ul id="message-password" class="list-unstyled">
193.             <li id="letter" class="text-danger"><i class='bi bi-x-lg'></i>
Must have a <b>lowercase</b> letter</li>
194.             <li id="capital" class="text-danger"><i class='bi bi-
x-lg'></i> Must have a <b>capital (uppercase)</b> letter</li>
195.             <li id="number" class="text-danger"><i class='bi bi-x-lg'></i>
Must have a <b>number</b></li>
196.             <li id="length" class="text-danger"><i class='bi bi-x-lg'></i>
Minimum <b>6 characters</b></li>
197.         </ul>
198.     <!-- Repeated Password -->
199.     <div class="input-group mb-3">
200.         <label for="password_confirmation" class="form-label"><i
class="bi bi-lock-fill"></i> <b>Repeat Password</b> <span class="text-
danger">*</span></label>
201.         <div class="input-group has-validation">
202.             <input id="password_confirmation" type="password"
class="form-control" name="password_confirmation" placeholder="Repeat
password..." required>
203.             </div>
204.         </div>
205.         <ul id="message-confirm" class="list-unstyled">
206.             <li id="repeat" class="text-danger"><i class='bi bi-x-lg'></i>
Password must <b>match</b></li>
207.         </ul>
208.     <!-- submit button -->
209.     <button type="submit" class="btn btn-primary
mt-2">Signup</button>
210. </form>
211. </div>
212. </div>
213. <script src="http://localhost:8000/js/form-validation.js" defer>
</script>
214. <script src="http://localhost:8000/js/password_verification.js" defer>
</script>
215. </section>
216. </main>
217.
218. <!-- Footer -->
219. <footer class="container">
220.     <a id="go-up-button" class="btn btn-secondary" href="#"
role="button" aria-label="Go to the top of the page">
221.         <i class="bi bi-arrow-up"></i>
222.     </a>
223.     <br>
224.     <hr>
225.     <div class="row justify-content-between">
226.         <p class="col-auto text-muted">© 2021 Segmentation Fault,
Inc.</p>
227.         <a class="col-auto text-end" href="#">Go to the top</a>
228.     </div>

```

```
229.     </footer>↵
230.     <!-- Bootstrap + Popper -->↵
231.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js
    /bootstrap.bundle.min.js" integrity="sha384-
    gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJl9smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    crossorigin="anonymous"></script>↵
232.     <script>↵
233.         var popoverTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="popover"]'))↵
234.         var popoverList = popoverTriggerList.map(function
    (popoverTriggerEl) {↵
235.             return new bootstrap.Popover(popoverTriggerEl)↵
236.         })↵
237.         // Tooltips↵
238.         var tooltipTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="tooltip"]'))↵
239.         var tooltipList = tooltipTriggerList.map(function
    (tooltipTriggerEl) {↵
240.             return new bootstrap.Tooltip(tooltipTriggerEl)↵
241.         })↵
242.     </script>↵
243.     <script src="http://localhost:8000/js/textarea_resize.js">
    </script>↵
244. </body>↵
245. </html>
```

Used the HTML parser.

Total execution time 24 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28