Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Checker Input
Show Source
                                               Options...
                   outline
                              image report
Check by text input V CSS
 <!DOCTYPE html>
 <html lang="en">
   <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="description" content="Assembling a community-driven database of knowledge by asking</pre>
 and answering questions.">
     <!-- CSRF Token -->
     <meta name="csrf-token" content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
     <title>Forgot Password - SegmentationFault</title>
     <!-- Bootstrap (must come before all other stylesheets) -->
     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-</pre>
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↔
2. <html lang="en">↔
3.
     <head>←
4.
        <meta charset="utf-8">↔
5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.
        <meta name="viewport" content="width=device-width, initial-</pre>
   scale=1">↔
7.
        <meta name="description" content="Assembling a community-driven</pre>
   database of knowledge by asking and answering questions.">
8. ب
9.
        <!-- CSRF Token -->€
        <meta name="csrf-token"</pre>
10.
   content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
11. ↔
12.
        <title>Forgot Password - SegmentationFault</title>
13.
        <!-- Bootstrap (must come before all other stylesheets) -->\boldsymbol{\leftarrow}
        <link rel="stylesheet" href="https://cdn.jsdelivr.net</pre>
   /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">
15.
        <!-- using themed bootstrap -->↔
        <link rel="stylesheet" href="http://localhost:8000</pre>
   /css/bootstrap.min.css">↔
17. ↩
18.
        <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1</pre>
```

1 of 5

```
/jquery.min.js"></script>
19.
        <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
    /css/select2.min.css" rel="stylesheet"/>↩
20.
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
    /js/select2.min.js"></script>
21. ←
22.
        <!-- Remarkable -->↩
23.
        <script src="http://localhost:8000/js/app.js"></script>
24.
        <!-- StackEdit Markdown -->↔
25.
        <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib</pre>
    /stackedit.min.js"></script>↔
26. ~
27.
        <!-- CSS -->€
28.
        <link rel="stylesheet" href="http://localhost:8000/css/admin.css"</pre>
   type="text/css" />
29.
       <link rel="stylesheet" href="http://localhost:8000</pre>
    /css/profile.css" type="text/css" />
30.
        <link rel="stylesheet" href="http://localhost:8000</pre>
    /css/responsive.css" type="text/css" />
       <link rel="stylesheet" href="http://localhost:8000/css/style.css"</pre>
    type="text/css" />
       <link rel="stylesheet" href="http://localhost:8000/css/print.css"</pre>
   media="print" type="text/css" />
33
34
        <!-- OpenGraph -->↔
35.
        <meta property="og:title" content="Forgot Password -</pre>
   SegmentationFault" />
36.
        <meta property="og:url" content="http://localhost:8000/forgot-</pre>
   password" />
        <meta property="og:image" content="http://localhost:8000/image</pre>
37.
    /logo/default.png" />↔
38.
        <meta property="og:type" content="" />

39.
        <meta property="og:description" content="Assembling a community-</pre>
   driven database of knowledge by asking and answering questions." \rightarrow
40.
        <meta property="og:locale" content="en" />↩
41.
     </head>↔
42.
     <body>↩
43.
        <!-- skip link -->↔
44.
        <a id="skip-nav" class="screenreader-text" href="#main-content">↔
45.
          Skip navigation and sidebar
        </a>↩
46.
47. ح
48.
        <header>↔
49.
          <!-- Header -->↩
50
          <nav class="navbar fixed-top navbar-expand bg-dark navbar-</pre>
   dark">
51.
            <div class="container d-flex justify-content-between">
52.
              <div class="d-flex align-items-center">←
53.
                <button id="sidebar-toggler" class="navbar-toggler"</pre>
   type="button" aria-expanded="false" aria-label="Toggle navigation">↔
54.
                  <span class="navbar-toggler-icon"></span>←
55.
                </button>
56.
                <div class="navbar-brand">
57.
                  <a id="brand-logo" href="http://localhost:8000/home">
58.
                    <span id="brand">Segmentation <b>fault</b></span>←
59.
                  </a>↩
60.
                  <i class="bi bi-cpu"></i>↔
61.
                                               </div>
                  Forgot Password
62.
              </div> <!-- .d-flex -->↔
63.
              <!-- search -->↔
64.
              <div id="searchModal-toggler">
65.
                <button type="button" class="btn btn-outline-success"</pre>
   aria-label="Open search form" data-bs-toggle="modal" data-bs-
   target="#searchModal">←
66.
                  <i class="bi-search"></i>€
67.
                </button>
```

```
68.
             </div>
             <form id="navbarSeachForm" class="d-flex"</pre>
69.
    action="http://localhost:8000/search">↩
70.
               <input class="form-control me-2" name="q" value=""</pre>
    type="search" placeholder="Search" aria-label="Search">
71.
               <button class="btn btn-outline-success" type="submit"</pre>
    aria-label="Search"><i class="bi-search"></i></button>
72.
             </form>
73.
           </div> <!-- .container .d-flex -->↔
74.
          </nav>
75.
       </header>↔
76. ↔
77.
        <!-- BEGIN SEARCH MODAL -->←
78.
        <div class="modal fade" id="searchModal" tabindex="-1" aria-</pre>
    labelledby="searchModal" aria-hidden="true">←
         <div class="modal-dialog">
79.
80.
           <div class="modal-content">←
81.
             <!-- bg-dark -->↩
82.
             <div class="modal-body">
83.
               <form action="http://localhost:8000/search">
84.
                 <!-- button is not needed -->
85.
                 <!-- <button class="btn btn-outline-success"
    type="submit"><i class="bi-search"></i></button> -->
86.
                 <input class="form-control" type="search" name="q"</pre>
    value="" placeholder="Search" aria-label="Search">
87.
               </form>
88.
             </div>
89.
           </div>
90.
         </div>
91.
        </div>
92.
        <!-- END SEARCH MODAL -->
93. ك
94.
       <!-- Sidebar -->↩
        <nav id="sidebar" class="bg-dark text-light" tabindex="0">
95.
96.
        <div class="sidebar-header">
         <h3>Forgot Password</h3>
97.
98.
        </div>
99. \rightarrow
100.
       <div class="sidebar-subheader">↔
101.
         <h4>Pages</h4>↔
102.
        </div>
103.
        104.
            ←)
     <a href=/home>�
105.
        <i class="bi bi-house-door"></i>↔
106.
107.
             Home 
ightharpoonup 
angle
          </a>
108.
109. ↩
110.
           ←
111. <a href=/search#questions>€
112.
       <i class="bi bi-question-circle"></i>↩
113.
              Search 
114.
          </a>↩
115. ↩
116.
           ←
     <a href=/news>€
117.
       <i class="bi bi-newspaper"></i>↩
118.
119.
             News 
120.
         </a>↩
121. ↩
122.
123.
            ←)
124.
    <a href=/leaderboard>↔
125.
       <i class="bi bi-trophy"></i>↔
126.
             Leaderboard
```

```
127.
          </a>
128. ↩
129.
            ←)
130.
      <a href=/about>↔
       <i class="bi bi-info-circle"></i>↔
131.
132.
              About 
133.
          </a>↩
134. ↩
135.
136.
        137. ↩
138.
        <!-- auth -->↩
139.
              <div class="row justify-content-evenly sidebar-buttons">
140.
            <a class="btn btn-info col-auto" href="/login" role="button"</pre>
    aria-label="Go to login page">↩
141.
              Log in
            </a>
142.
143.
            <a class="btn btn-primary col-auto" href="/register"</pre>
    role="button" aria-label="Go to register page">←
144.
              Sign up
145.
            </a>↩
          </div>
146.
147.
        4
148.
149. </nav>↩
150. ↔
151. <script>↔
      document.querySelector("#sidebar-toggler").addEventListener("click",
152.
    function() {↩
153.
        let sidebar = document.querySelector("#sidebar"); ←
154.
        if (sidebar.classList.contains("active")) ↔
155.
          sidebar.classList.remove("active");

←
156.
        else
157.
          sidebar.classList.add("active");←
      ) د
158.
159. </script>↩
160. ↔
161. <!-- Notifications -->€
162. ↩
163.
        <main>
164.
          <section id="main-content" >←
165.
            <div class="auth-container">
        <div class="auth-form-container">
166.
167.
            <h2 class="lead fs-3 fw-bold">Forgot Password</h2>
168.
            <form class="auth-form" method="post"</pre>
    action="http://localhost:8000/forgot-password">
169.
                <input type="hidden" name=" token"</pre>
    value="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
170.
                <div class="input-group mb-3">↔
171.
                    <label for="email" class="form-label"><i class="bi bi-</pre>
    <span class="text-danger">*</span></label>←
172.
                    <div class="input-group has-validation">←
173.
                        <input id="email" type="email" class="form-</pre>
    control" name="email" placeholder="Enter email... (e.g.:
    email@example.com) " value="" required autofocus>
174.
                        ب
175.
                    </div>
176.
                </div>
177. ↩
178.
                <button type="submit" class="btn btn-primary mt-2">Request
    password reset</button>
179.
            </form>
180.
        </div>
181. </div>↩
182.
          </section>↔
```

```
183.
        </main>
184. ↔
185.
        <!-- Footer -->↩
186.
        <footer class="container">↔
                <a id="go-up-button" class="btn btn-secondary" href="#"</pre>
187.
    role="button" aria-label="Go to the top of the page">←
188.
          <i class="bi bi-arrow-up"></i>↔
189.
          </a>↩
          حbr>ج
190.
          <hr>
191.
192.
          <div class="row justify-content-between">←
193.
           © 2021 Segmentation Fault,
    Inc.
194.
            <a class="col-auto text-end" href="#">Go to the top</a>
195.
          </div>
196.
        </footer>↔
197.
        <!-- Bootstrap + Popper -->↔
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js</pre>
198
    /bootstrap.bundle.min.js" integrity="sha384-
    gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    crossorigin="anonymous"></script>↩
199.
        <script>↔
200.
          var popoverTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="popover"]'))↔
201.
          var popoverList = popoverTriggerList.map(function
    (popoverTriggerEl) {←
202.
            return new bootstrap.Popover(popoverTriggerEl)
203.
          })←
204.
          // Tooltips
205.
          var tooltipTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="tooltip"]'))↔
206.
          var tooltipList = tooltipTriggerList.map(function
    (tooltipTriggerEl) {←
207.
            return new bootstrap. Tooltip (tooltip Trigger El) ↔
          ) ر
208.
209.
        </script>↔
        <script src="http://localhost:8000/js/textarea resize.js">
210.
    </script>↔
211.
      </body>↩
212. </html>
```

Used the HTML parser.

Total execution time 37 milliseconds.

About this checker • Report an issue • Version: 21.6.2