## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

```
Checker Input
Show Source
                                               Options...
                   outline
                              image report
Check by text input V CSS
 <!DOCTYPE html>
 <html lang="en">
   <head>
     <meta charset="utf-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-scale=1">
     <meta name="description" content="Assembling a community-driven database of knowledge by asking</pre>
 and answering questions.">
     <!-- CSRF Token -->
     <meta name="csrf-token" content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
     <title>Login - SegmentationFault</title>
     <!-- Bootstrap (must come before all other stylesheets) -->
     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-</pre>
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## Source

```
1. <!DOCTYPE html>↔
2. <html lang="en">↔
3.
     <head>←
4.
        <meta charset="utf-8">↔
5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.
        <meta name="viewport" content="width=device-width, initial-</pre>
   scale=1">↔
7.
        <meta name="description" content="Assembling a community-driven</pre>
   database of knowledge by asking and answering questions.">
8. ب
9.
        <!-- CSRF Token -->€
        <meta name="csrf-token"</pre>
10.
   content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
11. ↔
12.
        <title>Login - SegmentationFault</title>←
13.
        <!-- Bootstrap (must come before all other stylesheets) -->oldsymbol{\epsilon}
        <link rel="stylesheet" href="https://cdn.jsdelivr.net</pre>
   /npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">
15.
        <!-- using themed bootstrap -->↔
        <link rel="stylesheet" href="http://localhost:8000</pre>
   /css/bootstrap.min.css">↔
17. ↔
18.
        <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1</pre>
```

```
/jquery.min.js"></script>
19.
        <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
    /css/select2.min.css" rel="stylesheet"/>↩
20.
        <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist</pre>
    /js/select2.min.js"></script>
21. ←
22
        <!-- Remarkable -->↩
23.
        <script src="http://localhost:8000/js/app.js"></script>
24.
        <!-- StackEdit Markdown -->↔
25.
        <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib</pre>
    /stackedit.min.js"></script>↔
26. ~
27.
        <!-- CSS -->€
28.
        <link rel="stylesheet" href="http://localhost:8000/css/admin.css"</pre>
   type="text/css" />
29.
       <link rel="stylesheet" href="http://localhost:8000</pre>
    /css/profile.css" type="text/css" />
30.
        <link rel="stylesheet" href="http://localhost:8000</pre>
    /css/responsive.css" type="text/css" />
       <link rel="stylesheet" href="http://localhost:8000/css/style.css"</pre>
   type="text/css" />
32.
       <link rel="stylesheet" href="http://localhost:8000/css/print.css"</pre>
   media="print" type="text/css" />
33. ←
34
        <!-- OpenGraph -->↔
35.
        <meta property="og:title" content="Login - SegmentationFault" />
36.
        <meta property="og:url" content="http://localhost:8000/login" />
37.
        <meta property="og:image" content="http://localhost:8000/image</pre>
    /logo/default.png" />↔
        <meta property="og:type" content="" > \leftarrow
38.
39.
        <meta property="og:description" content="Assembling a community-</pre>
   driven database of knowledge by asking and answering questions." \rightarrow
40.
        <meta property="og:locale" content="en" />↩
41.
     </head>↔
42.
     <body>
43
        <!-- skip link -->↔
44.
        <a id="skip-nav" class="screenreader-text" href="#main-content">↔
45.
          Skip navigation and sidebar
46.
        </a>↔
47. ح
48.
        <header>↔
49.
          <!-- Header -->↩
50
          <nav class="navbar fixed-top navbar-expand bg-dark navbar-</pre>
   dark">
51.
            <div class="container d-flex justify-content-between">
52.
              <div class="d-flex align-items-center">↔
53.
                <button id="sidebar-toggler" class="navbar-toggler"</pre>
   type="button" aria-expanded="false" aria-label="Toggle navigation">↔
54.
                  <span class="navbar-toggler-icon"></span>↩
55.
                </button>↔
56.
                <div class="navbar-brand">↔
57.
                  <a id="brand-logo" href="http://localhost:8000/home">
58.
                    <span id="brand">Segmentation <b>fault</b></span>←
59.
                  </a>↔
60.
                  <i class="bi bi-cpu"></i>↔
61.
                                    </div>
                  Login
62.
              </div> <!-- .d-flex -->↔
63.
              <!-- search -->↩
64.
              <div id="searchModal-toggler">
65.
                <button type="button" class="btn btn-outline-success"</pre>
   aria-label="Open search form" data-bs-toggle="modal" data-bs-
   target="#searchModal">←
66.
                  <i class="bi-search"></i>€
67.
                </button>
68.
              </div>
69.
              <form id="navbarSeachForm" class="d-flex"</pre>
```

```
action="http://localhost:8000/search">←
70.
               <input class="form-control me-2" name="g" value=""</pre>
    type="search" placeholder="Search" aria-label="Search">
71.
               <button class="btn btn-outline-success" type="submit"</pre>
    aria-label="Search"><i class="bi-search"></i></button>
             </form>
72.
           </div> <!-- .container .d-flex --> <math>\leftarrow
73.
74.
          </nav>↩
        </header>↩
75.
76. ↔
77.
        <!-- BEGIN SEARCH MODAL -->←
78.
        <div class="modal fade" id="searchModal" tabindex="-1" aria-</pre>
    labelledby="searchModal" aria-hidden="true">←
79.
         <div class="modal-dialog">↔
80.
           <div class="modal-content">
81.
             <!-- bg-dark -->↩
             <div class="modal-body">
82
83.
               <form action="http://localhost:8000/search">
                 <!-- button is not needed -->€
84.
85.
                 <!-- <button class="btn btn-outline-success"
    type="submit"><i class="bi-search"></i></button> -->
                 <input class="form-control" type="search" name="q"</pre>
86.
    value="" placeholder="Search" aria-label="Search">←
87.
               </form>
88.
             </div>
89.
           </div>
         </div>
90.
91.
        </div>
92.
        <!-- END SEARCH MODAL -->
93. ~
94.
       <!-- Sidebar -->↔
        <nav id="sidebar" class="bg-dark text-light" tabindex="0">
95.
        <div class="sidebar-header">↔
96.
97.
         <h3>Login</h3>↔
        </div>
98.
99. ب
100.
       <div class="sidebar-subheader">↔
101.
         <h4>Pages</h4>↔
102.
        </div>
103.
        ↔
104.
           ←)
105.
     <a href=/home>↔
106.
        <i class="bi bi-house-door"></i>↩
107.
             Home↩
108.
         </a>↩
109. ↩
110.
           ←)
111.
      <a href=/search#questions>↔
112.
        <i class="bi bi-question-circle"></i>↩
             Search •
113.
114.
          </a>↩
115. ↩
116.
           ←
117.
     <a href=/news>€
118.
       <i class="bi bi-newspaper"></i>↔
119.
             News
120.
          </a>
121. ↩
            ے
122.
123.
            ←)
124. <a href=/leaderboard>↔
125.
       <i class="bi bi-trophy"></i>↩
126.
             Leaderboard 
127.
          </a>↩
128. ↩
```

```
←
129.
130.
      <a href=/about>↔
131.
        <i class="bi bi-info-circle"></i>↔
132.
              About 
           </a>↩
133.
134. ↩
135.
            4
        136.
137. ↔
138.
        <!-- auth -->↔
139.
              <div class="row justify-content-evenly sidebar-buttons">←
140.
             <a class="btn btn-info col-auto" href="/login" role="button"</pre>
    aria-label="Go to login page">
              Log in
141.
142.
            </a>
143.
            <a class="btn btn-primary col-auto" href="/register"</pre>
    role="button" aria-label="Go to register page">
144.
               Sign up
145.
             </a>↩
146.
           </div>
        ب
147.
        ب
148.
149. </nav>↩
150. ↔
151. <script>↩
      document.querySelector("#sidebar-toggler").addEventListener("click",
    function() {←
153.
        let sidebar = document.querySelector("#sidebar");
154.
        if (sidebar.classList.contains("active")) ←
155.
          sidebar.classList.remove("active");←
        else
156.
157.
          sidebar.classList.add("active");←
      })←
158.
159. </script>↩
160. ↔
161. <!-- Notifications -->↩
162. ↔
163.
        <main>←
164.
          <section id="main-content" >←
165.
            <div class="auth-container">
      <div class="auth-form-container">←
166
        <h2 class="lead fs-3 fw-bold">Welcome back</h2>
167.
        <form class="auth-form" method="POST"</pre>
168.
    action="http://localhost:8000/login">↩
169.
          <input type="hidden" name=" token"</pre>
    value="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">
170.
          <input type="hidden" name="previous url"</pre>
    value="http://localhost:8000/login">←
171.
          <!-- Username -->€
172.
          <div class="input-group mb-3">←
             <label for="username" class="form-label"><i class="bi bi-</pre>
173
    person-fill"></i> <b>Username</b> <span class="text-danger">*</span>
    </label>↩
174.
             <div class="input-group has-validation">←
175.
              <input id="username" type="text" class="form-control"</pre>
    name="username" placeholder="Enter your username..." value="" required
    autofocus>
176.
                       </div>
177.
          </div>
          <!-- Password -->↩
178.
179.
           <div class="input-group mb-3">↔
180.
             <label for="password" class="form-label"><i class="bi bi-lock-</pre>
    fill"></i> <b>Password</b> <span class="text-danger">*</span>
    </label>↔
181.
             <div class="input-group has-validation">←
182.
               <input id="password" type="password" class="form-control"</pre>
```

```
name="password" placeholder="Enter password..." required>↔
183.
184.
          </div>
185.
          <!-- remember me check -->
186.
          <div class="mb-3 form-check">←
187.
            <input type="checkbox" class="form-check-input"</pre>
    id="remember me check" name="remember">←
188.
            <label class="form-check-label"</pre>
    for="remember me check">Remember me</label>←
189.
          </div>
190.
          <button type="submit" class="btn btn-info">Log in
191
          <a href="http://localhost:8000/forgot-password">Forgot your
    password?</a>↩
       </form>↩
192.
193.
      </div>
194. </div>↩
195. <script src="http://localhost:8000/js/form-validation.js"></script>
          </section>↩
        </main>↩
197.
198. ↔
        <!-- Footer -->↩
199.
200.
        <footer class="container">
201.
                 <a id="go-up-button" class="btn btn-secondary" href="#"</pre>
    role="button" aria-label="Go to the top of the page">←
202.
            <i class="bi bi-arrow-up"></i>↩
203.
          </a>↩
          <br>>
204.
205.
          <hr>
206.
          <div class="row justify-content-between">←
207.
            © 2021 Segmentation Fault,
    Inc.↩
208.
            <a class="col-auto text-end" href="#">Go to the top</a>
          </div>
209.
        </footer>♣
210.
211.
        <!-- Bootstrap + Popper -->↔
212.
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js</pre>
    /bootstrap.bundle.min.js" integrity="sha384-
    gtEjrD/SeCtmISkJkNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
    \verb|crossorigin="anonymous"></script>| \leftarrow
213.
        <script>↔
214.
          var popoverTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="popover"]'))↔
215.
          var popoverList = popoverTriggerList.map(function
    (popoverTriggerEl) {↔
216.
            return new bootstrap.Popover(popoverTriggerEl) ↔
217.
          })←
218.
          // Tooltips
219.
          var tooltipTriggerList =
    [].slice.call(document.querySelectorAll('[data-bs-
    toggle="tooltip"]'))↔
220.
          var tooltipList = tooltipTriggerList.map(function
    (tooltipTriggerEl) {↔
221.
            return new bootstrap. Tooltip (tooltip Trigger El) ↔
222.
          })←
223.
        </script>
        <script src="http://localhost:8000/js/textarea resize.js">
224.
    </script>↩
225.
      </body>
226. </html>
```

Used the HTML parser.

Total execution time 20 milliseconds.

About this checker • Report an issue • Version: 21.5.28