

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="Assembling a community-driven database of knowledge by asking
and answering questions.">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">

    <title>Homepage - SegmentationFault</title>
    <!-- Bootstrap (must come before all other stylesheets) -->
    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
7.     <meta name="description" content="Assembling a community-driven
database of knowledge by asking and answering questions.">↵
8.   ↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="saKsBohuuFxCW2Mt00Vxtue2htGWIPbHRd2sayU1">↵
11.  ↵
12.    <title>Homepage - SegmentationFault</title>↵
13.    <!-- Bootstrap (must come before all other stylesheets) -->↵
14.    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net
/npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css">↵
15.    <!-- using themed bootstrap -->↵
16.    <link rel="stylesheet" href="http://localhost:8000
/css/bootstrap.min.css">↵
17.  ↵
18.    <script src="http://ajax.googleapis.com/ajax/libs/jquery/3.5.1
```

```
/jquery.min.js"></script>↵
19. <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/css/select2.min.css" rel="stylesheet"/>↵
20. <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist
/js/select2.min.js"></script>↵
21. ↵
22. <!-- Remarkable -->↵
23. <script src="http://localhost:8000/js/app.js"></script>↵
24. <!-- StackEdit Markdown -->↵
25. <script src="https://unpkg.com/stackedit-js@1.0.7/docs/lib
/stackedit.min.js"></script>↵
26. ↵
27. <!-- CSS -->↵
28. <link rel="stylesheet" href="http://localhost:8000/css/admin.css"
type="text/css" />↵
29. <link rel="stylesheet" href="http://localhost:8000
/css/profile.css" type="text/css" />↵
30. <link rel="stylesheet" href="http://localhost:8000
/css/responsive.css" type="text/css" />↵
31. <link rel="stylesheet" href="http://localhost:8000/css/style.css"
type="text/css" />↵
32. <link rel="stylesheet" href="http://localhost:8000/css/print.css"
media="print" type="text/css" />↵
33. ↵
34. <!-- OpenGraph -->↵
35. <meta property="og:title" content="Homepage - SegmentationFault"
/>↵
36. <meta property="og:url" content="http://localhost:8000/home" />↵
37. <meta property="og:image" content="http://localhost:8000/image
/logo/default.png" />↵
38. <meta property="og:type" content="website" />↵
39. <meta property="og:description" content="Assembling a community-
driven database of knowledge by asking and answering questions." />↵
40. <meta property="og:locale" content="en" />↵
41. </head>↵
42. <body>↵
43. <!-- skip link -->↵
44. <a id="skip-nav" class="screenreader-text" href="#main-content">↵
45. Skip navigation and sidebar↵
46. </a>↵
47. ↵
48. <header>↵
49. <!-- Header -->↵
50. <nav class="navbar fixed-top navbar-expand bg-dark navbar-
dark">↵
51. <div class="container d-flex justify-content-between">↵
52. <div class="d-flex align-items-center">↵
53. <button id="sidebar-toggler" class="navbar-toggler"
type="button" aria-expanded="false" aria-label="Toggle navigation">↵
54. <span class="navbar-toggler-icon"></span>↵
55. </button>↵
56. <div class="navbar-brand">↵
57. <a id="brand-logo" href="http://localhost:8000/home">↵
58. <span id="brand">Segmentation <b>fault</b></span>↵
59. </a>↵
60. <i class="bi bi-cpu"></i>↵
61. Homepage </div>↵
62. </div> <!-- .d-flex -->↵
63. <!-- search -->↵
64. <div id="searchModal-toggler">↵
65. <button type="button" class="btn btn-outline-success"
aria-label="Open search form" data-bs-toggle="modal" data-bs-
target="#searchModal">↵
66. <i class="bi-search"></i>↵
67. </button>↵
68. </div>↵
```

```
69.         <form id="navbarSeachForm" class="d-flex"
action="http://localhost:8000/search">
70.             <input class="form-control me-2" name="q" value=""
type="search" placeholder="Search" aria-label="Search">
71.             <button class="btn btn-outline-success" type="submit"
aria-label="Search"><i class="bi-search"></i></button>
72.         </form>
73.     </div> <!-- .container .d-flex -->
74. </nav>
75. </header>
76.
77.     <!-- BEGIN SEARCH MODAL -->
78.     <div class="modal fade" id="searchModal" tabindex="-1" aria-
labelledby="searchModal" aria-hidden="true">
79.         <div class="modal-dialog">
80.             <div class="modal-content">
81.                 <!-- bg-dark -->
82.                 <div class="modal-body">
83.                     <form action="http://localhost:8000/search">
84.                         <!-- button is not needed -->
85.                         <!-- <button class="btn btn-outline-success"
type="submit"><i class="bi-search"></i></button> -->
86.                         <input class="form-control" type="search" name="q"
value="" placeholder="Search" aria-label="Search">
87.                     </form>
88.                 </div>
89.             </div>
90.         </div>
91.     </div>
92.     <!-- END SEARCH MODAL -->
93.
94.     <!-- Sidebar -->
95.     <nav id="sidebar" class="bg-dark text-light" tabindex="0">
96.         <div class="sidebar-header">
97.             <h3>Homepage</h3>
98.         </div>
99.
100.         <div class="sidebar-subheader">
101.             <h4>Pages</h4>
102.         </div>
103.         <ul class="list-group">
104.             <li class="list-group-item active ">
105.                 <a href=/home>
106.                     <i class="bi bi-house-door"></i>
107.                     <b> Home</b>
108.                 </a>
109.             </li>
110.             <li class="list-group-item ">
111.                 <a href=/search#questions>
112.                     <i class="bi bi-question-circle"></i>
113.                     Search
114.                 </a>
115.             </li>
116.             <li class="list-group-item ">
117.                 <a href=/news>
118.                     <i class="bi bi-newspaper"></i>
119.                     News
120.                 </a>
121.             </li>
122.
123.             <li class="list-group-item ">
124.                 <a href=/leaderboard>
125.                     <i class="bi bi-trophy"></i>
126.                     Leaderboard
127.                 </a>
```

```

128. </li>↵
129.     <li class="list-group-item">↵
130.     <a href="/about">↵
131.     <i class="bi bi-info-circle"></i>↵
132.     About↵
133.     </a>↵
134. </li>↵
135.     ↵
136. </ul>↵
137. ↵
138.     <!-- auth -->↵
139.     <div class="row justify-content-evenly sidebar-buttons">↵
140.     <a class="btn btn-info col-auto" href="/login" role="button"
141.     aria-label="Go to login page">↵
142.     Log in↵
143.     </a>↵
144.     <a class="btn btn-primary col-auto" href="/register"
145.     role="button" aria-label="Go to register page">↵
146.     Sign up↵
147.     </a>↵
148.     </div>↵
149. ↵
150. ↵
151. <script>↵
152.     document.querySelector("#sidebar-toggler").addEventListener("click",
153.     function() {↵
154.     let sidebar = document.querySelector("#sidebar");↵
155.     if (sidebar.classList.contains("active"))↵
156.     sidebar.classList.remove("active");↵
157.     else↵
158.     sidebar.classList.add("active");↵
159.     })↵
160. </script>↵
161. <!-- Notifications -->↵
162. ↵
163.     <main>↵
164.     <section id="main-content">↵
165.     <!-- START CAROUSEL -->↵
166. <div id="marketingCarousel" class="carousel slide" data-bs-
167. ride="carousel" data-bs-interval="false">↵
168.     <div class="carousel-indicators">↵
169.     <button type="button" data-bs-target="#marketingCarousel" data-bs-
170. slide-to="0" class="active" aria-current="true" aria-label="Slide
171. 1"></button>↵
172.     <button type="button" data-bs-target="#marketingCarousel" data-bs-
173. slide-to="1" aria-label="Slide 2"></button>↵
174.     <button type="button" data-bs-target="#marketingCarousel" data-bs-
175. slide-to="2" aria-label="Slide 3"></button>↵
176.     </div>↵
177.     <div class="carousel-inner">↵
178.     <!-- START CAROUSEL ITEM -->↵
179.     <div class="carousel-item active text-white bg-dark text-center
180. marketingCarousel">↵
181.     <div class="container p-4 p-md-5 mb-4">↵
182.     <h1 class="display-4 fst-italic">We <i class="bi-heart
183. fs-2"></i> tech</h1>↵
184.     <p class="lead my-3">So we built this for you</p>↵
185.     <p class="lead mb-0">↵
186.     <a class="btn btn-secondary" href="#find-out-more"
187. role="button">Find out more</a>↵
188.     <a class="btn btn-primary" href="/register"
189. role="button">Join now</a>↵
190.     </p>↵

```

```

182.         </div>↵
183.     </div>↵
184.     <div class="carousel-item text-white bg-dark text-center
marketingCarousel">↵
185.         <div class="container p-4 p-md-5 mb-4">↵
186.             <h1 class="display-4 fst-italic">Top question of the
site</h1>↵
187.             <p class="lead my-3">Difference between staticmethod and
classmethod</p>↵
188.             <a class="btn btn-primary" href="/question/5
role="button">Visit question</a>↵
189.         </div>↵
190.     </div>↵
191.     <div class="carousel-item text-white bg-dark text-center
marketingCarousel">↵
192.         <div class="container p-4 p-md-5 mb-4">↵
193.             <h1 class="display-4 fst-italic">Read the latest news about
us</h1>↵
194.             <p class="lead my-3">Stay up-to-date on everything that is
going on with the site</p>↵
195.             <a class="btn btn-primary" href="/news"
role="button">News</a>↵
196.         </div>↵
197.     </div>↵
198.     <!-- END CAROUSEL ITEM -->↵
199. </div>↵
200. <button class="carousel-control-prev" type="button" data-bs-
target="#marketingCarousel" data-bs-slide="prev">↵
201.     <span class="carousel-control-prev-icon" aria-hidden="true">
</span>↵
202.     <span class="visually-hidden">Previous</span>↵
203. </button>↵
204. <button class="carousel-control-next" type="button" data-bs-
target="#marketingCarousel" data-bs-slide="next">↵
205.     <span class="carousel-control-next-icon" aria-hidden="true">
</span>↵
206.     <span class="visually-hidden">Next</span>↵
207. </button>↵
208. </div>↵
209. <!-- END CAROUSEL -->↵
210. ↵
211. <div class="container">↵
212.     <!-- START FEATURETTES -->↵
213.     <div id="find-out-more">↵
214.         <hr class="featurette-divider">↵
215.     ↵
216.     <div class="row featurette">↵
217.         <div class="col-12 col-sm-8 col-md-10">↵
218.             <h2 class="featurette-heading">↵
219.                 Share your questions. <span class="text-muted">There's
always someone ready to answer.</span>↵
220.             </h2>↵
221.             <p class="lead">↵
222.                 You'll get the help you need and leave behind content
that'll help others that have the same problem as you.↵
223.             </p>↵
224.         </div>↵
225.         <div class="col-12 col-sm-4 col-md-2 text-center text-sm-end">↵
226.             <span id="share_img" class="featurette-img mx-auto"></span>↵
227.         </div>↵
228.     </div>↵
229. ↵
230.     <hr class="featurette-divider">↵
231. ↵
232.     <div class="row featurette">↵
233.         <div class="col-12 col-sm-8 col-md-10 order-md-2 text-md-end">↵

```

```

234.         <h2 class="featurette-heading">↵
235.             Help the community. <span class="text-muted">Answer the
questions you see.</span>↵
236.         </h2>↵
237.         <p class="lead">↵
238.             Every answer can make the difference.↵
239.         </p>↵
240.     </div>↵
241.     <div class="col-12 col-sm-4 col-md-2 text-center text-sm-end
text-md-start order-md-1">↵
242.         <span id="help_img" class="featurette-img mx-auto"></span>↵
243.     </div>↵
244. </div>↵
245. ↵
246. <hr class="featurette-divider">↵
247. ↵
248. <div class="row featurette">↵
249.     <div class="col-12 col-sm-8 col-md-10">↵
250.         <h2 class="featurette-heading">↵
251.             Be recognised by your worth. <span class="text-muted">Become
a valuable member of the community.</span>↵
252.         </h2>↵
253.         <p class="lead">↵
254.             The more good answers you give, the more standing you get.
People will see you as a valuable and helpful member of the
community.↵
255.         </p>↵
256.     </div>↵
257.     <div class="col-12 col-sm-4 col-md-2 text-center text-sm-end">↵
258.         <span id="be_img" class="featurette-img mx-auto"></span>↵
259.     </div>↵
260. </div>↵
261. ↵
262. <hr class="featurette-divider">↵
263. </div>↵
264. <!-- END FEATURETTES -->↵
265. ↵
266. <!-- START FEATURE LIST -->↵
267. <div id="site-features">↵
268.     <h2>Features</h2>↵
269.     <hr>↵
270.     You can browse the contents freely forever and become a member at
any↵
271.     time. We're always looking for people ready to contribute and help
each↵
272.     other. These are some of the features you'll find in our
website:↵
273.     <ul>↵
274.         <li>Search and filters</li>↵
275.         <li>Ask and answer questions</li>↵
276.         <li>Comment on answer and questions</li>↵
277.         <li>Vote on questions, answers and comments</li>↵
278.         <li>Propose edits</li>↵
279.         <li>Get notified of activity in you questions you
participate</li>↵
280.         <li>View other users' profile</li>↵
281.         <li>Get achievements</li>↵
282.         <li>Earn perks based on your reputation</li>↵
283.     </ul>↵
284. </div>↵
285. <!-- END FEATURE LIST -->↵
286. </div>↵
287. </section>↵
288. </main>↵
289. ↵
290. <!-- Footer -->↵

```

```
291.     <footer class="container">↵
292.         <a id="go-up-button" class="btn btn-secondary" href="#"
role="button" aria-label="Go to the top of the page">↵
293.             <i class="bi bi-arrow-up"></i>↵
294.         </a>↵
295.         <br>↵
296.         <hr>↵
297.         <div class="row justify-content-between">↵
298.             <p class="col-auto text-muted">&#169; 2021 Segmentation Fault,
Inc.</p>↵
299.             <a class="col-auto text-end" href="#">Go to the top</a>↵
300.         </div>↵
301.     </footer>↵
302.     <!-- Bootstrap + Popper -->↵
303.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.1/dist/js
/bootstrap.bundle.min.js" integrity="sha384-
gtEjrD/SeCtmISkJKNUaaKMoLD0//ElJ19smozuHV6z3Iehds+3Ulb9Bn9Plx0x4"
crossorigin="anonymous"></script>↵
304.     <script>↵
305.         var popoverTriggerList =
[[]].slice.call(document.querySelectorAll('[data-bs-
toggle="popover"]'))↵
306.         var popoverList = popoverTriggerList.map(function
(popoverTriggerEl) {↵
307.             return new bootstrap.Popover(popoverTriggerEl)↵
308.         })↵
309.         // Tooltips↵
310.         var tooltipTriggerList =
[[]].slice.call(document.querySelectorAll('[data-bs-
toggle="tooltip"]'))↵
311.         var tooltipList = tooltipTriggerList.map(function
(tooltipTriggerEl) {↵
312.             return new bootstrap.Tooltip(tooltipTriggerEl)↵
313.         })↵
314.     </script>↵
315.     <script src="http://localhost:8000/js/textarea_resize.js">
</script>↵
316. </body>↵
317. </html>
```

Used the HTML parser.

Total execution time 27 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.5.28