

Equações governantes:

$$\rho \left( \frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x} + v \frac{\partial u}{\partial y} \right) = \mu \left( \frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} \right) - \frac{\partial p}{\partial x} \quad \dots (1)$$

$$\rho \left( \frac{\partial v}{\partial t} + u \frac{\partial v}{\partial x} + v \frac{\partial v}{\partial y} \right) = \mu \left( \frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} \right) - \frac{\partial p}{\partial y} \quad \dots (2)$$

$$\frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} = 0 \quad \dots (3)$$

Derivando (1) em relação a  $y$ :

$$\rho \cdot \frac{\partial}{\partial y} \left( \frac{\partial u}{\partial t} + u \frac{\partial u}{\partial x} + v \frac{\partial u}{\partial y} \right) = \mu \cdot \frac{\partial}{\partial y} \nabla^2 u - \frac{\partial^2 p}{\partial x \partial y}$$

$$\underbrace{\rho \cdot \frac{\partial^2 u}{\partial y \partial t}}_{\text{Termo transiente}} + \underbrace{\rho \left( \frac{\partial u}{\partial y} \frac{\partial u}{\partial x} + u \frac{\partial^2 u}{\partial x \partial y} + \frac{\partial v}{\partial y} \frac{\partial u}{\partial y} + v \frac{\partial^2 u}{\partial y^2} \right)}_{\text{Termos convectivos}} = \underbrace{\mu \cdot \frac{\partial}{\partial y} \nabla^2 u}_{\text{Termos difusivos}} - \frac{\partial^2 p}{\partial x \partial y} \quad \dots (4)$$

Derivando (2) em relação a  $x$ :

$$\rho \cdot \frac{\partial}{\partial x} \left( \frac{\partial v}{\partial t} + u \frac{\partial v}{\partial x} + v \frac{\partial v}{\partial y} \right) = \mu \cdot \frac{\partial}{\partial x} \nabla^2 v - \frac{\partial^2 p}{\partial x \partial y}$$

$$\underbrace{\rho \cdot \frac{\partial^2 v}{\partial x \partial t}}_{\text{Termo transiente}} + \underbrace{\rho \left( \frac{\partial u}{\partial x} \frac{\partial v}{\partial x} + u \frac{\partial^2 v}{\partial x^2} + \frac{\partial v}{\partial x} \frac{\partial v}{\partial y} + v \frac{\partial^2 v}{\partial x \partial y} \right)}_{\text{Termos convectivos}} = \underbrace{\mu \cdot \frac{\partial}{\partial x} \nabla^2 v}_{\text{Termos difusivos}} - \frac{\partial^2 p}{\partial x \partial y} \quad \dots (5)$$

Subtraindo (5) de (4)

→ Termos Transientes:

$$\rho \frac{\partial^2 u}{\partial y \partial t} - \rho \frac{\partial^2 v}{\partial x \partial t} = \rho \frac{\partial}{\partial t} \left( \frac{\partial u}{\partial y} - \frac{\partial v}{\partial x} \right) = \rho \frac{\partial \omega}{\partial t} //$$

→ Termos Convectivos

$$\begin{aligned} & \rho \left( \frac{\partial u}{\partial y} \frac{\partial u}{\partial x} + u \frac{\partial^2 u}{\partial x \partial y} + \frac{\partial v}{\partial y} \frac{\partial u}{\partial y} + v \frac{\partial^2 u}{\partial y^2} \right) - \rho \left( \frac{\partial u}{\partial x} \frac{\partial v}{\partial x} + u \frac{\partial^2 v}{\partial x^2} + \frac{\partial v}{\partial x} \frac{\partial v}{\partial y} + v \frac{\partial^2 v}{\partial x \partial y} \right) \\ &= \rho \left[ u \left( \frac{\partial^2 u}{\partial y \partial x} - \frac{\partial^2 v}{\partial x^2} \right) + v \left( \frac{\partial^2 u}{\partial y^2} - \frac{\partial^2 v}{\partial x \partial y} \right) + \frac{\partial u}{\partial y} \frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} \frac{\partial u}{\partial y} - \frac{\partial u}{\partial x} \frac{\partial v}{\partial x} - \frac{\partial v}{\partial x} \frac{\partial v}{\partial y} \right] \\ &= \rho \left[ u \frac{\partial}{\partial x} \left( \frac{\partial u}{\partial y} - \frac{\partial v}{\partial x} \right) + v \frac{\partial}{\partial y} \left( \frac{\partial u}{\partial y} - \frac{\partial v}{\partial x} \right) + \underbrace{\frac{\partial u}{\partial y} \left( \frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} \right)}_{=0} - \frac{\partial v}{\partial x} \left( \frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} \right) \right] \\ &= \rho \left[ u \frac{\partial \omega}{\partial x} + v \frac{\partial \omega}{\partial y} + \underbrace{\left( \frac{\partial u}{\partial x} + \frac{\partial v}{\partial y} \right)}_{=0} \underbrace{\left( \frac{\partial u}{\partial y} - \frac{\partial v}{\partial x} \right)}_{\omega} \right] \\ &= \rho \left( u \frac{\partial \omega}{\partial x} + v \frac{\partial \omega}{\partial y} \right) // \end{aligned}$$

(Eq. Cont. noidade)

→ Termos Difusivos

$$\mu \frac{\partial}{\partial y} \nabla^2 u - \mu \frac{\partial}{\partial x} \nabla^2 v = \mu \nabla^2 \left( \frac{\partial u}{\partial y} - \frac{\partial v}{\partial x} \right) = \mu \nabla^2 \omega //$$

→ Termos de pressão:

$$\frac{-\partial^2 p}{\partial x \partial y} - \left( -\frac{\partial^2 p}{\partial x \partial y} \right) = 0 //$$



A equação resultante da subtração se torna:

$$\rho \frac{\partial w}{\partial t} + \rho \cdot u \frac{\partial w}{\partial x} + \rho \cdot v \frac{\partial w}{\partial y} = \mu \left( \frac{\partial^2 w}{\partial x^2} + \frac{\partial^2 w}{\partial y^2} \right)$$

---