# GLPI Developer Documentation Documentation

Teclib'

# **CONTENTS**

1	Sour	ce Code management	3
	1.1	Versioning	3
	1.2	Backward compatibility	3
	1.3	Branches	3
	1.4	Testing	4
	1.5	File Hierarchy System	4
	1.6	Workflow	5
	1.7	Unit testing (and functional testing)	8
2	Codi	ng standards	11
	2.1		11
	2.2	Static or Non static?	11
	2.3	Comments	12
	2.4	Variables types	14
	2.5	Quotes / double quotes	15
	2.6		15
3	Deve	loper API	17
	3.1		17
	3.2		20
	3.3		34
	3.4		16
	3.5		52
	3.6		59
	3.7		52
	3.8	e e e e e e e e e e e e e e e e e e e	57
	3.9		59
	3.10		73
	3.11		75
	3.12		76
	3.13	±	77
4	Chec	klists	<b>7</b> 9
	4.1		79
	4.2		79
5	Plugi	ins	31
	5.1		31
	5.2		33
	5.3	1	38
	0.0		/ 0

5.4	Adding and managing objects	91
5.5		
5.6	Automatic actions	06
5.7	Massive Actions	06
5.8		
5.9		
5.10		
5.11		
5.12		
Packa	aging 1	173
6.1		173
6.2		
6.3		
6.4		
6.5	· ·	
6.6		
6.7		
6.8	Using system fonts rather than bundled ones	
Unar	rade guides	179
	5.5 5.6 5.7 5.8 5.9 5.10 5.11 5.12 <b>Pack</b> 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8	5.5       Hooks         5.6       Automatic actions         5.7       Massive Actions         5.8       Tips & tricks         5.9       Notification modes         5.10       Unit Testing         5.11       Plugin development tutorial         5.12       Javascript         1       Packaging         6.1       Sources         6.2       Filesystem Hierarchy Standard         6.3       Apache Configuration File         6.4       Logs files rotation         6.5       SELinux stuff         6.6       Use system cron         6.7       Using system libraries         6.8       Using system fonts rather than bundled ones



CONTENTS 1

2 CONTENTS

## SOURCE CODE MANAGEMENT

GLPI source code management is handled by GIT and hosted on GitHub.

In order to contribute to the source code, you will have to know a few things about Git and the development model we follow.

# 1.1 Versioning

Version numbers follow the x.y.z nomenclature, where x is a major release, y is an intermediate release, and z is a bugfix release.

# 1.2 Backward compatibility

Wherever possible, bugfix releases should not make any non-backwards compatible changes to our source code, so a plugin that has been made compatible with a 10.0.0 release should therefore be compatible, barring exceptions, with all 10.0.x versions. In the event that an incompatibility is introduced in a bugfix version, please let us know so that we can correct the problem.

In the context of intermediate or major versions, we do not prevent ourselves from breaking the backward compatibility of our source code. Indeed, although we try to make the maintenance of the plugins as easy as possible, some parts of our source code are not intended to be used or extended in them, and maintaining backward compatibility would be too costly in terms of time. However, the elements destined to disappear, as soon as they are intended to be used by plugins, are maintained for at least one intermediate version, and noted as being deprecated.

## 1.3 Branches

On the Git repository, you will find several existing branches:

- main (Previously named master) contains the next major release source code,
- xx/bugfixes contains the next minor release source code,
- you should not care about all other branches that may exists, they should have been deleted right now.

The main branch is where new features are added. This code is reputed as non stable.

The x.y/bugfixes branches is where bugs are fixed. This code is reputed as stable.

Those branches are created when a new major or intermediate version is released. At the time I wrote these lines, the latest stable version is 10.0 so the current bugfix branch is 10.0/bugfixes. We do not maintain previous stable versions, so old bugfixes branches are likely to not change; while they are still existing. In case we found a critical bug or a security issue, we may exceptionally apply patches to the latest previous stable branch.

# 1.4 Testing

Testing is a very important part of the development process. The reference for tests is the GitHub CI. The easier way to proceed with testing is to use the provided test script run\_tests.sh which uses Docker and bootstrap everything needed.

Every proposal **must** contains unit tests; for new features as well as bugfixes. For the bugfixes; this is not a strict requirement if this is part of code that is not tested at all yet. See the *unit testing section* at the bottom of the page.

Anyways, existing unit tests may never be broken, if you made a change that breaks something, check your code, or change the unit tests, but fix that! ;)

# 1.5 File Hierarchy System



This lists current files and directories listed in the source code of GLPI. Some files are not part of distributed archives.

This is a brief description of GLPI main folders and files:

- = .tx: Transifex configuration
- ajax
  - ▶ \*.php: Ajax components
- *files* Files written by GLPI or plugins (documents, session files, log files, ...)
- = front
  - ▶ \*.php: Front components (all displayed pages)
- *config* (only populated once installed)
  - *society society society* -
  - ₩ local\_define.php: Optional file to override some constants definitions (see inc/define.php)
- = css
  - CSS stylesheets
  - ■ \*.css: CSS stylesheets
- = inc
  - ▶ \*.php: Classes, functions and definitions
- install
  - *− mysql*: MariaDB/MySQL schemas
  - **\*** \*.php: upgrades scripts and installer
- $=_{js}$ 
  - ■ \*.*js*: Javascript files
- 🚞 lib

- = ...: external Javascript libraries
- locales
  - *glpi.pot*: Gettext's POT file
  - **■** \*.*po*: Gettext's translations
  - ■ \*.mo: Gettext's compiled translations
- pics
  - **■** \*.\*: pictures and icons
- plugins:
  - ...: where all plugins lends
- = scripts: various scripts which can be used in crontabs for example
- *tests*: unit and integration tests
- *tools*: a bunch of tools
- *vendor*: third party libs installed from composer (see composer.json below)
- \$\mathbb{B}\$ .gitignore: Git ignore list
- | .htaccess: Some convenient apache rules (all are commented)
- D. .travis.yml: Travis-CI configuration file
- *B* apirest.php: REST API main entry point
- Dapirest.md: REST API documentation
- @ apixmlrpc.php: XMLRPC API main entry point
- ## AUTHORS.txt: list of GLPI authors
- ## CHANGELOG.md: Changes
- *composer.json*: Definition of third party libraries (see composer website)
- \$\mathbb{G} COPYING.txt\$: Licence
- w index.php: main application entry point
- phpunit.xml.dist: unit testing configuration file
- \$\mathbb{B} README.md: well... a README;)
- ## status.php: get GLPI status for monitoring purposes

## 1.6 Workflow

## 1.6.1 In short...

In a short form, here is the workflow we'll follow:

- · create a ticket
- fork, create a specific branch, and hack
- open a PR (Pull Request)

1.6. Workflow 5

Each bug will be fixed in a branch that came from the correct *bugfixes* branch. Once merged into the requested branch, developer must report the fixes in the *main*; with a simple cherry-pick for simple cases, or opening another pull request if changes are huge.

Each feature will be hacked in a branch that came from main, and will be merged back to main.

## 1.6.2 General

Most of the times, when you'll want to contribute to the project, you'll have to retrieve the code and change it before you can report upstream. Note that I will detail here the basic command line instructions to get things working; but of course, you'll find equivalents in your favorite Git GUI/tool/whatever;)

Just work with a:

```
$ git clone https://github.com/glpi-project/glpi.git
```

A directory named glpi will bre created where you've issued the clone.

Then - if you did not already - you will have to create a fork of the repository on your github account; using the *Fork* button from the GLPI's Github page. This will take a few moments, and you will have a repository created, *{you user name}/glpi - forked from glpi-project/glpi.* 

Add your fork as a remote from the cloned directory:

```
$ git remote add my_fork https://github.com/{your user name}/glpi.git
```

You can replace *my\_fork* with what you want but *origin* (just remember it); and you will find your fork URL from the Github UI.

A basic good practice using Git is to create a branch for everything you want to do; we'll talk about that in the sections below. Just keep in mind that you will publish your branches on you fork, so you can propose your changes.

When you open a new pull request, it will be reviewed by one or more member of the community. If you're asked to make some changes, just commit again on your local branch, push it, and you're done; the pull request will be automatically updated.

## 1 Note

It's up to you to manage your fork; and keep it up to date. I'll advice you to keep original branches (such as main or x.y/bugfixes) pointing on the upstream repository.

Tha way, you'll just have to update the branch from the main repository before doing anything.

# 1.6.3 Bugs

If you find a bug in the current stable release, you'll have to work on the *bugfixes* branch; and, as we've said already, create a specific branch to work on. You may name your branch explicitly like 9.1/fix-sthing or to reference an existing issue 9.1/fix-1234; just prefix it with {version}/fix-.

Generally, the very first step for a bug is to be filled in a ticket.

From the clone directory:

```
$ git checkout -b 9.1/bugfixes origin/9.1/bugfixes
$ git branch 9.1/fix-bad-api-callback
$ git co 9.1/fix-bad-api-callback
```

At this point, you're working on an only local branch named 9.1/fix-api-callback. You can now work to solve the issue, and commit (as frequently as you want).

At the end, you will want to get your changes back to the project. So, just push the branch to your fork remote:

```
$ git push -u my_fork 9.1/fix-api-callback
```

Last step is to create a PR to get your changes back to the project. You'll find the button to do this visiting your fork or even main project github page.

Just remember here we're working on some bugfix, that should reach the *bugfixes* branch; the PR creation will probably propose you to merge against the *main* branch; and maybe will tell you they are conflicts, or many commits you do not know about... Just set the base branch to the correct bugfixes and that should be good.

#### 1.6.4 Features

Before doing any work on any feature, mays sure it has been discussed by the community. Open - if it does not exists yet - a ticket with your detailed proposition. Fo technical features, you can work directly on github; but for work proposals, you should take a look at our feature proposal platform.

If you want to add a new feature, you will have to work on the *main* branch, and create a local branch with the name you want, prefixed with *feature/*.

From the clone directory:

```
$ git branch feature/my-killer-feature
$ git co feature/my-killer feature
```

You'll notice we do no change branch on the first step; that is just because *main* is the default branch, and therefore the one you'll be set on just after cloning. At this point, you're working on an only local branch named *feature/my-killer-feature*. You can now work and commit (as frequently as you want).

At the end, you will want to get your changes back to the project. So, just push the branch on your fork remote:

```
$ git push -u my_fork feature/my-killer-feature
```

## 1.6.5 Commit messages

There are several good practices regarding commit messages, but this is quite simple:

- the commit message may refer an existing ticket if any,
  - just make a simple reference to a ticket with keywords like refs #1234 or see #1234",
  - automatically close a ticket when commit will be merged back with keywords like closes #1234 or fixes #1234.
- the first line of the commit should be as short and as concise as possible
- if you want or have to provide details, let a blank line after the first commit line, and go on. Please avoid very long lines (some conventions talks about 80 characters maximum per line, to keep it visible).

## 1.6.6 Third party libraries

Third party PHP libraries are handled using the composer tool and Javascript ones using npmjs.

To install existing dependencies, just install from their website or from your distribution repositories and then run:

```
$ bin/console dependencies install
```

1.6. Workflow 7

# 1.7 Unit testing (and functional testing)



## 1 Note

A note for the purists... In GLPI, there are both unit and functional tests; without real distinction;-)

We use PHPUnit for PHP tests.

For JavaScript tests, GLPI uses the Jest testing framework. Its documentation can be found at: https://devdocs.io/jest/.

#### 1.7.1 Database

This section is in reference to PHP tests only. JavaScript tests do not interact with a database or a GLPI server.

Each class that tests something in database **must** inherit from \DbTestCase. This class provides some helpers (like login() or setEntity() method); and it also does some preparation and cleanup.

Each CommonDBTM object added in the database with its add() method will be automatically deleted after the test method. If you always want to get a new object type created, you can use beforeTestMethod() or setUp() methods.



## 🛕 Warning

If you use setUp() method, do not forget to call parent::setUp()!

Some bootstrapped data are provided (will be inserted on the first test run); they can be used to check defaults behaviors or make queries, but you should never change those data! This lend to unpredictable further tests results.

## 1.7.2 Launch tests

All required third party libraries are installed at once, including testing framework.

There are several directories for tests:

- phpunit/functionnal for main core unit/functional tests;
- phpunit/LDAP requires a LDAP server;
- phpunit/web requires a web server;
- phpunit/imap requires mail server;

You can choose to run tests on a whole directory, or on any file (+ on a specific method). Refer to PHPUnit documentation for more information.

```
$ ./vendor/bin/phpunit phpunit/functional/
$ ./vendor/bin/phpunit phpunit/functional/ComputerTest.php
[...]
$ $ ./vendor/bin/phpunit phpunit/functional/ComputerTest.php --filter testSomething
```

If you want to run the web tests suite, you need to run a web server, and give tests its URL when running. Here is an example using PHP native webserver:

```
$ php -S localhost:8088 tests/router.php &>/dev/null &
$ GLPI_URI=http://localhost:8088 ./vendor/bin/phpunit phpunit/web/
```

To run the JavaScript unit tests, simply run *npm test* in a terminal from the root of the GLPI folder. Currently, there is only a single "project" set up for Jest so this command will run all tests.



**CHAPTER** 

**TWO** 

## **CODING STANDARDS**

As of GLPI 10, we rely on PSR-12 for coding standards.

## 2.1 Call static methods

Function location	How to call
class itself	self::theMethod()
parent class	<pre>parent::theMethod()</pre>
another class	ClassName::theMethod()

## 2.2 Static or Non static?

Some methods in the source code as declared as static; some are not.

For sure, you cannot make static calls on a non static method. In order to call such a method, you will have to get an object instance, and then call the method on it:

```
<?php

$object = new MyObject();
$object->nonStaticMethod();
```

It may be different calling static classes. In that case; you can either:

- call statically the method from the object; like MyObject::staticMethod(),
- call statically the method from an object instance; like **\$object::staticMethod()**,
- call non statically the method from an object instance; like **\$object->staticMethod()**.
- use late static building; like static::staticMethod().

When you do not have any object instance yet; the first solution is probably the best one. No need to instantiate an object to just call a static method from it.

On the other hand; if you already have an object instance; you should better use any of the solution but the late static binding. That way; you will save performances since this way to go do have a cost.

## 2.3 Comments

To be more visible, don't put inline block comments into /\* \*/ but comment each line with //. Put docblocks comments into /\*\* \*/.

Each function or method must be documented, as well as all its parameters (see Variables types below), and its return.

For each method or function documentation, you'll need at least to have a description, the version it was introduced, the parameters list, the return type; each blocks separated with a blank line. As an example, for a void function:

```
<?php
 * Describe what the method does. Be concise :)
 * You may want to add some more words about what the function
 * does, if needed. This is optional, but you can be more
 * descriptive here:
 * - it does something
 * - and also something else
 * - but it doesn't make coffee, unfortunately.
 * @since 9.2
 * @param string $param
                               A parameter, for something
 * @param boolean $other_param Another parameter
 * @return void
function myMethod($param, $other_param) {
   //[...]
}
```

Some other information way be added; if the function requires it.

Refer to the PHPDocumentor website to get more information on documentation.

Please follow the order defined below:

- 1. Description,
- 2. Long description, if any,
- 3. @deprecated.
- 4. @since,
- 5. @*var*,
- 6. @param,
- 7. @return,
- 8. @see,
- 9. @throw,
- 10. @todo,

## 2.3.1 Parameters documentation

Each parameter must be documented in its own line, beginning with the @param tag, followed by the *Variables types*, followed by the param name (\$param), and finally with the description itself. If your parameter can be of different types, you can list them separated with a | or you can use the mixed type; it's up to you!

All parameters names and description must be aligned vertically on the longest (plu one character); see the above example.

## 2.3.2 Override method: @inheritDoc? @see? docblock? no docblock?

There are many question regarding the way to document a child method in a child class.

Many editors use the {@inheritDoc} tag without anything else. **This is wrong**. This *inline* tag is confusing for many users; for more details, see the PHPDocumentor documentation about it. This tag usage is not forbidden, but make sure to use it properly, or just avoid it. An usage example:

```
abstract class MyClass {
    /**
    * This is the documentation block for the current method.
    * It does something.
    * @param string $sthing Something to send to the method
    *
    * @return string
    */
    abstract public function myMethod($sthing);
}
class MyChildClass extends MyClass {
    /**
    * {@inheritDoc} Something is done differently for a reason.
    *
    * @param string $sthing Something to send to the method
    *
    * @return string
    */
    public function myMethod($sthing) {
        [...]
    }
}
```

Something we can see quite often is just the usage of the @see tag to make reference to the parent method. **This is wrong**. The @see tag is designed to reference another method that would help to understand this one; not to make a reference to its parent (you can also take a look at PHPDocumentor documentation about it). While generating, parent class and methods are automatically discovered; a link to the parent will be automatically added. An usage example:

```
<?php
/**
  * Adds something
  *
  * @param string $type Type of thing
  * @param string $value The value
  *</pre>
```

(continues on next page)

2.3. Comments 13

(continued from previous page)

```
* @return boolean
*/
public function add($type, $value) {
    // [...]
}

/**
    * Adds myType entry
    *
    * @param string $value The value
    *
    * @return boolean
    * @see add()
    */
public function addMyType($value) {
    return $this->addType('myType', $value);
}
```

Finally, should I add a docblock, or nothing?

PHPDocumentor and various tools will just use parent docblock verbatim if nothing is specified on child methods. So, if the child method acts just as its parent (extending an abstract class, or some super class like CommonGLPI or CommonDBTM); you may just omit the docblock entirely. The alternative is to copy paste parent docblock entirely; but that way, it would be required to change all children docblocks when parent if changed.

# 2.4 Variables types

Variables types for use in DocBlocks for Doxygen:

Туре	Description
mixed	A variable with undefined (or multiple) type
integer	Integer type variable (whole number)
float	Float type (point number)
boolean	Logical type (true or false)
string	String type (any value in "" or ' ')
array	Array type
object	Object type
resource	Resource type (as returned from mysql_connect function)

In addition to the above, you may use any valid types from PHPStan.

You may also use a specific class for the type as a replacement for *object* when you know the exact type of data being used. This is recommended if you use typehints. Since PHP 7.1, you can have nullable typehints for method parameters and return types. You should prepend a ? to the above types if they are nullable.

Inserting comment in source code for doxygen. Result: full doc for variables, functions, classes...

# 2.5 Quotes / double quotes

- You must use single quotes for indexes, constants declaration, translations, ...
- Use double quote in translated strings
- When you have to use tabulation character (\t), carriage return (\n) and so on, you should use double quotes.
- For performances reasons since PHP7, you may avoid strings concatenation.

## Examples:

```
<?php
//for that one, you should use double, but this is at your option...
$a = "foo";
//use double quotes here, for $foo to be interpreted
// => with double quotes, $a will be "Hello bar" if $foo = 'bar'
// => with single quotes, $a will be "Hello $foo"
$a = "Hello $foo";
//use single quotes for array keys
$tab = [
   'lastname' => 'john',
   'firstname' => 'doe'
];
//Do not use concatenation to optimize PHP7
//note that you cannot use functions call in {}
$a = "Hello {$tab['firstname']}";
//single quote translations
$str = __('My string to translate');
//Double quote for special characters
$html = "One paragraph\nAnother one";
//single quote cases
switch ($a) {
  case 'foo' : //use single quote here
   case 'bar' :
}
```

# 2.6 Checking standards

Linting (checking and fixing coding standards) is a good way to ensure code quality and consistency of the code base. This is done using [PHP CodeSniffer](https://github.com/squizlabs/PHP\_CodeSniffer), [PHPStan](https://phpstan.org/), [ESLint](https://eslint.org/), [Stylelint](https://stylelint.io/) and [TwigCS](https://github.com/friendsoftwig/twigcs).

This can run the tasks using Docker, on your local host use ./tests/run\_tests.sh lint to proceed to all linting tasks, or use a scoped task, ./tests/run\_tests.sh lint\_php to proceed to PHP linting only for example. All possible lintings are listed in the ./tests/run\_tests.sh script. For faster action you can run the scripts on your local machine or Docker development

container using *node\_modules/.bin/eslint* . && *echo* "*ESLint found no errors*" for example. You can find all the commands in [.*github/actions* directory](https://github.com/glpi-project/glpi/tree/main/.github/actions).



**CHAPTER** 

## THREE

## DEVELOPER API

Apart from the current documentation, you can also generate the full PHP documentation of GLPI (built with apigen) using the tools/genapidoc.sh script.

# 3.1 Main framework objects

GLPI contains numerous classes; but there are a few common objects you'd have to know about. All GLPI classes are in the src directory. Prior to GLPI 10.0, the classes were in the inc directory. Now, only non-class PHP files remain there.



See the full API documentation for related object for a complete list of methods provided.

## 3.1.1 CommonGLPI

This is the main GLPI object, most of GLPI or Plugins class inherit from this one, directly or not.

This object will help you to:

- manage item type name,
- manage item tabs,
- · manage item menu,
- · do some display,
- get URLs (form, search, ...),
- ...

## 3.1.2 CommonDBTM

This is an object to manage any database stuff; it of course inherits from CommonGLPI.

It aims to manage database persistence and tables for all objects; and will help you to:

- add, update or delete database rows,
- load a row from the database,
- get table informations (name, indexes, relations, ...)
- ...

The CommonDBTM object provides several of the available hooks.

## 3.1.3 CommonDropdown

This class aims to manage dropdown (lists) database stuff. It inherits from CommonDBTM.

It will help you to:

- · manage the list,
- · import data,
- . . .

## 3.1.4 CommonTreeDropdown

This class aims to manage tree lists database stuff. It inherits from CommonDropdown.

It will mainly help you to manage the tree apsect of a dropdown (parents, children, and so on).

## 3.1.5 CommonImplicitTreeDropdown

This class manages tree lists that cannot be managed by the user. It inherits from CommonTreeDropdown.

#### 3.1.6 CommonDBVisible

This class helps with visibility management. It inherits from CommonDBTM.

It provides methods to:

- know if the user can view item,
- get dropdown parameters,
- ...

## 3.1.7 CommonDBConnexity

This class factorizes database relation and inheritance stuff. It inherits from CommonDBTM.

It is not designed to be used directly, see CommonDBChild and CommonDBRelation.

## 3.1.8 CommonDBChild

This class manages simple relations. It inherits from CommonDBConnexity.

This object will help you to define and manage parent/child relations.

## 3.1.9 CommonDBRelation

This class manages relations. It inherits from CommonDBConnexity.

Unlike *CommonDBChild*; it is designed to declare more *complex relations*; as defined in the database model. This is therefore more complex thant just using a simple relation; but it also offers many more possibilities.

In order to setup a complex relation, you'll have to define several properties, such as:

- \$itemtype\_1 and \$itemtype\_2; to set both itm types used;
- \$items\_id\_1 and \$items\_id\_2; to set field id name.

Other properties let you configure how to deal with entities inheritance, ACLs; what to log on each part on several actions, and so on.

The object will also help you to:

- get search options and query,
- find rights in ACLs list,
- handle massive actions,
- ...

## 3.1.10 CommonDevice

This class factorizes common requirements on devices. It inherits from CommonDropdown.

It will help you to:

- import devices,
- · handle menus,
- · do some display,
- ...

## 3.1.11 Common ITIL objects

All common ITIL objects will help you with ITIL objects management (Tickets, Changes, Problems).

## CommonITILObject

Handle ITIL objects. It inherits from CommonDBTM.

It will help you to:

- get users, suppliers, groups, ...
- count them,
- get objects for users, technicians, suppliers, ...
- · get status,
- ...

## CommonITILActor

Handle ITIL actors. It inherits from CommonDBRelation.

It will help you to:

- get actors,
- · show notifications,
- get ACLs,
- ...

#### CommonITILCost

Handle ITIL costs. It inherits from CommonDBChild.

It will help you to:

- get item cost,
- · do some display,
- ...

## CommonITILTask

Handle ITIL tasks. It inherits from CommonDBTM.

It will help you to:

- manage tasks ACLs,
- · do some display,
- get search options,
- ...

#### CommonITILValidation

Handle ITIL validation process. It inherits from CommonDBChild.

It will help you to:

- · mange ACLs,
- · get and set status,
- · get counts,
- · do some display,
- •




## 3.2 Database

## 3.2.1 Database model

Current GLPI database contains more than 250 tables; the goal of the current documentation is to help you to understand the logic of the project, not to detail each table and possibility.

As on every database, there are tables, relations between them (more or less complex), some relations have descriptions stored in a another table, some tables way be linked with themselves... Well, it's quite common :) Let's start with a simple example:





## 1 Note

The above schema is an example, it is far from complete!

What we can see here:

- computers are directly linked to operating systems, operating systems versions, operating systems architectures,
- · computers are linked to memories, processors and monitors using a relation table (which in that case permit to link those components to other items than a computer),
- memories have a type.

As stated in the above note, this is far from complete; but this is quite representative of the whole database schema.

#### Resultsets

All resultsets sent back from GLPI database should always be associative arrays.

## Naming conventions

All tables and fields names are lower case and follows the same logic. If you do not respect that; GLPI will fail to find relevant information.

#### **Tables**

Tables names are linked with PHP classes names; they are all prefixed with glpi\_, and class name is set to plural. Plugins tables must be prefixed by glpi\_plugin\_; followed by the plugin name, another dash, and then pluralized class name.

A few examples:

PHP class name	Table name
Computer	glpi_computers
Ticket	glpi_tickets
ITILCategory	glpi_itilcategories
PluginExampleProfile	<pre>glpi_plugin_example_profiles</pre>

## **Fields**



## Warning

Each table **must** have an auto-incremented primary key named id.

Field naming is mostly up to you; except for identifiers and foreign keys. Just keep clear and concise!

To add a foreign key field; just use the foreign table name without qlpi\_prefix, and add \_id suffix.

## Warning

Even if adding a foreign key in a table should be perfectly correct; this is not the usual way things are done in GLPI, see Make relations to know more.

3.2. Database 21 A few examples:

Table name	Foreign key field name
glpi_computers	computers_id
glpi_tickets	tickets_id
glpi_itilcategories	itilcategories_id
<pre>glpi_plugin_example_profiles</pre>	<pre>plugin_example_profiles_id</pre>

#### Make relations

On most cases, you may want to made possible to link many different items to something else. Let's say you want to make possible to link a *Computer*, a *Printer* or a *Phone* to a *Memory* component. You should add foreign keys in items tables; but on something as huge as GLPI, it maybe not a good idea.

Instead, create a relation table, that will reference the memory component along with a item id and a type, as for example:

```
CREATE TABLE `glpi_items_devicememories` (
   `id` int(11) NOT NULL AUTO_INCREMENT,
   `items_id` int(11) NOT NULL DEFAULT '0',
   `itemtype` varchar(255) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
   `devicememories_id` int(11) NOT NULL DEFAULT '0',
   PRIMARY KEY (`id`),
   KEY `items_id` (`items_id`),
   KEY `devicememories_id` (`devicememories_id`),
   KEY `itemtype` (`itemtype`, `items_id`),
   DENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci ROW_FORMAT=DYNAMIC;
```

Again, this is a very simplified example of what already exists in the database, but you got the point;)

In this example, itemtype would be Computer, Printer or Phone; items\_id the id of the related item.

### **Indexes**

In order to get correct performances querying database, you'll have to take care of setting some indexes. It's a nonsense to add indexes on every fields in the database; but some of them must be defined:

- foreign key fields;
- fields that are very often used (for example fields like is\_visible, itemtype, ...),
- primary keys;)

You should just use the field name as key name.



## 3.2.2 Querying

GLPI framework provides a simple request generator:

- · without having to write SQL
- · without having to quote table and field name
- without having to escape values to prevent SQL injections
- · without having to take care of freeing resources

- iterable
- countable

## Basic usage

## **Arguments**

The request method takes as argument an array of criteria with explicit SQL clauses (FROM, WHERE and so on)

#### **FROM** clause

The SQL FROM clause can be a string or an array of strings:

```
<?php
$DB->request(['FROM' => 'glpi_computers']);
// => SELECT * FROM `glpi_computers`

$DB->request(['FROM' => ['glpi_computers', 'glpi_monitors']);
// => SELECT * FROM `glpi_computers`, `glpi_monitors`
```

## **Fields selection**

You can use either the SELECT or FIELDS options, an additional DISTINCT option might be specified.

```
<?php
$DB->request(['SELECT' => 'id', 'FROM' => 'glpi_computers']);
// => SELECT `id` FROM `glpi_computers`

$DB->request(['SELECT' => 'name', 'DISTINCT' => true, 'FROM' => 'glpi_computers']);
// => SELECT DISTINCT `name` FROM `glpi_computers`
```

The fields array can also contain per table sub-array:

3.2. Database 23

## **Using JOINs**

You need to use criteria, usually a ON (or the FKEY equivalent), to describe how to join the tables.

## Left join

Using the LEFT JOIN option, with some criteria:

## Inner join

Using the INNER JOIN option, with some criteria:

```
<?php
$DB->request([
    'FROM' => 'glpi_computers',
    'INNER JOIN' => [
        'glpi_computerdisks' => [
            'ON' => [
                 'glpi_computers' => 'id',
                 'glpi_computerdisks' => 'computer_id'
            ]
        ]
    ]
]);
// => SELECT * FROM `glpi_computers`
         INNER JOIN `glpi_computerdisks`
//
//
           ON (`glpi_computers`.`id` = `glpi_computerdisks`.`computer_id`)
```

## Right join

Using the RIGHT JOIN option, with some criteria:

```
<?php
$DB->request([
    'FROM' => 'glpi_computers',
    'RIGHT JOIN' => [
        'glpi_computerdisks' => [
        (continues on next page)
```

(continued from previous page)

## Join criterion

Added in version 9.3.1.

It is also possible to add an extra criterion for any *JOIN* clause. You have to pass an array with first key equal to AND or OR and any iterator valid criterion:

```
<?php
$DB->request([
  'FROM'
                => 'glpi_computers',
   'INNER JOIN' => [
      'glpi_computerdisks' => [
         'ON' => [
            'glpi_computers'
                               => 'id',
            'glpi_computerdisks' => 'computer_id',
            ['OR' => ['glpi_computers.field' => ['>', 42]]]
         ]
      ]
  ]
]);
// => SELECT * FROM `glpi_computers`
//
         INNER JOIN `glpi_computerdisks`
//
           ON (`glpi_computers`.`id` = `glpi_computerdisks`.`computer_id` OR
                 `glpi_computers`.`field` > '42'
//
```

## **UNION** queries

Added in version 9.4.0.

An union query is an object, which contains an array of *Sub queries*. You just have to give a list of Subqueries you have already prepared, or arrays of parameters that will be used to build them.

```
<?php
$sub1 = new \QuerySubQuery([
   'SELECT' => 'field1 AS myfield',
   'FROM' => 'table1'
]);
$sub2 = new \QuerySubQuery([
   'SELECT' => 'field2 AS myfield',
   'FROM' => 'table2'
(continues on next page)
```

3.2. Database 25

(continued from previous page)

As you can see on the above example, a UNION ALL query is built. If you want your results to be deduplicated, (standard UNION):

```
<?php
//...
//passing true as second argument will activate deduplication.
$union = new \QueryUnion([$sub1, $sub2], true);
//...</pre>
```

## **A** Warning

Keep in mind that deduplicating a UNION query may have a huge cost on database server.

Most of the time, you can issue a UNION ALL and deduplicate the results in the code.

## Counting

Using the COUNT option:

```
<?php
$DB->request(['FROM' => 'glpi_computers', 'COUNT' => 'cpt']);
// => SELECT COUNT(*) AS cpt FROM `glpi_computers`
```

## Grouping

Using the GROUPBY option, which contains a field name or an array of field names.

```
<?php
$DB->request(['FROM' => 'glpi_computers', 'GROUPBY' => 'name']);
// => SELECT * FROM `glpi_computers` GROUP BY `name`
```

## **Order**

Using the ORDER option, with value a field or an array of fields. Field name can also contains ASC or DESC suffix.

```
<?php
$DB->request(['FROM' => 'glpi_computers', 'ORDER' => 'name']);
// => SELECT * FROM `glpi_computers` ORDER BY `name`
```

## Request pager

Using the START and LIMIT options:

```
<?php
$DB->request('glpi_computers', ['START' => 5, 'LIMIT' => 10]);
// => SELECT * FROM `glpi_computers` LIMIT 10 OFFSET 5"
```

#### Criteria

Using the WHERE option with an array of criteria. The first level of the array is considered as an implicit logical AND. By default, the array keys are considered as field names, and the values as values. If this differs from what you want, there are a few workarounds that are covered later.

## Simple criteria

A field name and its wanted value:

When using an array as a value, the operator is automatically set to IN. Make sure that you verify that the array cannot be empty, otherwise an error will be thrown.

When using null as a value, the operator is automatically set to IS and the value is set to the NULL keyword.

#### Logical OR, AND, NOT

Using the OR, AND, or NOT option with an array of criteria:

3.2. Database 27

(continues on next page)

(continued from previous page)

```
]
]);
// => SELECT * FROM `glpi_computers` WHERE NOT (`id` IN (1, 2, 7))
```

Using a more complex expression with AND and OR:

## **Criteria unicity**

Indexed array entries must be unique; otherwise PHP will only take the last one. The following example is incorrect:

The right way would be to enclose each condition in another array, like:

## **Operators**

Default operator is =, but other operators can be used, by giving an array containing operator and value.

```
<?php
$DB->request([
    'FROM' => 'glpi_computers',
    'WHERE' => [
        'date_mod' => ['>' , '2016-10-01']
    ]
]);
// => SELECT * FROM `glpi_computers` WHERE `date_mod` > '2016-10-01'

$DB->request(['FROM' => 'glpi_computers', 'WHERE' => ['name' => ['LIKE' , 'pc00%']]]);
// => SELECT * FROM `glpi_computers` WHERE `name` LIKE 'pc00%'
```

Known operators are =, !=, <, <=, >, >=, LIKE, REGEXP, NOT LIKE, NOT REGEX, & (BITWISE AND), and | (BITWISE OR).

#### **Aliases**

You can use SQL aliases (SQL AS keyword). To achieve that, just write the alias you want on the table name or the field name; then use it in your parameters:

```
<?php
$DB->request(['FROM' => 'glpi_computers AS c']);
// => SELECT * FROM `glpi_computers` AS `c`

$DB->request(['SELECT' => 'field AS f', 'FROM' => 'glpi_computers AS c']);
// => SELECT `field` AS `f` FROM `glpi_computers` AS `c`
```

## **Aggregate functions**

Added in version 9.3.1.

You can use some aggregation SQL functions on fields: COUNT, SUM, AVG, MIN and MAX are supported. Just set the function as the key in your fields array:

## Sub queries

Added in version 9.3.1.

You can use subqueries, using the specific *QuerySubQuery* class. It takes two arguments: the first is an array of criteria to get the query built, and the second is an optional operator to use. Allowed operators are the same than documented below plus *IN* and *NOT IN*. Default operator is *IN*.

3.2. Database 29

```
<?php
$sub_query = new \QuerySubQuery([
  'SELECT' => 'id',
   'FROM' => 'subtable',
   'WHERE' => [
      'subfield' => 'subvalue'
  1
]);
$DB->request(['FROM' => 'glpi_computers', 'WHERE' => ['field' => $sub_query]]);
// => SELECT * FROM `glpi_computers` WHERE `field` IN (SELECT `id` FROM `subtable` WHERE.
→`subfield` = 'subvalue')
$sub_query = new \QuerySubQuery([
  'SELECT' => 'id',
  'FROM' => 'subtable',
  'WHERE' => [
      'subfield' => 'subvalue'
  1
]);
$DB->request(['FROM' => 'glpi_computers', 'WHERE' => ['NOT' => ['field' => $sub_
→query]]]);
// => SELECT * FROM `glpi_computers` WHERE NOT `field` IN (SELECT `id` FROM `subtable`...
→ WHERE `subfield` = 'subvalue')
$sub_query = new \QuerySubQuery([
  'SELECT' => 'id',
   'FROM' => 'subtable',
   'WHERE' => [
      'subfield' => 'subvalue'
  1
], 'myalias');
$DB->request(['FROM' => 'glpi_computers', 'SELECT' => [$sub_query, 'id']]);
// => SELECT (SELECT `id` FROM `subtable` WHERE `subfield` = 'subvalue') AS `myalias`, id.
→FROM `glpi_computers`
```

## What if iterator does not provide what I'm looking for?

Even if we do our best to get as many things as possible implemented in the iterator, there are several things that are missing... Consider for example you want to use the SQL *NOW()* function, or want to use a value based on another field: there is no native way to achieve that.

Right now, there is a *QueryExpression* class that would permit to do such things on values (an not on fields since it is not possible to use a class instance as an array key).

## **A** Warning

The QueryExpression class will pass raw SQL. You are in charge to escape name and values you use into it!

For example, to use the SQL *NOW()* function:

(continued from previous page)

```
'FROM' => 'my_table',
'WHERE' => [
    'date_end' => ['>', new \QueryExpression('NOW()')]
]
]);
// SELECT * FROM `my_table` WHERE `date_end` > NOW()
```

An example with a field value:

```
<?php
$DB->request([
  'FROM' => 'my_table',
  'WHERE' => [
     'field' => new \QueryExpression(DBmysql::quoteName('other_field'))
   ]
]);
// SELECT * FROM `my_table` WHERE `field` = `other_field`
```

Added in version 9.3.1.

You can also use some function or non supported stuff on field part by using a RAW entry in the query:

```
<?php
$DB->request([
  'FROM' => 'my_table',
  'WHERE' => [
        'RAW' => [
            DBmysql::quoteName('field') => DBmysql::quoteName('field2')
        ]
    ]
   ]
]

]);
// SELECT * FROM `my_table` WHERE LOWER(`field`) = 'value'
```

Added in version 9.5.0.

You can use a QueryExpression object in the FIELDS statement:

```
<?php
$DB->request([
  'FIELDS'
              => [
      'glpi_computers' => ['id'],
      new QueryExpression("CONCAT(`glpi_computers`.`name`, '.', `glpi_domains`.`name`)_
→AS `fullname`")
   'FROM'
            => 'glpi_computers',
   'LEFT JOIN' => [
      'glpi_domains' => [
         'ON' => [
            'glpi_computers' => 'domains_id',
            'glpi_domains' => 'id',
         ]
      ]
  ]
]);
                                                                             (continues on next page)
```

3.2. Database 31

(continued from previous page)

```
// => SELECT `glpi_computers`.`id`, CONCAT(`glpi_computers`.`name`, '.', `glpi_domains`.

→`name`) AS `fullname` FROM `glpi_computers` LEFT JOIN `glpi_domains` ON (`glpi_computers`.

→`domains_id` = `glpi_domains`.`id`)
```

You can use a QueryExpression object in the FROM statement:

```
<?php
$DB->request([
   'FROM' => new QueryExpression('(SELECT * FROM glpi_computers) as computers'),
]);
// => SELECT * FROM (SELECT * FROM glpi_computers) as computers
```

```
Warning

If you really cannot use any of the above, you still can make raw SQL queries:

</php

$DB->doQuery('SHOW COLUMNS FROM ' . $DB::quoteName('glpi_computers'));

You have to ensure the query is proprely escaped!
```

## (CC) BY-NC-ND

## 3.2.3 Updating

Added in version 9.3.

Just as SQL SELECT queries, you should avoid plain SQL and use methods provided by the framework from the DB object.

#### General

Escaping of data is currently provided automatically by the framework for all data passed from *GET* or *POST*; you do not have to take care of them (this will change in a future version). You have to take care of escaping data when you use values that came from elsewhere.

The WHERE part of UPDATE and DELETE methods uses the same criteria capabilities than SELECT queries.

## Inserting a row

You can insert a row in the database using the insert():

An insertOrDie() method is also provided.

## Updating a row

You can update rows in the database using the update() method:

An updateOrDie() method is also provided.

Added in version 9.3.1.

When issuing an *UPDATE* query, you can use an *ORDER* and/or a *LIMIT* clause along with the where (which remains **mandatory**). In order to achieve that, use an indexed array with appropriate keys:

### Removing a row

You can remove rows from the database using the delete() method:

## Use prepared statements

On some cases, you may want to use prepared statements to improve performances. In order to achieve that, you will have to create a query with some parameters (not named, since mysqli does not supports named parameters), then to prepare it, and finally to bind parameters and execute the statement.

Let's see an example with an insert statement:

3.2. Database 33

```
<?php
$insert_query = $DB->buildInsert(
   'my_table', [
      'field' => new QueryParam(),
      'other' => new QueryParam()
   ]
);
// => INSERT INTO `glpi_my_table` (`field`, `other`) VALUES (?, ?)
$stmt = $DB->prepare($insert_query);
foreach ($data as $row) {
   $stmt->bind_params(
      'ss',
      $row['field'],
      $row['other']
   );
   $stmt->execute();
}
```

Just like the *buildInsert()* method used here, *buildUpdate* and *buildDelete* methods are available. They take exactly the same arguments as "non build" methods.

## 1 Note

Note the use of the *QueryParam* object. This is used for the builder to be aware you are not passing a value, but a parameter (that must not be escaped nor quoted).

Preparing a SELECT query is a bit different:

```
<?php
$it = new DBmysqlIterator();
$it->buildQuery([
   'FROM' => 'my_table',
   'WHERE' => [
        'something' => new QueryParam(),
        'foo' => 'bar'
]);
$query = $it->getSql();
// => SELECT FROM `my_table` WHERE `something` = ? AND `foo` = 'bar'
$stmt = $DB->prepare($query);
// [...]
```

## (CC) BY-NC-ND



# 3.3 Search Engine

### 3.3.1 Goal

The Search class aims to provide a multi-criteria Search engine for GLPI Itemtypes.

It includes some short-cuts functions:

- show(): displays the complete search page.
- showGenericSearch(): displays only the multi-criteria form.
- showList(): displays only the resulting list.
- getDatas(): return an array of raw data.
- manageParams(): complete the \$\_GET values with the \$\_SESSION values.

The show function parse the \$\_GET values (calling manageParams()) passed by the page to retrieve the criteria and construct the SQL query. For showList function, *parameters* can be passed in the second argument.

The itemtype classes can define a set of *search options* to configure which columns could be queried, how they can be accessed and displayed, etc..

### Todo

- · datafields option
- difference between searchunit and delay\_unit
- dropdown translations
- giveItem
- export
- · fulltext search

### **Examples**

To display the search engine with its default options (criteria form, pager, list):

```
<?php
$itemtype = 'Computer';
Search::show($itemtype);</pre>
```

If you want to display only the multi-criteria form (with some additional options):

```
<?php
$itemtype = 'Computer';
$p = [
    'addhidden' => [ // some hidden inputs added to the criteria form
        'hidden_input' => 'OK'
    ],
    'actionname' => 'preview', //change the submit button name
    'actionvalue' => __('Preview'), //change the submit button label
];
Search::showGenericSearch($itemtype, $p);
```

If you want to display only a list without the criteria form:

3.3. Search Engine 35

```
// sort by name
   'sort'
               => 1.
               => 'DESC' // sort direction
   'order'
               => 'reset',// reset search flag
   'criteria'
     Γ
         'field'
                                 // field index in search options
                     => 80,
         'searchtype' => 'equals', // type of search
         'value'
                 => 0,
                                 // value to search
     ],
  ],
];
Search::showList($itemtype, $p);
```

## 3.3.2 GET Parameters



# **1** Note

GLPI saves in \$\_SESSION['glpisearch'][\$itemtype] the last set of parameters for the current itemtype for each search query. It is automatically restored on a new search if no reset, criteria or metacriteria is defined.

Here is the list of possible keys which could be passed to control the search engine. All are optionals.

### criteria

An multi-dimensional array of criterion to filter the search. Each criterion array must provide:

- link: one of AND, OR, AND NOT or OR NOT logical operators, optional for first element,
- field: id of the searchoption,
- searchtype: type of search, one of:
  - contains
  - equals
  - notequals
  - lessthan
  - morethan
  - under
  - notunder

• value: the value to search



In order to find the field id you want, you may take a look at the getsearchoptions.php tool script.

### metacriteria

Very similar to *criteria parameter* but permits to search in the *search options* of an itemtype linked to the current (the software of a computer, for example).

Not all itemtype can be linked, see the getMetaItemtypeAvailable() method of the Search class to know which ones could be.

The parameter need the same keys as criteria plus one additional:

• *itemtype*: second itemtype to link.

### sort

id of the searchoption to sort by.

### order

Either ASC for ending sorting or DESC for ending sorting.

### start

An integer to indicate the start point of pagination (SQL OFFSET).

### is\_deleted

A boolean for display trash-bin.

### reset

A boolean to reset saved search parameters, see note below.

## 3.3.3 Search options

Each itemtype can define a set of options to represent the columns which can be queried/displayed by the search engine. Each option is identified by an unique integer (we must avoid conflict).

Changed in version 9.2: Searchoptions array has been completely rewritten; mainly to catch duplicates and add a unit test to prevent future issues.

To permit the use of both old and new syntax; a new method has been created, getSearchOptionsNew(). Old syntax is still valid (but do not permit to catch duplicates).

The format has changed, but not the possible options and their values!

```
<?php
function getSearchOptionsNew() {
  $tab = [];
   $tab[] = [
      'id'
                            => 'common',
                            => __('Characteristics')
      'name'
  ];
   $tab[] = [
      'id'
                            => '1'.
      'table'
                            => self::getTable(),
      'field'
                            => 'name'.
```

(continues on next page)

## 1 Note

For reference, the old way to write the same search options was:

Each option **must** define the following keys:

### table

The SQL table where the field key can be found.

### field

The SQL column to query.

### name

A label used to display the *search option* in the search pages (like header for example).

Optionally, it can defined the following keys:

### linkfield

Foreign key used to join to the current itemtype table. If not empty, standard massive action (update feature) for this *search option* will be impossible

### searchtype

A string or an array containing forced search type:

- equals (may force use of field instead of id when adding searchequalsonfield option)
- contains

### forcegroupby

A boolean to force group by on this search option

## splititems

Use <hr>> instead of <br>> to split grouped items

### usehaving

Use HAVING SQL clause instead of WHERE in SQL query

### massiveaction

Set to false to disable the massive actions for this *search option*.

### nosort

Set to true to disable sorting with this *search option*.

### nosearch

Set to true to disable searching in this *search option*.

### nodisplay

Set to true to disable displaying this *search option*.

### joinparams

Defines how the SQL join must be done. See paragraph on joinparams below.

### condition

Defines a restriction for items to choose from in filter. Do not confuse with the condition key in *joinparams*.

## additionalfields

An array for additional fields to add in the SELECT clause. For example: 'additionalfields' => ['id', 'content', 'status']

### datatype

Define how the *search option* will be displayed and if a control need to be used for modification (ex: datepicker for date) and affect the *searchtype* dropdown. *optional parameters* are added to the base array of the *search option* to control more exactly the datatype.

See the datatype paragraph below.

## Join parameters

To define join parameters, you can use one or more of the following:

## beforejoin

Define which tables must be joined to access the field.

The array contains table key and may contain an additional joinparams. In case of nested beforejoin, we start the SQL join from the last dimension.

Example:

jointype

Define the join type:

• empty for a standard jointype::

```
REFTABLE.`#linkfield#` = NEWTABLE.`id`
```

child for a child table::

```
REFTABLE.`id` = NEWTABLE.`#linkfield#`
```

• itemtype\_item for links using itemtype and items\_id fields in new table::

```
REFTABLE.`id` = NEWTABLE.`items_id`
AND NEWTABLE.`itemtype` = '#ref_table_itemtype#'
```

• itemtype\_item\_revert (since 9.2.1) for links using itemtype and items\_id fields in ref table::

```
NEWTABLE.`id` = REFTABLE.`items_id`
AND REFTABLE.`itemtype` = '#new_table_itemtype#'
```

 mainitemtype\_mainitem same as itemtype\_item but using mainitemtype and mainitems\_id fields::

```
REFTABLE.`id` = NEWTABLE.`mainitems_id`
AND NEWTABLE.`mainitemtype` = 'new table itemtype'
```

• itemtypeonly same as itemtype\_item jointype but without linking id::

```
NEWTABLE.`itemtype` = '#new_table_itemtype#'
```

 item\_item for table used to link two similar items: glpi\_tickets\_tickets for example: link fields are standardfk\_1 and standardfk\_2::

```
REFTABLE.`id` = NEWTABLE.`#fk_for_new_table#_1`
OR REFTABLE.`id` = NEWTABLE.`#fk_for_new_table#_2`
```

• item\_item\_revert same as item\_item and child jointypes::

```
NEWTABLE.`id` = REFTABLE.`#fk_for_new_table#_1`
OR NEWTABLE.`id` = REFTABLE.`#fk_for_new_table#_2`
```

### condition

Additional condition to add to the standard link.

Use NEWTABLE or REFTABLE tag to use the table names.

Changed in version 9.4.

An array of parameters used to build a *WHERE* clause from *GLPI querying facilities*. Was previously only a string.

### nolink

Set to true to indicate the current join does not link to the previous join/from (nested joinparams)

## **Data types**

```
Available datatypes for search are:
```

date

Available parameters (all optional):

- searchunit: one of MySQL DATE\_ADD unit, default to MONTH
- maybefuture: display datepicker with future date selection, defaults to false
- emptylabel: string to display in case of null value

## datetime

Available parameters (all optional) are the same as date.

### date\_delay

Date with a delay in month (end\_warranty, end\_date).

Available parameters (all optional) are the same as date and:

- datafields: array of data fields that would be used.
  - datafields[1]: the date field,
  - datafields[2]: the delay field,
  - datafields[2]: ?
- delay\_unit: one of MySQL DATE\_ADD unit, default to MONTH

### timestamp

```
Use Dropdown::showTimeStamp() for modification
```

Available parameters (all optional):

• withseconds: boolean (false by default)

### weblink

Any URL

### email

Any email address

### color

Use Html::showColorField() for modification

### text

Use text area input for modification (optionally rich-text)

## string

Simple, single-line text

ip

Any IP address

mac

Available parameters (all optional):

• htmltext: boolean, escape the value (false by default)

3.3. Search Engine 41

### number

Use a Dropdown::showNumber() for modification (in case of equals searchtype). For contains searchtype, you can use < and > prefix in value.

Available parameters (all optional):

- width: html attribute passed to Dropdown::showNumber()
- min: minimum value (default 0)
- max: maximum value (default 100)
- step: step for select (default 1)
- toadd: array of values to add a the beginning of the dropdown

### integer

Alias for number

count

Same as number but count the number of item in the table

### decimal

Same as number but formatted with decimal

bool

Use Dropdown::showYesNo() for modification

itemlink

Create a link to the item

## itemtypename

Use Dropdown::showItemTypes() for modification

Available parameters (all optional) to define available itemtypes:

- itemtype\_list: one of \$CFG\_GLPI["unicity\_types"]
- types: array containing available types

### language

Use Dropdown::showLanguages() for modification

Available parameters (all optional):

• display\_emptychoice: display an empty choice (-----)

### right

Use Profile::dropdownRights() for modification

Available parameters (all optional):

- nonone: hide none choice ? (defaults to false)
- noread: hide read choice ? (defaults to false)
- nowrite: hide write choice ? (defaults to false)

## dropdown

Use Itemtype::dropdown() for modification. Dropdown may have several additional parameters depending of dropdown type: right for user one for example

## specific

If not any of the previous options matches the way you want to display your field, you can use this datatype. See *specific search options* paragraph for implementation.

## Specific search options

You may want to control how to select and display your field in a searchoption. You need to set 'datatype' => 'specific' in your search option and declare these methods in your class:

### getSpecificValueToDisplay

Define how to display the field in the list.

### Parameters:

- \$field: column name, it matches the 'field' key of your searchoptions
- \$values: all the values of the current row (for select)
- \$options: will contains these keys:
  - html,
  - searchopt: the current full searchoption

### getSpecificValueToSelect

Define how to display the field input in the criteria form and massive action.

### Parameters:

- \$field: column name, it matches the 'field' key of your searchoptions
- \$values: the current criteria value passed in \$\_GET parameters
- \$name: the html attribute name for the input to display
- **\$options**: this array may vary strongly in function of the searchoption or from the massiveaction or criteria display. Check the corresponding files:
  - searchoptionvalue.php
  - massiveaction.class.php

Simplified example extracted from CommonItilObject Class for glpi\_tickets.status field:

(continues on next page)

```
return $tab;
}
static function getSpecificValueToDisplay($field, $values, array $options=array()) {
  if (!is_array($values)) {
     $values = array($field => $values);
  switch ($field) {
     case 'status':
        return self::getStatus($values[$field]);
  return parent::getSpecificValueToDisplay($field, $values, $options);
}
static function getSpecificValueToSelect($field, $name='', $values='', array
if (!is_array($values)) {
     $values = array($field => $values);
  $options['display'] = false;
  switch ($field) {
     case 'status' :
        $options['name'] = $name;
        $options['value'] = $values[$field];
        return self::dropdownStatus($options);
  }
  return parent::getSpecificValueToSelect($field, $name, $values, $options);
}
```

## 3.3.4 Default Select/Where/Join

The search class implements three methods which add some stuff to SQL queries before the searchoptions computation. For some itemtype, we need to filter the query or additional fields to it. For example, filtering the tickets you cannot view if you do not have the proper rights.

GLPI will automatically call predefined methods you can rely on from your plugin hook.php file.

### addDefaultSelect

See addDefaultSelect() method documentation

And in the plugin hook.php file:

```
<?php
function plugin_mypluginname_addDefaultSelect($itemtype) {
    switch ($type) {
        case 'MyItemtype':
            return "`mytable`.`myfield` = 'myvalue' AS MYNAME, ";
    }
    return '';
}</pre>
```

### addDefaultWhere

See addDefaultWhere() method documentation

And in the plugin hook.php file:

### addDefaultJoin

See addDefaultJoin()

And in the plugin hook.php file:

```
<?php
function plugin_mypluginname_addDefaultWhere($itemtype) {
    switch ($itemtype) {
        case 'MyItemtype':
            return " `mytable`.`myfield` = 'myvalue' ";
    }
    return '';
}</pre>
```

## 3.3.5 Bookmarks

The glpi\_bookmarks table stores a list of search queries for the users and permit to retrieve them.

The query field contains an url query construct from parameters with http\_build\_query PHP function.

3.3. Search Engine 45

# 3.3.6 Display Preferences

The glpi\_displaypreferences table stores the list of default columns which need to be displayed to a user for an itemtype.

A set of preferences can be personal or global (users\_id = 0). If a user does not have any personal preferences for an itemtype, the search engine will use the global preferences.



## 3.4 Controllers

You need a Controller any time you want an URL access.



Controllers are the modern way that replace all files previousely present in front/ and ajax/ directories.

## Warning

Currently, not all existing front/ or a jax/ files have been migrated to Controllers, mainly because of specific behaviors or lack of time to work on migrating them.

Any new feature added to GLPI >=11 **must** use *Controllers*.

# 3.4.1 Creating a controller

Minimal requirements to have a working controller:

- The controller file must be placed in the src/Glpi/Controller/ folder.
- The name of the controller must end with Controller.
- The controller must extends the Glpi\Controller\AbstractController class.
- The controller must define a route using the Route attribute.
- The controller must return some kind of response.

### Example:

```
# src/Controller/Form/TagsListController.php
<?php
namespace Glpi\Controller\Form;
use Glpi\Controller\AbstractController;
use Symfony\Component\HttpFoundation\Request;
use Symfony\Component\HttpFoundation\Response;
use Symfony\Component\HttpKernel\Exception\AccessDeniedHttpException;
use Symfony\Component\Routing\Attribute\Route;
final class TagsListController extends AbstractController
    #[Route(
```

(continues on next page)

```
"/Form/TagsList",
    name: "glpi_form_tags_list",
    methods: "GET"
)]
public function __invoke(Request $request): Response
{
    if (!Form::canUpdate()) {
        throw new AccessDeniedHttpException();
    }

    $tag_manager = new FormTagsManager();
    $filter = $request->query->getString('filter');

    return new JsonResponse($tag_manager->getTags($filter));
}
```

## 3.4.2 Routing

Routing is done with the Symfony\Component\Routing\Attribute\Route attribute. Read more from Symfony Routing documentation.

### **Basic route**

```
#[Symfony\Component\Routing\Attribute\Route("/my/route/url", name: "glpi_my_route_name")]
```

### **Dynamic route parameter**

```
#[Symfony\Component\Routing\Attribute\Route("/Ticket/{id}", name: "glpi_ticket")]
```

### Restricting a route to a specific HTTP method

### Known limitation for ajax routes

If an ajax route will be accessed by multiple POST requests without a page reload then you will run into CRSF issues.

This is because GLPI's solution for this is to check a special CRSF token that is valid for multiples requests, but this special token is only checked if your url start with /ajax.

You will thus need to prefix your route by /ajax until we find a better way to handle this.

## 3.4.3 Reading query parameters

These parameters are found in the \$request object:

- \$request->query for \$\_GET
- \$request->request for \$\_POST
- \$request->files for \$\_FILES

Read more from Symfony Request documentation

3.4. Controllers 47

## Reading a string parameter from \$\_GET

```
<?php
public function __invoke(Symfony\Component\HttpFoundation\Request $request): Response
{
    $filter = $request->query->getString('filter');
}
```

## Reading an integer parameter from \$\_POST

## Reading an array of values from \$\_POST

```
<?php
public function __invoke(Symfony\Component\HttpFoundation\Request $request): Response
{
    $ids = $request->request->get("ids", []);
}
```

### Reading a file

```
<?php
public function __invoke(Symfony\Component\HttpFoundation\Request $request): Response
{
    // @var \Symfony\Component\HttpFoundation\File\UploadedFile $file
    $file = $request->files->get('my_file_input_name');
    $content = $file->getContent();
}
```

### Single vs multi action controllers

The examples in this documentation use the magic \_\_invoke method to force the controller to have only one action (see https://symfony.com/doc/current/controller/service.html#invokable-controllers).

In general, this is a recommended way to proceed but we do not force it and you are allowed to use multi actions controllers if you need them, by adding another public method and configuring it with the #[Route(...)] attribute.

## Handling errors (missing rights, bad request, ...)

A controller may throw some exceptions if it receive an invalid request. Exceptions will automatically converted to error pages.

If you need exceptions with specific HTTP codes (like 4xx or 5xx codes), you can use any exception that extends Symfony\Component\HttpKernel\Exception\HttpException.

GLPI also provide some custom Http exceptions in the Glpi\Exception\Http\ namespace.

### Missing rights

```
<?php
public function __invoke(Symfony\Component\HttpFoundation\Request $request): Response
{
    if (!Form::canUpdate()) {
        throw new \Glpi\Exception\Http\AccessDeniedHttpException();
    }
}</pre>
```

### Invalid header

## **Invalid** input

```
<?php
public function __invoke(Symfony\Component\HttpFoundation\Request $request): Response
{
    $id = $request->request->getInt('id');
    if ($id == 0) {
        throw new \Glpi\Exception\Http\BadRequestHttpException();
    }
}
```

### 3.4.4 Firewall

By default, the GLPI firewall will not allow unauthenticated user to access your routes. You can change the firewall strategy with the Glpi\Security\Attribute\SecurityStrategy attribute.

```
</php
#[Glpi\Security\Attribute\SecurityStrategy(Glpi\Http\Firewall::STRATEGY_NO_CHECK)]
public function __invoke(Symfony\Component\HttpFoundation\Request $request): Response</pre>
```

## 3.4.5 Possible responses

You may use different responses classes depending on what your controller is doing (sending json content, outputting a file,  $\dots$ ).

There is also a render helper method that helps you return a rendered Twig template as a Response object.

## **Sending JSON**

3.4. Controllers 49

## Sending a file from memory

### Sending a file from disk

```
<?php
$file_path = 'path/to/file.txt';
return new Symfony\Component\HttpFoundation\BinaryFileResponse($file_path);</pre>
```

## Displaying a twig template

```
<?php
return $this->render('path/to/my/template.html.twig', [
          'parameter_1' => 'value_1',
          'parameter_2' => 'value_2',
]);
```

### Redirection

```
<?php
return new Symfony\Component\HttpFoundation\RedirectResponse($ur1);</pre>
```

## 3.4.6 General best practices

## **Use thin controllers**

Controller should be *thin*, which mean they should contain the minimal code needed to *glue* together the pieces of GLPI needed to handle the request.

A good controller does only the following actions:

- · Check the rights
- · Validate the request
- Extract what it needs from the request
- Call some methods from a dedicated service class that can process the data (using DI in the future, not possible at this time)
- Return a Response object

Most of the time, this will take between 5 and 15 instructions, resulting in a small method.

## Make your controller final

Unless you are making a generic controller that is explicitly made to be extended, set your controller as final.

```
</php
public class ApiController
final public class ApiController</pre>
```

## Always restrict the HTTP method

If your controller is only meant to be used with a specific HTTP method (e.g. *POST*), it is best to define it in the Route attribute.

It helps others developers understand how this route must be used and help debugging when misusing the route.

```
<?php
#[Route("/my_route", name: "glpi_my_route")]
#[Route("/my_route", name: "glpi_my_route", methods: "GET")]</pre>
```

## Use uppercase first route names

Since our routes will refer to GLPI itemtypes which contains upper cases letters, it is probably clearer to use *uppercase first* names for all our routes.

```
<?php
/ticket/timeline
/Ticket/Timeline</pre>
```

## **URL** generation

Ideally, URLs should not be hard-coded but should instead be generated using their route names.

In your Controllers, you can inject the Symfony router in the constructor in order to generate URLs based on route names:

```
<?php
namespace Glpi\Controller\Custom;
use Glpi\Controller\AbstractController;
use Symfony\Component\HttpFoundation\Request;
use Symfony\Component\HttpFoundation\Response;
use Symfony\Component\Routing\Attribute\Route;
use Symfony\Component\Routing\Generator\UrlGeneratorInterface;
class MyController extends AbstractController
    public function __construct(
        private readonly UrlGeneratorInterface $router
    ) {
    }
    public function __invoke(Request $request): Response
    {
        $route_name = $this->router->generate('my_route');
                                                                             (continues on next page)
```

3.4. Controllers 51

```
// ...
}
}
```

You can also do it in Twig templates, using the url() or path() functions:

```
{{ path('my_route') }} {# Shows the url like "/my_route" #}
{{ url('my_route') }} {# Shows the url like "http://localhost/my_route" #}
```

Check out the Symfony documentation for more details about these functions:

- url() https://symfony.com/doc/current/reference/twig\_reference.html#url
- path() https://symfony.com/doc/current/reference/twig\_reference.html#path



# 3.5 High-Level API

The High-Level API (HL API) is a new API system provided in GLPI starting with version 11.0. While the user experience is more simplified than the legacy API (the REST API available in previous versions), the implementation is quite a bit more complex. The following sections explain the various components of the new API. These sections are sorted by the recommended reading order. It is recommended that you read the High-Level API user documentation first if you have no experience with the API at all.

## 3.5.1 Schemas

Schemas are the definitions of the various item types in GLPI, or facades, for how they are exposed to the API. In the legacy API, all classes that extend CommonDBTM were exposed along with all of their search options. This is not the case with the High-Level API.

### **Schema Format**

The schemas loosely follow the OpenAPI 3 specification to make it easier to implement the Swagger UI documentation tool. GLPI utilizes multiple custom extension fields (fields starting with 'x-') in schemas to enable advanced behavior. Schemas are defined in an array with their name as the key and definition as the value.

There exists the \Glpi\API\HL\Doc\Schema class which is used to represent a schema definition in some cases, but also provides constants and static methods for working with schema arrays. This includes constants for the supported property types and formats.

Let's look at a partial version of the schema definition for a User since it shows most of the possibilities:

(continues on next page)

```
'glpi_profiles_users' => 'users_id',
                                 'glpi_users' => 'id'
                            ]
                        ]
                    ],
                    'WHERE' => [
                        'glpi_profiles_users.entities_id' => $_SESSION[
→'glpiactiveentities']
                ];
            return true;
       }
   ],
    'properties' => [
        'id' => [
            'type' => Doc\Schema::TYPE_INTEGER,
            'format' => Doc\Schema::FORMAT_INTEGER_INT64,
            'description' => 'ID',
            'x-readonly' => true,
       ],
        'username' => [
            'x-field' => 'name',
            'type' => Doc\Schema::TYPE_STRING,
            'description' => 'Username',
       ],
        'realname' => [
            'type' => Doc\Schema::TYPE_STRING,
            'description' => 'Real name',
       ],
        'emails' => [
            'type' => Doc\Schema::TYPE_ARRAY,
            'description' => 'Email addresses',
            'items' => [
                'type' => Doc\Schema::TYPE_OBJECT,
                'x-full-schema' => 'EmailAddress',
                'x-join' => [
                    'table' => 'glpi_useremails',
                    'fkey' => 'id',
                    'field' => 'users_id',
                    'x-primary-property' => 'id' // Help the search engine understand...
→the 'id' property is this object's primary key since the fkey and field params are...
⊶reversed for this join.
                ],
                'properties' => [
                    'id' => [
                        'type' => Doc\Schema::TYPE_INTEGER,
                        'format' => Doc\Schema::FORMAT_INTEGER_INT64,
                        'description' => 'ID',
                    ],
                    'email' => [
                        'type' => Doc\Schema::TYPE_STRING,
```

(continues on next page)

```
'description' => 'Email address',
                    ],
                     'is_default' => [
                         'type' => Doc\Schema::TYPE_BOOLEAN,
                         'description' => 'Is default',
                     'is_dynamic' => [
                         'type' => Doc\Schema::TYPE_BOOLEAN,
                         'description' => 'Is dynamic',
                    ],
                ]
            ]
        ],
        'password' => [
            'type' => Doc\Schema::TYPE_STRING,
            'format' => Doc\Schema::FORMAT_STRING_PASSWORD,
            'description' => 'Password',
            'x-writeonly' => true,
        ],
        'password2' => [
            'type' => Doc\Schema::TYPE_STRING,
            'format' => Doc\Schema::FORMAT_STRING_PASSWORD,
            'description' => 'Password confirmation',
            'x-writeonly' => true,
        ],
        'picture' => [
            'type' => Doc\Schema::TYPE_STRING,
            'x-mapped-from' => 'picture',
            'x-mapper' => static function ($v) {
                global $CFG_GLPI;
                $path = \Toolbox::getPictureUrl($v, false);
                if (!empty($path)) {
                    return $path;
                }
                return $CFG_GLPI["root_doc"] . '/pics/picture.png';
            }
        ]
    ]
]
```

The first property in the definition, 'x-itemtype' is used to link the schema with an actual GLPI class. This is used to determine which table to use to access direct properties and access more data like entity restrictions and extra visibility restrictions (when implementing the ExtraVisibilityCriteria class). This property is required.

Next, is a 'type' property which is part of the standard OpenAPI specification. In this case, it defines a User as an object. In general, all schemas would be objects.

Third, is an 'x-rights-conditions' property which defines special visibility restrictions. This property may be excluded if there are no special restrictions. Currently, only 'read' restrictions can be defined here. Each type of restriction must be a callable that returns an array of criteria, or just an array of criteria, in the format used by DBmysqlIterator. If the criteria is reliant on data from a session or is expensive, it should use a callable so that the criteria is resolved only at the time it is needed.

Finally, the 'properties' are defined. Each property has its unique name as the key and the definition as the value in

the array. Property names do not have to match the name of the column in the database. You can specify a different column name using an 'x-field' field; Each property must have an OpenAPI 'type' defined. They may optionally define a specific 'format'. If no 'format' is specified, the generic format for that type will be used. For example, a type of Doc\Schema::TYPE\_STRING will default to the Doc\Schema::FORMAT\_STRING\_STRING format. Properties may also optionally define a description for that property.

In this example, the 'emails' property actually refers to multiple email addresses associated with the user. The 'type' in this case is Doc\Schema::TYPE\_ARRAY. The schema for the individual items in defined inside the 'items' property. Of course, email addresses are not stored in the same database table as users and are their own item type EmailAddress. Therefore, 'emails' is considered a joined object property. In joined objects, we specify which properties will be included in the data but that can be a subset of the properties of the full schema (see *Partial vs Full Schema*). The full schema can be specified using the 'x-full-schema' field. The criteria for the join is specified in the 'x-join' field (more on that in the *Joins section*).

Users have two password fields which we would never want to show via the API, but we do want them to exist in the schema to allow setting/resetting a password. In this case, both 'password' and 'password' have a 'x-writeonly' field present and set to true.

The last property shown, 'picture', is an example of a mapped property. In some cases, the data we want the user to see will differ from the raw value in the database. In this example, pictures are stored as the path relative to the pictures folder such as '16/2\_649182f5c5216.jpg'. To a user of the API, this is useless. However, we can use that data to convert it to the front-end URL needed to access that picture such as '/front/document.send.php?file=\_pictures/16/2\_649182f5c5216.jpg'. To accomplish this, mapped properties have the 'x-mapped-from' and 'x-mapper' fields. 'x-mapped-from' indicates the property we are mapping from. In this case, it maps from itself. 'x-mapper' is a callable that transforms the raw value to the display value. The mapper used here takes the relative path and converts it to the front-end URL. It then handles returning the default user picture if it cannot get the user's specific picture.

### Partial vs Full Schema

A full schema is the defacto representation of an item in the API. In some cases, we do not want every property for an item to be visible such as dropdown types related to a main item. In Computer item we may show the ID and name of the computer's location, but the Location type itself has additional data like geolocation coordinates. The partial schema contains only the properties needed for the user to know where to look for the full details and some basic information about it.

### **Joins**

Schemas may include data from tables other than the table for the main item. Most of the item, joins are used in 'object' type properties such as when bringing in an ID and name for a dropdown type. In some cases though, joins may be defined on scalar properties (not array or object).

The information required to join data from outside of the main item's table is defined inside of an 'x-join' array. The supported properties of the 'x-join' definition are:

- table: The database table to pull the data from
- fkey: The SQL field in the main table to use to identify which records in the other table are related
- field: The SQL field in the other table to match against the fkey.
- primary-property: Optional property which indicates the primary property of the foreign data. Typically, this is the 'id' field. By default, the API will assume the field specified in 'field' is the primary property. If it isn't, it is required to specify it here. In the User schema example, email addresses have a many-to-one relation with users. So, we use the user's ID field and match it against the 'users\_id' field of the email addresses. In that case, the 'field' is 'users\_id' but the primary property is 'id', so we need to hint to the API that 'id' is still the primary property.

3.5. High-Level API 55

• ref-join: In some cases, there is no direct connection between the main item's table and the table with the data desired (typically seen with many-to-many relations). In that case, a reference or in-between join can be specified. The 'ref\_join' property follows the same format as 'x-join' except that you cannot have another 'ref\_join'.

## **Extension Properties**

Below is a complete list of supported extension fields/properties used in OpenAPI schemas.

Table 1: Extension Properties

Property	Description	Applicable Locations	Visible in Swagger UI
x-controller	Set and used internally by the OpenAPI doc- umentation generator to track which con- troller defined the schema.	Main schema	Debug mode only
x-field	Specifies the column that contains the data for the property if it differs from the property name.	Schema properties	Debug mode only
x-full-schema	Indicates which schema is the full representation of the joined property. This enables the accessing of properties not in the partial schema in certain conditions such as a GraphQL query.	Schema join properties	Yes
x-version- introduced	Indicates which API version the schema or property first becomes available in. This is required for all schemas. Any individual properties without this will use the introduction version from the schema.	Main schema and schema properties	Yes
x-version- deprecated	Indicates which API version the schema or property becomes deprecated in. Any individual properties without this will use the deprecated version from the schema if specified.	Main schema and schema properties	Yes
x-version-removed	Indicates which API version the schema or property becomes removed in. Any individual properties without this will use the removed version from the schema if specified.	Main schema and schema properties	Yes
x-itemtype	Specifies the PHP class related to the schema.	Main schema	Debug mode only
x-join	Join definition. See Joins section for more information.	Schema join properties	Debug mode only
x-mapped-from	Indicates the property to use with an 'x-mapper' to modify a value before returning it in an API response.	Schema properties	Debug mode only
x-mapper	A callable that transforms the raw value specified by 'x-mapped-from' to the display value.	Schema properties	Debug mode only
x-readonly	Specifies the property can only be read and not written to.	Schema properties	Yes
x-rights-conditions	Array of arrays or callables that returns an array of SQL criteria for special visibility restrictions. Only 'read' restrictions are currently supported. The type of restriction should be specified as the array key, and the callable or array as the value.	Schema properties	Debug mode only
x-subtypes	Indicates array of arrays containing 'schema_name' and 'itemtype' properties. This is used for unique cases where you want to allow searching across multiple schemas at once such as "All assets". Typically you would find all shared properties between the different schemas and use that as the properties for this shared schema.	Main schema	Debug mode only
3.5.Willigh Level API	Specifies the property can only be written to and not read.	Schema properties	Yes <b>57</b>



## 3.5.2 Search

As the High-Level API is decoupled from the PHP classes and search options system, a new search engine was developed to handle interacting with the database. This new search engine exists in the \Glpi\Api\HL\Search class. For simplicity, the search engine class also provides static methods to perform item creation, update and deletion in addition to the search/get actions.

These entrypoint methods are:

- · getOneBySchema
- searchBySchema
- · createBySchema
- updateBySchema
- · deleteBySchema

See the PHPDoc for each method for more information.

While the standard search engine constructs a single database query to retreive item(s), the High-Level API takes multiple distinct steps and multiple queries to fetch and assemble the data given the potential complexity of schemas while keeping the schemas themselves relatively simple.

## The steps are:

- 1. Initializing a new search. This step consists of making a new instance of the \Glpi\Api\HL\Search class, generating a flattened array of properties (flattens properties where the keys are the full property name in dot notation to make lookups easier) in the schema and identifying joins.
- 2. Construct a request to get the 'dehydrated' result. In this context, that means a result without all of the desired data. It only contains the identification data (the main item ID(s) and the IDs of joined records) and the scalar join values. Each dehydrated result is an array where the keys are the primary ID field and any full join property name. The '.' in the names are replaced with 0x1F characters (Unit separator character) to avoid confusion about what is a table/field identifier. In the case that a join property is for an array of items, the IDs are separated by a 0x1D character (Group separator character). If there are no results for a specific join, a null byte character will be used. The reason a dehydrated result is fetched first is that we don't need to either worry about grouping data or handling the multiple rows returned that relate to a single main item.
- 3. Hydrate each of the dehydrated results. In separate queries, the search engine will fetch the data for the main item and each join. Each time a new record is fetched, it is stored in a separate array that acts like a cache to avoid fetching the same record twice.
- 4. Assemble the hydrated records into the final result(s). The search engine enumerates each property in the dehydrated result starting with the main item's ID and maps the hydrated data into a result that matches the expected schema.
- 5. Fixup the assembled records. Some post-processing is done after the record is fully assembled to clean some of the artifacts from the assembly process such as removing the keys for array type properties and replacing empty array values for object type properties with null.
- 6. Returning the result(s).



# 3.5.3 Versioning

The High-Level API will actively filter the routes and schema definitions based on the API version requested by the user (or default to the latest API version). The version being used is stored by the router in a *GLPI-API-Version* header in the request after being normalized based on version pinning rules (See the getting started documentation for the High-Level API). Controllers that extend *GlpiApiHLControllerAbstractController* can pass the request to the *getAPIVersion* helper function to get the API version.

### **Route Versions**

All routes must have a *GlpiApiHLRouteVersion* attribute present. This attribute allows specifying an introduction, deprecated, and removal version. The introduction version is required.

When the router attempts to match a request to a route, it will take the versions specified on each route into account. So if a user requests API version 3, routes introduced in v4 will not be considered. Additionally, routes removed in v3 will also not be considered. Deprecation versions do not affect the route matching logic.

### **Schema Versions**

All schemas must have a *x-version-introduced* property present. They may also have *x-version-deprecated* and *x-version-removed* properties if applicable. Individual properties within schemas may declare these version properties as well, but will use the versions from the schema itself if not.

When schemas are requested from each controller, they will be filtered based on the API version requested by the user (or default to the latest API version). If the versions on a schema make it inapplicable to the requested version, it is not returned at all from the controller. If the schema itself is applicable, each property is evaluated and inapplicable properties are removed.



## 3.6 Massive Actions



## 3.6.1 Goals

Add to itemtypes search lists:

· a checkbox before each item,

3.6. Massive Actions 59

- a checkbox to select all items checkboxes,
- an Actions button to apply modifications to each selected items.

## 3.6.2 Update item's fields

The first option of the Actions button is Update. It permits to modify the fields content of the selected items.

The list of fields displayed in the sub list depends on the *Search options* of the current itemtype. By default, all *Search options* are automatically displayed in this list. To forbid this display for one field, you must define the key massiveaction to false in the *Search options* declaration, example:

# 3.6.3 Specific massive actions

After the Update entry, we can declare additional specific massive actions for our current itemtype.

First, we need declare in our class a getSpecificMassiveActions method containing our massive action definitions:

```
function getSpecificMassiveActions($checkitem=NULL) {
    $actions = parent::getSpecificMassiveActions($checkitem);

    // add a single massive action
    $class = __CLASS__;
    $action_key = "myaction_key";
    $action_label = "My new massive action";
    $actions[$class.MassiveAction::CLASS_ACTION_SEPARATOR.$action_key] = $action_label;
    return $actions;
}
```

A single declaration is defined by these parts:

- a classname
- a separator: always MassiveAction::CLASS\_ACTION\_SEPARATOR
- a key
- and a label

We can have multiple actions for the same class, and we may target different class from our current object.

Next, to display the form of our definitions, we need to declare a showMassiveActionsSubForm method:

```
static function showMassiveActionsSubForm(MassiveAction $ma) {
    switch ($ma->getAction()) {
        case 'myaction_key':
            echo __("fill the input");
            echo Html::input('myinput');
            echo Html::submit(__('Do it'), array('name' => 'massiveaction'))."</span>";

        break;
    }
    return parent::showMassiveActionsSubForm($ma);
}
```

Finally, to process our definition, we need a processMassiveActionsForOneItemtype method:

```
<?php
static function processMassiveActionsForOneItemtype(MassiveAction $ma, CommonDBTM $item,
                                                     array $ids) {
  switch ($ma->getAction()) {
      case 'myaction_key':
         $input = $ma->getInput();
         foreach ($ids as $id) {
            if ($item->getFromDB($id)
                && $item->doIt($input)) {
               $ma->itemDone($item->getType(), $id, MassiveAction::ACTION_OK);
            } else {
               $ma->itemDone($item->getType(), $id, MassiveAction::ACTION_KO);
               $ma->addMessage(__("Something went wrong"));
            }
         }
         return;
  }
  parent::processMassiveActionsForOneItemtype($ma, $item, $ids);
}
```

Besides an instance of MassiveAction class \$ma, we have also an instance of the current itemtype \$item and the list of selected id ``\$ids.

In this method, we could use some optional utility functions from the MassiveAction \$ma object supplied in parameter:

- itemDone, indicates the result of the current \$id, see constants of MassiveAction class. If we miss this call, the current \$id will still be considered as OK.
- addMessage, a string to send to the user for explaining the result when processing the current \$id

3.6. Massive Actions 61



# 3.7 Rules Engine

GLPI provide a set of tools to implements a rule engine which take criteria in input and output actions. criteria and actions are defined by the user (and/or predefined at the GLPI installation).

Here is the list of base rules set provided in a staple GLPI:

- ruleimportentity: rules for assigning an item to an entity,
- ruleimportcomputer: rules for import and link computers,
- rulemailcollector: rules for assigning a ticket created through a mails receiver,
- ruleright: authorizations assignment rules,
- rulesoftwarecategory: rules for assigning a category to software,
- ruleticket: business rules for ticket.

Plugin could add their own set of rules.

### 3.7.1 Classes

A rules system is represented by these base classes:

• Rule class

Parent class for all Rule\* classes. This class represents a single rule (matching a line in glpi\_rules table) and include test, process, display for an instance.

• RuleCollection class

Parent class for all Rule\*Collection classes.

This class represents the whole collection of rules for a sub\_type (matching all line in glpi\_rules table for this sub\_type) and includes some method to process, duplicate, test and display the full collection.

• RuleCriteria class

This class permits to manipulate a single criteria (matching a line in glpi\_rulecriterias table) and include methods to display and match input values.

• RuleAction class

This class permits to manipulate a single action (matching a line in glpi\_ruleactions table) and include methods to display and process output values.

And for each sub\_type of rule:

RuleSubtype class

Define the specificity of the sub\_type rule like list of criteria and actions or how to display specific parts.

• RuleSubtypeCollection class

Define the specificity of the sub\_type rule collection like the preparation of input and the tests results.

## 3.7.2 Database Model

Here is the list of important tables / fields for rules:

• glpi\_rules:

All rules for all sub\_types are inserted here.

- **sub\_type**: the type of the rule (ruleticket, ruleright, etc),
- ranking: the order of execution in the collection,
- match: define the link between the rule's criteria. Can be AND or OR,
- uuid: unique id for the rule, useful for import/export in xml,
- condition: addition condition for the sub\_type (only used by ruleticket for defining the trigger
  of the collection on add and/or update of a ticket).
- glpi\_rulecriterias:

Store all criteria for all rules.

- rules\_id: the foreign key for glpi\_rules,
- criteria: one of the key defined in the RuleSubtype::getCriterias() method,
- condition: an integer matching the constant set in Rule class constants,
- pattern: the direct value or regex to compare to the criteria.
- glpi\_ruleactions:

Store all actions for all rules.

- rules\_id: the foreign key for glpi\_rules,
- action\_type: the type of action to apply on the input. See RuleAction::getActions(),
- field: the field to alter by the current action. See keys definition in RuleSubtype::getActions(),
- value: the value to apply in the field.

### 3.7.3 Add a new Rule class

Here is the minimal setup to have a working set. You need to add the following classes for describing you new sub\_type.

• src/RuleMytype.php

```
class RuleMytype extends Rule {
    // optional right to apply to this rule type (default: 'config'), see Rights..
    management.
    static $rightname = 'rule_mytype';

    // define a label to display in interface titles
    function getTitle() {
        return __('My rule type name');
    }
}
```

(continues on next page)

3.7. Rules Engine 63

```
// return an array of criteria
   function getCriterias() {
       $criterias = [
           '_users_id_requester' => [
               'field' => 'name',
'name' => __('Requester'),
               'table' => 'glpi_users',
'type' => 'dropdown',
           ],
           'GROUPS'
                                 => [
               __('Group'));
               'linkfield' => ''.
               'type' => 'dropdown',
               'virtual' => true,
               'id' => 'groups',
           ],
           . . .
       ];
       $criterias['GROUPS']['table']
                                                      = 'glpi_groups';
                                                       = 'completename';
       $criterias['GROUPS']['field']
       $criterias['GROUPS']['name']
                                                       = sprintf(__('%1$s: %2$s'), __(

    'User'),
                                                                  __('Group'));
                                                       = '';
       $criterias['GROUPS']['linkfield']
       $criterias['GROUPS']['type']
                                                       = 'dropdown';
       $criterias['GROUPS']['virtual']
                                                       = true;
       $criterias['GROUPS']['id']
                                                       = 'groups';
       return $criterias;
   }
   // return an array of actions
   function getActions() {
       $actions = [
           'entities_id' => [
               'name' => __('Entity'),
'type' => 'dropdown',
               'table' => 'glpi_entities',
           ],
           . . .
       1;
       return $actions;
                                                                           (continues on next page)
```

```
}
```

• src/RuleMytypeCollection.php

```
<?php
class RuleMytypeCollection extends RuleCollection {
   // a rule collection can process all rules for the input or stop
   //after a single match with its criteria (default false)
   public $stop_on_first_match = true;
   // optional right to apply to this rule type (default: 'config'),
   //see Rights management.
   static $rightname = 'rule_mytype';
   // menu key to use with Html::header in front page.
   public $menu_option = 'myruletype';
   // define a label to display in interface titles
   function getTitle() {
        return return __('My rule type name');
   }
   // if we need to change the input of the object before passing
   //it to the criteria.
   // Example if the input couldn't directly contains a criteria
   //and we need to compute it before (GROUP)
   function prepareInputDataForProcess($input, $params) {
        $input['_users_id_requester'] = $params['_users_id_requester'];
        $fields = $this->getFieldsToLookFor();
        //Add all user's groups
        if (in_array('groups', $fields)) {
            foreach (Group_User::getUserGroups($input['_users_id_requester']) as $group)
-→{
                $input['GROUPS'][] = $group['id'];
            }
        }
       return $input;
   }
}
```

You need to also add the following php files for list and form:

• front/rulemytype.php

```
<?php
include ('../inc/includes.php');
(continues on next page)</pre>
```

3.7. Rules Engine 65

```
$rulecollection = new RuleMytypeCollection($_SESSION['glpiactive_entity']);
include (GLPI_ROOT . "/front/rule.common.php");
```

• front/rulemytype.form.php

```
<?php
include ('../inc/includes.php');
$rulecollection = new RuleMytypeCollection($_SESSION['glpiactive_entity']);
include (GLPI_ROOT . "/front/rule.common.form.php");</pre>
```

And add the rulecollection in \$CFG\_GLPI (Only for **Core** rules):

• inc/define.php

```
</php

...

$CFG_GLPI["rulecollections_types"] = [
    'RuleImportEntityCollection',
    'RuleImportComputerCollection',
    'RuleMailCollectorCollection',
    'RuleRightCollection',
    'RuleSoftwareCategoryCollection',
    'RuleTicketCollection',
    'RuleMytypeCollection' // <-- My type is added here
];
</pre>
```

Plugin instead must declare it in their init function:

• plugin/myplugin/setup.php

## 3.7.4 Apply a rule collection

To call your rules collection and alter the data:

```
<?php ....
```

(continues on next page)

```
$rules = new PluginMypluginRuleMytypeCollection();

// data send by a form (which will be compared to criteria)

$input = [...];

// usually = $input, but it could differ if you want to avoid comparison of

//some fields with the criteria.

$output = [...];

// array passed to the prepareInputDataForProcess function of the collection

//class (if you need to add conditions)

$params = [];

$output = $rules->processAllRules(
    $input,
    $output,
    $params
);
```

### 3.7.5 Dictionaries

They inherits Rule\* classes but have some specificities.

A dictionary aims to modify on the fly data coming from an external source (CSV file, inventory tools, etc.). It applies on an itemtype, as defined in the sub\_type field of the glpi\_rules table.

As the classic rules aim to apply additional and multiple data to input, dictionaries generally used to alter a single field (relative to the their sub\_type). Ex, RuleDictionnaryComputerModel alters model field of glpi\_computers.

Some exceptions exists and provide multiple actions (Ex: RuleDictionnarySoftware).

As they are shown in a separate menu, you should define they in a separate \$CFG\_GLPI entry in inc/define.php:



## 3.8 Translations

Main GLPI language is british english (en\_GB). All string in the source code must be in english, and marked as translatable, using some convenient functions.

3.8. Translations 67

Since 0.84; GLPI uses gettext for localization; and Transifex is used for translations. If you want to help translating GLPI, please register on transifex and join our translation mailing list

What the system is capable to do:

- replace variables (on LTR and RTL languages),
- · manage plural forms,
- add context information,
- •

Here is the workflow used for translations:

- 1. Developers add string in the source code,
- 2. String are extracted to POT file,
- 3. POT file is sent to Transifex,
- 4. Translators translate,
- 5. Developers pull new translations from Transifex,
- 6. MO files used by GLPI are generated.

## 3.8.1 PHP Functions

There are several standard functions you will have to use in order to get translations. Remember the translation domain will be *glpi* if not defined; so, for plugins specific translations, do not forget to set it!

# **1** Note

All translations functions take a \$domain as argument; it defaults to glpi and must be changed when you are working on a plugin.

## Simple translation

When you have a "simple" string to translate, you may use several functions, depending on the particular use case:

- \_\_(\$str, \$domain='glpi') (what you will probably use the most frequently): just translate a string,
- \_x(\$ctx, \$str, \$domain='glpi'): same as \_\_() but provide an extra context,
- \_\_s(\$str, \$domain='glpi'): same as \_\_() but escape HTML entities,
- \_sx(\$ctx, \$str, \$domain='glpi'): same as \_\_() but provide an extra context and escape HTML entities,

### Handle plural forms

When you have a string to translate, but which rely on a count or something. You may as well use several functions, depending on the particular use case:

- \_n(\$sing, \$plural, \$nb, \$domain='glpi') (what you will probably use the most frequently): give a string for singular form, another for plural form, and set current "count",
- \_sn(\$str, \$domain='glpi'): same as \_n() but escape HTML entities,
- \_nx(\$ctx, \$str, \$domain='glpi'): same as \_n() but provide an extra context,

#### Handle variables

You may want to replace some parts of translations; for some reason. Let's say you would like to display current page on a total number of pages; you will use the sprintf method. This will allow you to make replacements; but without relying on arguments positions. For example:

```
<?php
$pages = 20; //total number of pages
$current = 2; //current page
$string = sprintf(
    __('Page %1$s on %2$s'),
    $pages,
    $total
);
echo $string; //will display: "Page 2 on 20"</pre>
```

In the above example, %1\$s will always be replaced by 2; even if places has been changed in some translations.

### **Marning**

You may sometimes see the use of printf() which is an equivalent that directly output (echo) the result. This should be avoided!

### 3.8.2 Javascript Functions

Added in version 9.5.0.

Translation functions  $\_()$ ,  $\_x()$ ,  $\_nx()$  are also available in javascript in browser context. They have same signatures as PHP functions.

```
alert(__('Test successful'));
```



# 3.9 Right Management

### 3.9.1 Goals

Provide a way for administrator to segment usages into profiles of users.

#### 3.9.2 Profiles

The Profile (corresponding to glpi\_profiles table) stores each set of rights.

A profile has a set of base fields independent of sub rights and, so, could:

- be defined as default for new users (is\_default field).
- force the ticket creation form at the login (create\_ticket\_on\_login field).
- define the interface used (interface field):
  - helpdesk (self-service users)
  - central (technician view)

### 3.9.3 Rights definition

They are defined by the ProfileRight class (corresponding to glpi\_profilerights table)

Each consists of:

- a profile foreign key (profiles\_id field)
- a key (name field)
- a value (right field)

The keys match the static property \$rightname in the GLPI itemtypes. Ex: In Computer class, we have a static \$rightname = 'computer';

Value is a numeric sum of integer constants.

Values of standard rights can be found in inc/define.php:

```
define("READ", 1);
define("UPDATE", 2);
define("CREATE", 4);
define("DELETE", 8);
define("PURGE", 16);
define("ALLSTANDARDRIGHT", 31);
define("READNOTE", 32);
define("UPDATENOTE", 64);
define("UNLOCK", 128);
```

So, for example, to have the right to READ and UPDATE an itemtype, we'll have a right value of 3.

As defined in this above block, we have a computation of all standards right = 31:

```
READ (1)
\+ UPDATE (2)
\+ CREATE (4)
\+ DELETE (8)
\+ PURGE (16)
= 31
```

If you need to extends the possible values of rights, you need to declare these part into your itemtype, simplified example from Ticket class:

(continues on next page)

The new rights need to be checked by your own functions, see *check rights* 

### 3.9.4 Check rights

Each itemtype class which inherits from CommonDBTM will benefit from standard right checks. See the following methods:

- canView
- canUpdate
- canCreate
- canDelete
- canPurge

If you need to test a specific rightname against a possible right, here is how to do:

```
if (Session::haveRight(self::$rightname, CREATE)) {
    // OK
}

// we can also test a set multiple rights with AND operator
if (Session::haveRightsAnd(self::$rightname, [CREATE, READ])) {
    // OK
}

// also with OR operator
if (Session::haveRightsOr(self::$rightname, [CREATE, READ])) {
    // OK
}

// check a specific right (not your class one)
if (Session::haveRight('ticket', CREATE)) {
    // OK
}
```

See methods definition:

- haveRight
- haveRightsAnd
- haveRightsOr

All above functions return a boolean. If we want a graceful die of your pages, we have equivalent function but with a check prefix instead have:

- checkRight
- checkRightsAnd
- checkRightsOr

If you need to check a right directly in a SQL query, use bitwise & and | operators, ex for users:

```
$query = "SELECT `glpi_profiles_users`.`users_id`
   FROM `glpi_profiles_users`
   INNER JOIN `glpi_profiles`
        ON (`glpi_profiles_users`.`profiles_id` = `glpi_profiles`.`id`)
   INNER JOIN `glpi_profilerights`
        ON (`glpi_profilerights`.`profiles_id` = `glpi_profiles`.`id`)
   WHERE `glpi_profilerights`.`name` = 'ticket'
        AND `glpi_profilerights`.`rights` & ". (READ | CREATE);
$result = $DB->query($query);
```

In this snippet, the READ | CREATE do a bitwise operation to get the sum of these rights and the & SQL operator do a logical comparison with the current value in the DB.

### 3.9.5 CommonDBRelation and CommonDBChild specificities

These classes permits to manage the relation between items and so have properties to propagate rights from their parents.

```
abstract class CommonDBChild extends CommonDBConnexity {
    static public $checkParentRights = self::HAVE_SAME_RIGHT_ON_ITEM;
    ...
}
abstract class CommonDBRelation extends CommonDBConnexity {
    static public $checkItem_1_Rights = self::HAVE_SAME_RIGHT_ON_ITEM;
    static public $checkItem_2_Rights = self::HAVE_SAME_RIGHT_ON_ITEM;
    ...
}
```

possible values for these properties are:

- DONT\_CHECK\_ITEM\_RIGHTS: don't check the parent, we always have all rights regardless of parent's rights.
- HAVE\_VIEW\_RIGHT\_ON\_ITEM: we have all rights (CREATE, UPDATE), if we can view the parent.
- HAVE\_SAME\_RIGHT\_ON\_ITEM: we have the same rights as the parent class.



## 3.10 Automatic actions

#### 3.10.1 Goals

Provide a scheduler for background tasks used by GLPI and its plugins.

### 3.10.2 Implementation overview

The entry point of automatic actions is the file front/cron.php. On each execution, it executes a limited number of automatic actions.

#### There are two ways to wake up the scheduler:

- when a user browses in GLPI (the internal mode)
- when the operating system's scheduler calls front/cron.php (the external mode)

When GLPI generates an HTML page for a browser, it adds an invisible image generated by front/cron.php. This way, the automatic action runs in a separate process and does not impact the user.

The automatic actions are defined by the CronTask class. GLPI defines a lot of them for its own needs. They are created in the installation or upgrade process.

### 3.10.3 Implementation

Automatic actions could be related to an itemtype and the implementation is defined in its class or haven't any itemtype relation and are implemented directly into CronTask class.

When GLPI shows a list of automatic actions, it shows a short description for each item. The description is gathered in the static method cronInfo() of the itemtype.



An itemtype may contain several automatic actions.

Example of implementation from the QueuedNotification:

```
<?php
class QueuedNotification extends CommonDBTM {

   // ...

   /**
    * Give cron information
    *
    * @param $name : automatic action's name
    *
    * @return array of information
    **/
   static function cronInfo($name) {

       switch ($name) {
          case 'queuednotification' :</pre>
```

(continues on next page)

3.10. Automatic actions 73

```
return array('description' => __('Send mails in queue'),
                         'parameter' => __('Maximum emails to send at once'));
     return [];
  }
   * Cron action on notification queue: send notifications in queue
   * @param CommonDBTM $task for log (default NULL)
   * @return integer either 0 or 1
  static function cronQueuedNotification($task=NULL) {
     global $DB, $CFG_GLPI;
     if (!$CFG_GLPI["notifications_mailing"]) {
        return 0;
     $cron_status = 0;
     // Send mail at least 1 minute after adding in queue to be sure that process on it.
→is finished
     $send_time = date("Y-m-d H:i:s", strtotime("+1 minutes"));
     $mail = new self();
     $pendings = self::getPendings(
        $send_time,
        $task->fields['param']
     );
     foreach ($pendings as $mode => $data) {
        $eventclass = 'NotificationEvent' . ucfirst($mode);
        $conf = Notification_NotificationTemplate::getMode($mode);
        if ($conf['from'] != 'core') {
           $eventclass = 'Plugin' . ucfirst($conf['from']) . $eventclass;
        $result = $eventclass::send($data);
        if ($result !== false && count($result)) {
           $cron_status = 1;
           if (!is_null($task)) {
              $task->addVolume($result);
        }
     }
     return $cron_status;
  }
  // ...
```

(continues on next page)

}

If the argument \$task is a CronTask object, the method must increment the quantity of actions done. In this example, each notification type reports the quantity of notification processed and is added to the task's volume.

## 3.10.4 Register an automatic actions

Automatic actions are defined in the empty schema located in install/mysql/. Use the existing sql queries creating rows in the table glpi\_crontasks as template for a new automatic action.

To handle upgrade from a previous version, the new automatic actions must be added in the appropriate update file install/update\_xx\_to\_yy.php.

```
<?php
// Register an automatic action
CronTask::register('QueuedNotification', 'QueuedNotification', MINUTE_TIMESTAMP,
      array(
      'comment'
                  => ''',
      'mode'
                  => CronTask::MODE_EXTERNAL
));
```

The register method takes four arguments:

- itemtype: a string containing an itemtype name containing the automatic action implementation
- name: a string containing the name of the automatic action
- frequency the period of time between two executions in seconds (see inc/define.php for convenient constants)
- options an array of options



#### 1 Note

The name of an automatic action is actually the method's name without the prefix cron. In the example, the method cronQueuedNotification implements the automatic action named QueuedNotification.



### **3.11 Tools**

Differents tools are available on the tools folder; here is an non exhaustive list of provided features.

### 3.11.1 locale/

The locale directory contains several scripts used to maintain translations along with Transifex services:

- Translations can be compiled using ./bin/console locales:compile
- vendor/bin/extract-locales is used to extract translated string to the POT file (before sending it to Transifex)

The locale directory contains several scripts used to maintain translations along with Transifex services:

75 3.11. Tools

### 3.11.2 make release.sh

Builds GLPI release tarball:

- install and cleanup third party libraries,
- remove files and directories that should not be part of tarball,
- minify CSS an Javascript files,
- •

```
$ ./tools/make_release.sh -y . mytag
# file created in /tmp/glpi-mytag.tgz
```

## 3.11.3 Modify and check code files headers

Update copyright header based on the contents of the ./tools/HEADER file.

```
$ ./vendor/bin/licence-headers-check --fix
```

### 3.11.4 getsearchoptions.php

This script is designed to be called from the command line. It will display existing search options for an item specified with the type argument.

For example:

```
$ php tools/getsearchoptions.php --type=Computer
```

# 3.11.5 Not yet documented...



Following scripts are not yet documented and probably broken. Feel free to open a pull request to add them!

- fk\_generate.php
- ldap-glpi.ldif: An LDAP export
- · testmail.php
- update\_registered\_ids.php: This script seems to update the Registered PCI and USB IDs

#### (cc) BY-NC-ND

# 3.12 Javascript

### 3.12.1 Vue.js

Starting in GLPI 11.0, we have added support for Vue. .. note:

Only SFCs (Single-file Components) using the Components API **is** supported. Do **not** use the □ → Options API.

To ease integration, there is no Vue app mounted on the page body itself. Instead, each specific feature that uses Vue such as the debug toolbar mounts its own Vue app on a container element. Components must all be located in the js/src/vue folder for them to be built. Components should be grouped into subfolders as a sort of namespace separation. There are some helpers stored in the window. Vue global to help manage components and mount apps.

#### ### Building

Two npm commands exist which can be used to build or watch (auto-build when the sources change) the Vue components.

```
npm run build:vue
```

```
npm run watch:vue
```

The npm run build command will also build the Vue components in addition to the regular JS bundles.

To improve performance, the components are not built into a single file. Instead, webpack chunking is utilized. This results a single smaller entrypoint app.js being generated and a separate file for each component. The components that are automatically built utilize defineAsyncComponent to enable the loading of those components on demand.

Further optimizations can be done by directly including a Vue component inside a main component to ensure it is built into the main component's chunk to reduce the number of requests. This could be useful if the component wouldn't be reused elsewhere. Just note that the child component would also have its own chunk generated since there is no way to exclude it.

#### ### Mounting

The Vue *createApp* function can be located at *window.Vue.createApp*. Each automatically built component is automatically tracked in *window.Vue.components*.

To create an app and mount a component, you can use the following code:

```
const app = window.Vue.createApp(window.Vue.components['Debug/Toolbar'].component);
app.mount('#my-app-wrapper');
```

Replace Debug/Toolbar with the relative path to your component without the .vue extension and #my-app-wrapper with an ID selector for the wrapper element which would need to already existing in the DOM.

For more information about Vue, please refer to the official documentation.



### 3.13 Extra

The extra config/local\_define.php file will be loaded if present. It permit you to change some GLPI framework configurations.

# 3.13.1 Change logging level

Logging level is declared with the GLPI\_LOG\_LVL constant; and rely on available Monolog levels. The default log level will change if debug mode is enabled on GUI or not. To change logging level to ERROR, add the following to your local\_define.php file:

```
<?php
define('GLPI_LOG_LVL', \Monolog\Logger::ERROR);</pre>
```

3.13. Extra 77



Once you've declared a logging level, it will always be used. It will no longer take care of the debug mode.

# 3.13.2 Override mailing recipient

In some cases, during development, you may want to test notifications that can be sent. Problem is you will have to make sure you are not going to sent fake email to your real users if you rely on a production database copy for example.

You can define a unique email recipient for all emails that will be sent from GLPI. Original recipient address will be added as part of the message (for you to know who was originally targeted). To get all sent emails delivered on the you@host.org email address, use the GLPI\_FORCE\_MAIL in the local\_define.php file:

```
</php
define('GLPI_FORCE_MAIL', 'you@host.org');</pre>
```





### **FOUR**

### **CHECKLISTS**

Some really useful checklists, for development, releases, and so on!

# 4.1 Review process

Here is the process you must follow when you are reviewing a PR.

- 1. Make sure the destination branch is the correct one:
- master for new features,
- xx/bugfixes for bug fixes
- 2. Check if unit tests are not failing,
- 3. Check if coding standards checks are not failing,
- 4. Review the code itself. It must follow GLPI's coding standards,
- 5. Using the Github review process, approve, request changes or just comment the PR,
- If some new methods are added, or if the request made important changes in the code, you should ask the developer to write some more unit tests
- 6. A PR can be merged if two developers approved it, or if one developer approved it more than one day ago,
- 7. A bugfix PR that has been merged into the *xx/bugfixes* branch must be reported on the *master* branch. If the *master* already contains many changes, you may have to change some code before doing this. If changes are consequent, maybe should you open a new PR against the *master* branch for it,
- 8. Say thanks to the contributor :-)



# 4.2 Prepare next major release

Once a major release has been finished, it's time to think about the next one!

You'll have to remember a few steps in order to get that working well:

- bump version in config/define.php
- create SQL empty script (copying last one) in install/mysql/glpi-{version}-empty.sql
- change empty SQL file calls in inc/toolbox.class.php (look for the \$DB->runFile call)
- create a PHP migration script copying provided template install/update\_xx\_xy.tpl.php
  - change its main comment to reflect reality

### **GLPI Developer Documentation Documentation**

- change method name
- change version in displayTitle and setVersion calls
- add the new case in install/update.php and tools/cliupdate.php; that will include your new PHP migration script and then call the function defined in it
- change the include and the function called in the --force option part of the tools/cliupdate.php script

That's all, folks!



### **PLUGINS**

GLPI provides facilities to develop plugins, and there are many plugins that have been already published.



Plugins are designed to add features to GLPI core.

This is a sub-directory in the plugins of GLPI; that would contain all related files.

Generally speaking, there is really a few things you have to do in order to get a plugin working; many considerations are up to you. Anyways, this guide will provide you some guidelines to get a plugins repository as consistent as possible:)

If you want to see more advanced examples of what it is possible to do with plugins, you can take a look at the example plugin source code.

# 5.1 Guidelines

### 5.1.1 Directories structure

Real structure will depend of what your plugin propose. See *requirements* to find out what is needed. You may also want to *take a look at GLPI File Hierarchy Standard*.

### **A** Warning

The main directory name of your plugin may contain only alphanumeric characters (no – or \_ or accented characters or else).

The plugin directory structure should look like the following:





- front will host all PHP files directly used to display something to the user,
- inc will host all classes,
- if you internationalize your plugin, localization files will be found under the *locale* directory,
- if you need any scripting tool (like something to extract or update your translatable strings), you can put them in the tools directory
- a README.md file describing the plugin features, how to install it, and so on,
- a LICENSE file containing the license,
- MyPlugin.xml and MyPlugin.png can be used to reference your plugin on the plugins directory website,
- the required *setup.php* and *hook.php* files.

### Where to write files?



### Warning

Plugins my never ask user to give them write access on their own directory!

The GLPI installation already ask for administrator to get write access on its files directory; just use GLPI\_PLUGIN\_DOC\_DIR/{plugin\_name} (that would resolve to glpi\_dir/files/\_plugins/{plugin\_name} in default basic installations).

Make sure to create the plugin directory at install time, and to remove it on uninstall.

### 5.1.2 Versionning

We recommend you to use semantic versionning for you plugins. You may find existing plugins that have adopted another logic; some have reasons, others don't... Well, it is up to you finally:-)

Whatever the versioning logic you adopt, you'll have to be consistent, it is not easy to change it without breaking things, once you've released something.

Chapter 5. Plugins 82

## 5.1.3 ChangeLog

Many projects make releases without providing any changelog file. It is not simple for any end user (whether a developer or not) to read a repository log or a list of tickets to know what have changed between two releases.

Keep in mind it could help users to know what have been changed. To achieve this, take a look at Keep an ChangeLog, it will explain you some basics and give you guidelines to maintain sug a thing.

### 5.1.4 Third party libraries

Just like GLPI, you should use the composer tool to manage third party libraries for your plugin.



# 5.2 Requirements

- plugin will be installed by creating a directory in the plugins directory of the GLPI instance,
- plugin directory name should never change,
- each plugin **must** at least provides *setup.php* and *hook.php* files,
- if your plugin requires a newer PHP version than GLPI one, or extensions that are not mandatory in core; it is up to you to check that in the install process.

### 5.2.1 setup.php

The plugin's *setup.php* file will be automatically loaded from GLPI's core in order to get its version, to check prerequisites, etc.

This is a good practice, thus not mandatory, to define a constant name [PLUGINNAME]\_VERSION in this file.

This is a minimalist example, for a plugin named *myexample* (functions names will contain plugin name):

```
c?php
define('MYEXAMPLE_VERSION', '1.2.10');

/**

   * Hook executed during the GLPI boot sequence, before the session is actually loaded
   * and before the initialization of the active plugins.

   */
function plugin_myexample_boot() {
        // Indicates to GLPI that the `/plugins/myexample/api.php` path is stateless and__
        -- therefore
        // should not use session cookies nor check for a valid session.
        \Glpi\Http\SessionManager::registerPluginStatelessPath('myexample', '#^/api\.php#');
}

/**

   * Init the hooks of the plugins - Needed
   *
   *@return void
   */
function plugin_init_myexample() {
        global $PLUGIN_HOOKS;
}
```

(continues on next page)

5.2. Requirements 83

```
//required!
  $PLUGIN_HOOKS['csrf_compliant']['myexample'] = true;
  //some code here, like call to Plugin::registerClass(), populating PLUGIN_HOOKS, ...
}
 * Get the name and the version of the plugin - Needed
* @return array
function plugin_version_myexample() {
  return [
                       => 'Plugin name that will be displayed',
      'name'
      'version'
                     => MYEXAMPLE_VERSION,
      'author'
                     => 'John Doe and <a href="http://foobar.com">Foo Bar</a>'.
      'license'
                      => 'GLPv3',
      'homepage'
                      => 'http://perdu.com',
      'requirements' => [
         'glpi' => [
            'min' => '9.1'
     ]
  ];
}
* Optional : check prerequisites before install : may print errors or add to message.
→after redirect
* @return boolean
function plugin_myexample_check_prerequisites() {
  //do what the checks you want
  return true;
}
* Check configuration process for plugin : need to return true if succeeded
* Can display a message only if failure and $verbose is true
 * @param boolean $verbose Enable verbosity. Default to false
 * @return boolean
function plugin_myexample_check_config($verbose = false) {
  if (true) { // Your configuration check
     return true;
  }
  if ($verbose) {
      echo "Installed, but not configured";
                                                                           (continues on next page)
```

84 Chapter 5. Plugins

```
return false;

/**
 * Optional: defines plugin options.

*
 * @return array
 */
function plugin_myexample_options() {
   return [
        Plugin::OPTION_AUTOINSTALL_DISABLED => true,
   ];
}
```

Plugin information provided in plugin\_version\_myexample method will be displayed in the GLPI plugins user interface.

#### Requirements checking

Since GLPI 9.2; it is possible to provide some requirement information along with the information array. Those information are not mandatory, but we encourage you to migrate:)

### **A** Warning

Even if this has been deprecated for a wile, many plugins continue to provide a minGlpiVersion entry in the information array. If this value is set; it will be automatically used as minimal GLPI version.

In order to set your requirements, add a requirements entry in the plugin\_version\_myexample information array. Let's say your plugin is compatible with a version of GLPI comprised between 0.90 and 9.2; with a minimal version of PHP set to 7.0. The method would look like:

```
<?php
function plugin_version_myexample() {
  return [
    'author'
                  => 'John Doe and <a href="http://foobar.com">Foo Bar</a>',
     'license'
                 => 'GLPv3',
    'homepage'
                 => 'http://perdu.com',
                  => [
     'requirements'
       'alpi'
             => [
          'min' => '0.90',
         'max' => '9.2'
       ],
       'php'
              => [
         'min' => '7.0'
       ]
    ]
  ];
}
```

5.2. Requirements 85

requirements array may take the following values:

- glpi
  - min: minimal GLPI version required,
  - max: maximal supported GLPI version,
  - dev: whether the plugin is supported on development versions (9.2-dev for example),
  - params: an array of GLPI parameters names that must be set (not empty, not null, not false),
  - plugins: an array of plugins name your plugin depends on (must be installed and active).
- php
  - min: minimal PHP version required,
  - max: maximal PHP version supported (discouraged),
  - params: an array of parameters name that must be set (retrieved from ini\_get()),
  - exts: array of used extensions (see below).

PHP extensions checks rely on core capabilities. You have to provide a multidimensional array with extension name as key. For each of those entries; you can define if the extension is required or not, and optionally a class or a function to check.

The following example is from the core:

```
<?php
$extensions = [
   'mysqli' => [
     'required' => true
   'fileinfo' => [
      'required' => true,
      'class' => 'finfo'
  ],
   'json'
           => [
      'required' => true,
      'function' => 'json_encode'
   'imap'
             => [
      'required' => false
  1
];
```

- the mysqli extension is mandatory; extension\_loaded() function will be used for check;
- the fileinfo extension is mandatory; class\_exists() function will be used for check;
- the json extension is mandatory; function\_exists() function will be used for check;
- the imap extension is not mandatory.

### 1 Note

Optional extensions are not yet handled in the checks function; but will probably be in the future. You can add them to the configuration right now :)

Without using automatic requirements; it's up to you to check with something like the following in the plugin\_myexample\_check\_prerequisites:

### Warning

Automatic requirements and manual checks are not exclusive. Both will be played! If you want to use automatic requirements with GLPI >= 9.2 and still provide manual checks for older versions; be careful not to indicate different versions.

```
<?php
  // Version check
  if (version_compare(GLPI_VERSION, '9.1', 'lt') || version_compare(GLPI_VERSION, '9.2',
→ 'ge')) {
     if (method_exists('Plugin', 'messageIncompatible')) {
        //since GLPI 9.2
        Plugin::messageIncompatible('core', 9.1, 9.2);
        echo "This plugin requires GLPI >= 9.1 and < 9.2";
     }
     return false;
  }
```

### 1 Note

Since GLPI 9.2, you can rely on Plugin::messageIncompatible() to display internationalized messages when GLPI or PHP versions are not met.

On the same model, you can use Plugin::messageMissingRequirement() to display internationalized message if any extension, plugin or GLPI parameter is missing.

#### **Plugin options**

Since GLPI 10.0, it is possible to define some plugin options.

#### autoinstall\_disabled

Added in version 10.0.0.

Disable automatic call of plugin install hook function. For instance, when the plugin will be downloaded from GLPI marketplace, plugin\_myexample\_install will not be executed automatically. Administrator will have to use the "Install" or "Update" button to trigger this hook.

### 5.2.2 hook.php

This file will contains hooks that GLPI may call under some user actions. Refer to core documentation to know more about available hooks.

For instance, a plugin need both an install and an uninstall hook calls. Here is the minimal file:

```
<?php
* Install hook
 * @return boolean
                                                                                           (continues on next page)
```

5.2. Requirements 87

```
*/
function plugin_myexample_install() {
  //do some stuff like instantiating databases, default values, ...
  return true;
}
 * Uninstall hook
 * @return boolean
function plugin_myexample_uninstall() {
  //to some stuff, like removing tables, generated files, ...
   return true;
}
```

### 5.2.3 Coding standards

You must respect GLPI's global coding standards.

In order to check for coding standards compliance, you can add the glpi-project/coding-standard to your composer file, using:

```
$ composer require --dev glpi-project/coding-standard
```

This will install the latest version of the coding-standard used in GLPI core. If you want to use an older version of the checks (for example if you have a huge amount of work to fix!), you can specify a version in the above command like glpi-project/coding-standard: 0.5. Refer to the coding-standard project changelog to know more;)

You can then for example add a line in your .travis.yml file to automate checking:

```
script:
  - vendor/bin/phpcs -p --ignore=vendor --standard=vendor/glpi-project/coding-standard/
→GlpiStandard/ .
```



Coding standards and theirs checks are enabled per default using the empty plugin facilities



### 5.3 Database



88

Warning

A plugin should never change core's database! It just add its own tables to manage its own data.

Of course, plugins rely on GLPI database model and must therefore respect database naming conventions.

Creating, updating or removing tables is done by the plugin, at installation, update or uninstallation; functions added in the hook, php file will be used for that; and you will rely on the Migration class provided from GLPI core. Please refer to this documentation do know more about various *Migration* possibilities.

### 5.3.1 Creating and updating tables

Creating and updating tables must be done in the plugin installation process. You will add the required code to the plugin\_{myplugin}\_install. As the same function is used for both installation and update, you'll have to make tests to know what to do.

For example, we will create a basic table to store some configuration for our plugin:

```
<?php
 * Install hook
 * @return boolean
function plugin_myexample_install() {
  global $DB;
   //instanciate migration with version
   $migration = new Migration(100);
   //Create table only if it does not exists yet!
  if (!$DB->tableExists('glpi_plugin_myexample_configs')) {
      //table creation query
      $query = "CREATE TABLE `glpi_plugin_myexample_config` (
                  `id` INT(11) NOT NULL autoincrement,
                  `name` VARCHAR(255) NOT NULL,
                  PRIMARY KEY ('id')
               ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci ROW_
→FORMAT=DYNAMIC";
      $DB->queryOrDie($query, $DB->error());
   }
   //execute the whole migration
   $migration->executeMigration();
   return true;
}
```

The update part is quite the same. Considering our previous example, we missed to add a field in the configuration table to store the config value; and we should add an index on the name column. The code will become:

```
<?php
/**
 * Install hook
 *
 * @return boolean
 */
function plugin_myexample_install() {
    global $DB;

    //instanciate migration with version

(continues on next page)</pre>
```

5.3. Database 89

```
$migration = new Migration(100);
   //Create table only if it does not exists yet!
  if (!$DB->tableExists('glpi_plugin_myexample_configs')) {
      //table creation query
      $query = "CREATE TABLE `glpi_plugin_myexample_configs` (
                  `id` INT(11) NOT NULL autoincrement,
                  `name` VARCHAR(255) NOT NULL,
                  PRIMARY KEY ('id')
               ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci ROW_
→ FORMAT=DYNAMIC";
      $DB->queryOrDie($query, $DB->error());
  }
  if ($DB->tableExists('glpi_plugin_myexample_configs')) {
      //missed value for configuration
      $migration->addField(
         'glpi_plugin_myexample_configs',
         'value',
         'string'
      );
      $migration->addKey(
         'glpi_plugin_myexample_configs',
         'name'
      );
  }
   //execute the whole migration
  $migration->executeMigration();
  return true;
}
```

Of course, we can also add or remove tables in our upgrade process, drop fields, keys,  $\dots$  Well, do just what you need to do :-)

### 5.3.2 Deleting tables

You will have to drop all plugins tables when it will be uninstalled. Just put your code into the plugin\_{myplugin}\_uninstall function:

90 Chapter 5. Plugins

(cc) BY-NC-ND

# 5.4 Adding and managing objects

In most of the cases; your plugin will have to manage several objects

### 5.4.1 Define an object

Objects definitions will be stored into the inc/ or src/ directory of your plugin. It is recommended to place all class files in the src if possible. As of GLPI 10.0, namespaces should be supported in almost all cases. Therefore, it is recommended to use namespaces for your plugin classes. For example, if your plugin is MyExamplePlugin, you should use the GlpiPlugin\Myexampleplugin namespace. Note that the plugin name part of the namespace must be lowercase with the exception of the first letter. Child namespaces of GlpiPlugin\Myexampleplugin do not need to follow this rule.

Depending on where your class files are stored, the naming convention will be different:

- inc: File name will be the name of your class, lowercase; the class name will be the concatenation of your plugin name and your class name. For example, if you want to create the MyObject in MyExamplePlugin; you will create the inc/myobject.class.php file; and the class name will be MyExamplePluginMyObject.
- src: File name will match the name of your class exactly. The class name should not be prefixed by your plugin name when using namespaces. Namespaces are supported and can be reflected as subfolders. For example, if your class is GlpiPlugin\Myexampleplugin\NS\MyObject, the file will be src/NS/MyObject.php.

Your object will extends one of the *common core types* (CommonDBTM in our example).

Extra operations are aslo described in the tips and tricks page, you may want to take a look at it.

# 5.4.2 Add a front for my object (CRUD)

The goal is to build CRUD (Create, Read, Update, Delete) and list views for your object.

You will need:

- a class for your object (src/MyObject.php),
- a front file to handle display (front/myobject.php),
- a front file to handle form display (front/myobject.form.php).

First, create the src/MyObject.php file that looks like:

```
<?php
namespace GlpiPlugin\Myexampleplugin;
class MyObject extends CommonDBTM {
  public function showForm($ID, array $options = []) {
      global $CFG_GLPI;
      $this->initForm($ID, $options);
      $this->showFormHeader($options);
     if (!isset($options['display'])) {
         //display per default
         $options['display'] = true;
     }
      $params = $options;
      //do not display called elements per default; they'll be displayed or returned here
      $params['display'] = false;
      $out = '';
      $out .= '' . __('My label', 'myexampleplugin') . ''
      $objectName = autoName(
         $this->fields["name"],
         "name",
         (isset($options['withtemplate']) && $options['withtemplate']==2),
         $this->getType(),
         $this->fields["entities_id"]
     );
      $out .= '';
      $out .= Html::autocompletionTextField(
        $this,
         'name',
            'value'
                       => $objectName,
            'display'
                       => false
         1
     );
      $out .= '';
     $out .= $this->showFormButtons($params);
     if ($options['display'] == true) {
        echo $out;
      } else {
        return $out;
     }
  }
}
```

The front/myobject.php file will be in charge to list objects. It should look like:

```
<?php
use GlpiPlugin\Myexampleplugin\MyObject;
include ("../../inc/includes.php");
// Check if plugin is activated...
$plugin = new Plugin();
if (!$plugin->isInstalled('myexampleplugin') || !$plugin->isActivated('myexampleplugin
')) {
  Html::displayNotFoundError();
}
//check for ACLs
if (MyObject::canView()) {
  //View is granted: display the list.
  //Add page header
  Html::header(
      __('My example plugin', 'myexampleplugin'),
     $_SERVER['PHP_SELF'],
      'assets',
     MyObject::class,
      'myobject'
  );
   Search::show(MyObject::class);
  Html::footer();
} else {
  //View is not granted.
  Html::displayRightError();
}
```

And finally, the front/myobject.form.php will be in charge of CRUD operations:

```
<?php
use GlpiPlugin\MyExamplePlugin\MyObject;
include ("../../inc/includes.php");
// Check if plugin is activated...
$plugin = new Plugin();
if (!$plugin->isInstalled('myexampleplugin') || !$plugin->isActivated('myexampleplugin
')) {
  Html::displayNotFoundError();
}
$object = new MyObject();
if (isset($_POST['add'])) {
  //Check CREATE ACL
  $object->check(-1, CREATE, $_POST);
  //Do object creation
  $newid = $object->add($_POST);
  //Redirect to newly created object form
                                                                            (continues on next page)
```

```
Html::redirect("{$CFG_GLPI['root_doc']}/plugins/front/myobject.form.php?id=$newid");
} else if (isset($_POST['update'])) {
  //Check UPDATE ACL
  $object->check($_POST['id'], UPDATE);
  //Do object update
  $object->update($_POST);
  //Redirect to object form
  Html::back();
} else if (isset($_POST['delete'])) {
   //Check DELETE ACL
  $object->check($_POST['id'], DELETE);
  //Put object in dustbin
  $object->delete($_POST);
   //Redirect to objects list
  $object->redirectToList();
} else if (isset($_POST['purge'])) {
  //Check PURGE ACL
  $object->check($_POST['id'], PURGE);
  //Do object purge
  $object->delete($_POST, 1);
   //Redirect to objects list
  Html::redirect("{$CFG_GLPI['root_doc']}/plugins/front/myobject.php");
} else {
  //per default, display object
   $withtemplate = (isset($_GET['withtemplate']) ? $_GET['withtemplate'] : 0);
   $object->display(
      Γ
         'id'
                        => $_GET['id'].
         'withtemplate' => $withtemplate
  );
}
```

(cc) BY-NC-ND

### 5.5 Hooks

GLPI provides a certain amount of "hooks". Their goal is for plugins (mainly) to work on certain places of the framework; like when an item has been added, updated, deleted, ...

This page describes current existing hooks; but not the way they must be implemented from plugins. Please refer to the plugins development documentation.

### 5.5.1 Standards Hooks

### **Usage**

Aside from their goals or when/where they're called; you will see three types of different hooks. Some will receive an item as parameter, others an array of parameters, and some won't receive anything. Basically, the way they're declared into your plugin, and the way you'll handle that will differ.

All hooks called are defined in the setup.php file of your plugin; into the \$PLUGIN\_HOOKS array. The first key is the hook name, the second your plugin name; values can be just text (to call a function declared in the hook.php file), or an array (to call a static method from an object):

```
<?php
//call a function

$PLUGIN_HOOKS['hook_name']['plugin_name'] = 'function_name';
//call a static method from an object

$PLUGIN_HOOKS['other_hook']['plugin_name'] = ['ObjectName', 'methodName'];</pre>
```

#### Without parameters

Those hooks are called without any parameters; you cannot attach them to any itemtype; basically they'll permit you to display extra information. Let's say you want to call the display\_login hook, in you setup.php you'll add something like:

```
<?php
$PLUGIN_HOOKS['display_login']['myPlugin'] = 'myplugin_display_login';</pre>
```

You will also have to declare the function you want to call in you hook.php file:

```
<?php
/**
    * Display information on login page
    *
    * @return void
    */
public function myplugin_display_login () {
    echo "That line will appear on the login page!";
}</pre>
```

The hooks that are called without parameters are: display\_central, post\_init init\_session, change\_entity, change\_profile`, display\_login and add\_plugin\_where.

### With item as parameter

Those hooks will send you an item instance as parameter; you'll have to attach them to the itemtypes you want to apply on. Let's say you want to call the pre\_item\_update hook for *Computer* and *Phone* item types, in your setup.php you'll add something like:

```
<?php
$PLUGIN_HOOKS['pre_item_update']['myPlugin'] = [
   'Computer' => 'myplugin_updateitem_called',
   'Phone' => 'myplugin_updateitem_called'
];
```

You will also have to declare the function you want to call in you hook.php file:

5.5. Hooks 95

```
//do everything you want!
//remember that $item is passed by reference (it is an abject)
//so changes you will do here will be used by the core.
if ($item::getType() === Computer::getType()) {
    //we're working with a computer
} elseif ($item::getType() === Phone::getType()) {
    //we're working with a phone
}
```

The hooks that are called with item as parameter are: item\_empty, pre\_item\_add, post\_prepareadd, item\_add, pre\_item\_update, item\_update, pre\_item\_purge, pre\_item\_delete, item\_purge, item\_delete, pre\_item\_restore, item\_restore, autoinventory\_information, item\_add\_targets, item\_get\_events, item\_action\_targets, item\_get\_datas.

### With array of parameters

These hooks will work just as the *hooks with item as parameter* expect they will send you an array of parameters instead of only an item instance. The array will contain two entries: item and options, the first one is the item instance, the second options that have been passed:

```
<?php
/**
 * Function that handle a hook with array of parameters
 * @param array $params Array of parameters
 * @return void
 */
public function myplugin_params_hook(array $params) {
   print_r($params);
   //Will display:
   //Array
   //(
        [item] => Computer Object
   //
           (\dots)
   //
        [options] => Array
           (
                  [_target] => /front/computer.form.php
   //
   //
                  [id] \Rightarrow 1
                  [withtemplate] =>
   //
                  [tabnum] => 1
   //
                  [itemtype] => Computer
   //
           )
   //)
}
```

The hooks that are called with an array of parameters are: post\_item\_form, pre\_item\_form, pre\_show\_item, post\_show\_item, pre\_show\_tab, post\_show\_tab, pre\_itil\_info\_section, post\_itil\_info\_section, item\_transfer.

Some hooks will receive a specific array as parameter, they will be detailed below.

96 Chapter 5. Plugins

#### **Unclassified**

Hooks that cannot be classified in above categories:)

#### secured\_fields

Added in version 9.4.6.

An array of fields names (with table like qlpi\_mytable.myfield) that are stored using GLPI encrypting methods. This allows plugins to add some fields to the glpi:security:changekey command.

#### Warning

Plugins have to ensure crypt migration on their side is OK; and once using it, they must properly declare

All fields that would use the key file without being listed would be unreadable after key has been changed (and stored data would stay potentially unsecure).

#### secured\_configs

Added in version 9.4.6.

An array of configuration entries that are stored using GLPI encrypting methods. This allows plugins to add some entries to the glpi:security:changekey command.

#### Warning

Plugins have to ensure crypt migration on their side is OK; and once using it, they must properly declare fields.

All configuration entries that would use the key file without being listed would be unreadable after key has been changed (and stored data would stay potentially unsecure).

### add\_javascript

Add javascript in **all** pages headers

Added in version 9.2: Minified javascript files are checked automatically. You will just have to provide a minified file along with the original to get it used!

The name of the minified plugin. js file must be plugin.min.js

#### add\_css

Add CSS stylesheet on all pages headers

Added in version 9.2: Minified CSS files are checked automatically. You will just have to provide a minified file along with the original to get it used!

The name of the minified plugin.css file must be plugin.min.css

#### add\_javascript\_anonymous\_page

Add javascript in all anonymous pages headers

Added in version 10.0.18: Minified javascript files are checked automatically. You will just have to provide a minified file along with the original to get it used!

The name of the minified plugin\_anonymous.js file must be plugin\_anonymous.min.js

#### add\_javascript\_module\_anonymous\_page

Add javascript module in **all anonymous** pages headers

5.5. Hooks 97 Added in version 10.0.18: Minified javascript files are checked automatically. You will just have to provide a minified file along with the original to get it used!

The name of the minified mymodule\_anonymous.js file must be mymodule\_anonymous.min.js

#### add\_css\_anonymous\_page

Add CSS stylesheet on all anonymous pages headers

Added in version 10.0.18: Minified CSS files are checked automatically. You will just have to provide a minified file along with the original to get it used!

The name of the minified plugin\_anonymous.css file must be plugin\_anonymous.min.css

#### add\_header\_tag\_anonymous\_page

Add header tags in **all anonymous** pages headers

Added in version 10.0.18.

#### display\_central

Displays something on central page

#### display\_login

Displays something on the login page

#### status

Displays status

#### post\_init

After the framework initialization

#### rule matched

After a rule has matched.

This hook will receive a specific array that looks like:

```
<?php
$hook_params = [
    'sub_type' => 'an item type',
    'rule_id' => 'rule id',
    'input' => array(), //original input
    'output' => array() //output modified by rule
];
```

#### redefine menus

Add, edit or remove items from the GLPI menus.

This hook will receive the current GLPI menus definition as an argument and must return the new definition.

#### init\_session

At session initialization

#### change\_entity

When entity is changed

### change\_profile

When profile is changed

#### pre\_kanban\_content

Added in version 9.5.

Set or modify the content that shows before the main content in a Kanban card.

This hook will receive a specific array that looks like:

```
<?php
$hook_params = [
   'itemtype' => string, //item type that is showing the Kanban
   'items_id' => int, //ID of itemtype showing the Kanban
   'content' => string //current content shown before main content
];
```

#### post\_kanban\_content

Added in version 9.5.

Set or modify the content that shows after the main content in a Kanban card.

This hook will receive a specific array that looks like:

```
<?php
$hook_params = [
   'itemtype' => string, //item type that is showing the Kanban
   'items_id' => int, //ID of itemtype showing the Kanban
   'content' => string //current content shown after main content
];
```

#### kanban filters

Add new filter definitions for Kanban by itemtype.

This data is set directly in \$PLUGIN\_HOOKS like:

```
$PLUGIN_HOOKS['kanban_filters']['tag'] = [
   'Ticket' => [
      'tag' => [
         'description' => _x('filters', 'If the item has a tag'),
         'supported_prefixes' => ['!']
      ],
      'tagged' => [
         'description' => _x('filters', 'If the item is tagged'),
         'supported_prefixes' => ['!']
      ]
   ],
   'Project' => [
      'tag' => [
         'description' => _x('filters', 'If the item has a tag'),
         'supported_prefixes' => ['!']
      'tagged' => [
         'description' => _x('filters', 'If the item is tagged'),
         'supported_prefixes' => ['!']
   ];
]
```

### kanban\_item\_metadata

Set or modify the metadata for a Kanban card. This metadata isn't displayed directly but will be used by the filtering system.

This hook will receive a specific array that looks like:

5.5. Hooks 99

```
<?php
$hook_params = [
   'itemtype' => string, //item type that is showing the Kanban
   'items_id' => int, //ID of itemtype showing the Kanban
   'metadata' => array //current metadata array
];
```

#### vcard data

Add or modify data in vCards such as IM contact information

```
<?php
$hook_params = [
   'item' => CommonDBTM, //The item the vCard is for such as a User or Contact
   'data' => array, //The current vCard data for the item
];
```

#### filter\_actors

Add or modify data actor fields provided in the right panel of ITIL objects

```
<?php
$hook_params = [
   'actors' => array, // actors array send to select2 field
   'params' => array, // actor field param
];
```

#### helpdesk\_menu\_entry

Add a link to the menu for users with the simplified interface

```
<?php
$PLUGIN_HOOKS['helpdesk_menu_entry']['example'] = 'MY_CUSTOM_LINK';</pre>
```

#### helpdesk\_menu\_entry\_icon

Add an icon for the link specified by the *helpdesk\_menu\_entry* hook

```
<?php
$PLUGIN_HOOKS['helpdesk_menu_entry_icon']['example'] = 'fas fa-tools';</pre>
```

### debug\_tabs

Add one or more new tabs to the GLPI debug panel. Each tab must define a *title* and *display\_callable* which is what will be called to print the tab contents.

### post\_plugin\_install

Called after a plugin is installed

#### post\_plugin\_enable

Called after a plugin is enabled

### post\_plugin\_disable

Called after a plugin is disabled

#### post\_plugin\_uninstall

Called after a plugin is uninstalled

### post\_plugin\_clean

Called after a plugin is cleaned (removed from the database after the folder is deleted)

### Items business related

Hooks that can do some business stuff on items.

#### item\_empty

When a new (empty) item has been created. Allow to change / add fields.

#### post\_prepareadd

Before an item has been added, after prepareInputForAdd() has been run, so after rule engine has ben run, allow to edit input property, setting it to false will stop the process.

### pre\_item\_add

Before an item has been added, allow to edit input property, setting it to false will stop the process.

#### item\_add

After adding an item, fields property can be used.

#### pre\_item\_update

Before an item is updated, allow to edit input property, setting it to false will stop the process.

#### item\_update

While updating an item, fields and updates properties can be used.

### pre\_item\_purge

Before an item is purged, allow to edit input property, setting it to false will stop the process.

#### item\_purge

After an item is purged (not pushed to trash, see item\_delete). The fields property still available.

#### pre\_item\_restore

Before an item is restored from trash.

#### item restore

After an item is restored from trash.

#### pre\_item\_delete

Before an item is deleted (moved to trash), allow to edit input property, setting it to false will stop the process.

### item\_delete

After an item is moved to trash.

### autoinventory\_information

After an automated inventory has occurred

#### item transfer

When an item is transferred from an entity to another

### item\_can

Added in version 9.2.

Allow to restrict user rights (can't grant more right). If right property is set (called during CommonDBTM::can) changing it allow to deny evaluated access. Else (called from Search::addDefaultWhere) add\_where property can be set to filter search results.

5.5. Hooks 101

#### add\_plugin\_where

Added in version 9.2.

Permit to filter search results.

#### Items display related

Hooks that permits to add display on items.

### pre\_itil\_info\_section

Added in version 11.

Before displaying ITIL object sections (Ticket, Change, Problem) Waits for a <section>.

#### post\_itil\_info\_section

Added in version 11.

After displaying ITIL object sections (ticket, Change, Problem) Waits for a <section>.

#### pre\_item\_form

Added in version 9.1.2.

Before an item is displayed; just after the form header if any; or at the beginning of the form. Waits for a

#### post\_item\_form

Added in version 9.1.2.

After an item form has been displayed; just before the dates or the save buttons. Waits for a

#### pre\_show\_item

Before an item is displayed

#### post\_show\_item

After an item has been displayed

### pre\_show\_tab

Before a tab is displayed

#### post\_show\_tab

After a tab has been displayed

### show\_item\_stats

Added in version 9.2.1.

Add display from statistics tab of a item like ticket

#### timeline\_actions

Added in version 9.4.1.

Changed in version 10.0.0: The timeline action buttons were moved to the timeline footer. Some previous actions may no longer be compatible with the new timeline and will need to be adjusted.

Display new actions in the ITIL object's timeline

#### timeline answer actions

Added in version 10.0.0.

Display new actions in the ITIL object's answer dropdown

### show\_in\_timeline

Added in version 10.0.0.

Display forms in the ITIL object's timeline

102 Chapter 5. Plugins

### **Notifications**

Hooks that are called from notifications

### item\_add\_targets

When a target has been added to an item

#### item\_get\_events

After notifications events have been retrieved

### item\_action\_targets

After target addresses have been retrieved

#### item\_get\_datas

After data for template have been retrieved

#### add\_recipient\_to\_target

Added in version 9.4.0.

When a recipient is added to targets.

The object passed as hook method parameter will contain a property recipient\_data which will be an array containing *itemtype* and *items\_id* fields corresponding to the added target.

#### 5.5.2 Functions hooks

#### **Usage**

Functions hooks declarations are the same than standards hooks one. The main difference is that the hook will wait as output what have been passed as argument.

```
<?php
/**
  * Handle hook function
  *
  * @param array $data Array of something (assuming that's what we're receiving!)
  *
  * @return array
  */
public function myplugin_updateitem_called ($data) {
    //do everything you want
    //return passed argument
    return $data;
}</pre>
```

#### **Existing hooks**

#### unlock\_fields

After a fields has been unlocked. Will receive the \$\_POST array used for the call.

### restrict\_ldap\_auth

Additional LDAP restrictions at connection. Must return a boolean. The dn string is passed as parameter.

#### undiscloseConfigValue

Permit plugin to hide fields that should not appear from the API (like configuration fields, etc). Will receive the requested fields list.

#### infocom

Additional infocom information oin an item. Will receive an item instance as parameter, is expected to return a table line ().

5.5. Hooks 103

#### retrieve\_more\_field\_from\_ldap

Retrieve additional fields from LDAP for a user. Will receive the current fields lists, is expected to return a fields list.

#### retrieve\_more\_data\_from\_ldap

Retrieve additional data from LDAP for a user. Will receive current fields list, is expected to return a fields list.

#### display\_locked\_fields

To manage fields locks. Will receive an array with item and header entries. Is expected to output a table line ().

#### migratetypes

Item types to migrate, will receive an array of types to be updated; must return an array of item types to migrate.

### 5.5.3 Automatic hooks

Some hooks are automated; they'll be called if the relevant function exists in you plugin's hook.php file. Required function must be of the form plugin\_{plugin\_name}\_{hook\_name}.

#### MassiveActionsFieldsDisplay

Add massive actions. Will receive an array with item (the item type) and options (the search options) as input. These hook have to output its content, and to return true if there is some specific output, false otherwise.

#### dynamicReport

Add parameters for print. Will receive the \$\_GET array used for query. Is expected to return an array of parameters to add.

#### AssignToTicket

Declare types an ITIL object can be assigned to. Will receive an empty array adn is expected to return a list an array of type of the form:

```
<?php
return [
   'TypeClass' => 'label'
];
```

#### MassiveActions

If plugin provides massive actions (via \$PLUGIN\_HOOKS['use\_massive\_actions']), will pass the item type as parameter, and expect an array of additional massive actions of the form:

```
<?php
return [
   'Class::method' => 'label'
];
```

#### getDropDown

To declare extra dropdowns. Will not receive any parameter, and is expected to return an array of the form:

```
<?php
return [
    'Class::method' => 'label'
];
```

#### rulePrepareInputDataForProcess

Provide data to process rules. Will receive an array with item (data used to check criteria) and params (the parameters) keys. Is expected to retrun an array of rules.

#### executeActions

Actions to execute for rule. Will receive an array with output, params ans action keys. Is expected to return an array of actions to execute.

preProcessRulePreviewResults

```
Todo
Write documentation for this hook.
```

use\_rules

```
Todo
Write documentation for this hook. It looks a bit particular.
```

## ${\tt ruleCollectionPrepareInputDataForProcess}$

Prepare input data for rules collections. Will receive an array of the form:

```
<?php
array(
   'rule_itemtype' => 'name fo the rule itemtype',
   'values' => array(
        'input' => 'input array',
        'params' => 'array of parameters'
   )
);
```

Is expected to return an array.

preProcessRuleCollectionPreviewResults

```
Todo
Write documentation for this hook.
```

#### ruleImportComputer\_addGlobalCriteria

Add global criteria for computer import. Will receive an array of global criteria, is expected to return global criteria array.

## ruleImportComputer\_getSqlRestriction

Adds SQL restriction to links. Will receive an array of the form:

```
<?php
array(
   'where_entity' => 'where entity clause',
   'input' => 'input array',
   'criteria' => 'complex criteria array',
   'sql_where' => 'sql where clause as string',
   'sql_from' => 'sql from clause as string'
)
```

Is expected to return the input array modified.

5.5. Hooks 105

#### getAddSearchOptions

Adds *search options*, using "old" method. Will receive item type as string, is expected to return an array of search options.

#### getAddSearchOptionsNew

Adds *search options*, using "new" method. Will receive item type as string, is expected to return an **indexed** array of search options.



## 5.6 Automatic actions

#### 5.6.1 Goals

Plugins may need to run automatic actions in background, or at regular interval. GLPI provides a task scheduler for itself and its plugins.

# 5.6.2 Implement an automatic action

A plugin must implement its automatic action the same way as GLPI does, except the method is located in a plugin's itemtype. See *crontasks*.

## 5.6.3 Register an automatic action

A plugin must register its automatic action the same way as GLPI does in its upgrade process. See crontasks.

## 5.6.4 Unregister a task

GLPI unregisters tasks of a plugin when it cleans or uninstalls it.



## 5.7 Massive Actions

Plugins can use the core's massive actions for its own itemtypes.

They just need to additionally define a hook in their init function (setup.php):

```
function plugin_init_example() {
    $PLUGIN_HOOKS['use_massive_action']['example'] = 1;
}
```

But they can also add specific massive actions to core's itemtypes. First, in their hook.php file, they must declare a new definition into a plugin\_pluginname\_MassiveActions function, ex addition of new action for Computer:

Next, in the class defined int the definition, we can use the showMassiveActionsSubForm and processMassiveActionsForOneItemtype in the same way as *core documentation for massive actions*:

```
<?php
class PluginExampleExample extends CommonDBTM {
  static function showMassiveActionsSubForm(MassiveAction $ma) {
      switch ($ma->getAction()) {
         case 'DoIt':
            echo __("fill the input");
            echo Html::input('myinput');
            echo Html::submit(__('Do it'), array('name' => 'massiveaction'))."</span>";
            return true;
    }
      return parent::showMassiveActionsSubForm($ma);
   }
   static function processMassiveActionsForOneItemtype(MassiveAction $ma, CommonDBTM

⇒$item,

                                                         array $ids) {
      global $DB;
      switch ($ma->getAction()) {
         case 'DoIt' :
            $input = $ma->getInput();
            foreach ($ids as $id) {
               if ($item->getFromDB($id)
                   && $item->doIt($input)) {
                  $ma->itemDone($item->getType(), $id, MassiveAction::ACTION_OK);
               } else {
                  $ma->itemDone($item->getType(), $id, MassiveAction::ACTION_K0);
                  $ma->addMessage(__("Something went wrong"));
               }
            }
            return;
      }
                                                                             (continues on next page)
```

5.7. Massive Actions

```
parent::processMassiveActionsForOneItemtype($ma, $item, $ids);
}
```



# 5.8 Tips & tricks

# 5.8.1 Add a tab on a core object

In order to add a new tab on a core object, you will have to:

- register your class against core object(s) telling it you will add a tab,
- use getTabNameForItem() to give tab a name,
- use displayTabContentForItem() to display tab contents.

First, in the plugin\_init\_{plugin\_name} function, add the following:

```
<?php
//[...]
Plugin::registerClass(
    GlpiPlugin\Myexample\MyClass::class, [
         'addtabon' => [
          'Computer',
          'Phone'
    ]
    ]
);
//[...]
```

Here, we request to add a tab on Computer and Phone objects.

Then, in your src/MyClass.php (in which MyClass is defined):

```
<?php
function getTabNameForItem(CommonGLPI $item, $withtemplate=0) {
   switch ($item::getType()) {
      case Computer::getType():
      case Phone::getType():
         return __('Tab from my plugin', 'myexampleplugin');
         break;
  }
  return '';
}
static function displayTabContentForItem(CommonGLPI $item, $tabnum=1, $withtemplate=0) {
   switch ($item::getType()) {
      case Computer::getType():
         //display form for computers
         self::displayTabContentForComputer($item);
         break;
      case Phone::getType():
```

```
self::displayTabContentForPhone($item);
         break;
  }
  if ($item->getType() == 'ObjetDuCoeur') {
      $monplugin = new self();
      $ID = $item->getField('id');
     // j'affiche le formulaire
      $monplugin->nomDeLaFonctionQuiAfficheraLeContenuDeMonOnglet();
  }
  return true;
}
private static function displayTabContentForComputer(Computer $item) {
}
private static function displayTabContentForPhone(Phone $item) {
   //...
}
```

On the above example, we have used two different methods to display tab, depending on item type. You could of course use only one if there is no (or minor) differences at display.

# 5.8.2 Add a tab on one of my plugin objects

In order to add a new tab on your plugin object, you will have to:

- use defineTabs() to register the new tab,
- use getTabNameForItem() to give tab a name,
- use displayTabContentForItem() to display tab contents.

Then, in your src/MyClass.php:

(continues on next page)

5.8. Tips & tricks 109

```
return '';
}

/**
   * Définition du contenu de l'onglet
   **/
static function displayTabContentForItem(CommonGLPI $item, $tabnum=1, $withtemplate=0) {
   switch ($item::getType()) {
     case __CLASS__:
        self::myStaticMethod();
        break;
   }
   return true;
}
```

### 5.8.3 Add several tabs

On the same model you create one tab, you may add several tabs.

```
<?php
function getTabNameForItem(CommonGLPI $item, $withtemplate=0) {
  song = [
      __('My first tab', 'myexampleplugin'),
      __('My second tab', 'myexampleplugin')
      ];
  return $ong;
}
static function displayTabContentForItem(CommonGLPI $item, $tabnum=0, $withtemplate=0) {
   switch ($tabnum) {
      case 0 : //"My first tab"
         //do something
         break;
      case 1 : //"My second tab""
         //do something else
         break;
  return true;
}
```

# 5.8.4 Add an object in dropdowns

Just add the following to your object class (src/MyObject.php):

```
<?php
function plugin_myexampleplugin_getDropdown() {
   return [MyObject::class => MyObject::getTypeName(2)];
}
```

(cc) BY-NC-ND

# 5.9 Notification modes

Core GLPI provides two notifications modes as of today:

- email (sends email),
- ajax (send browser notifications if/when user is logged)

It is possible to extends this mechanism in order to create another mode to use. Let's take a tour... We'll take example of a plugin designed to send SMS to the users.

# 5.9.1 Required configuration

A few steps are required to setup the mode. In the init method (setup.php file); register the mode:

```
<?php
public function plugin_init_sms {
    //[...]

if ($plugin->isActivated('sms')) {
    Notification_NotificationTemplate::registerMode(
        Notification_NotificationTemplate::MODE_SMS, //mode itself
        __('SMS', 'plugin_sms'), //label
        'sms' //plugin name
    );
}

//[...]
}
```

#### Note

GLPI will look for classes named like Plugin{NAME}Notification{MODE}.

In the above example; we have used one the provided (but not yet used) modes from the core. If you need a mode that does not exists, you can of course create yours!

In order to make you new notification active, you will have to declare a notifications\_{MODE} variable in the main configuration: You will add it at install time, and remove it on uninstall... In the hook.php file:

```
function plugin_sms_install() {
   Config::setConfigurationValues('core', ['notifications_sms' => 0]);
   return true;
}

function plugin_sms_uninstall() {
   $config = new Config();
   $config->deleteConfigurationValues('core', ['notifications_sms']);
   return true;
}
```

5.9. Notification modes 111

## 5.9.2 Settings

You will probably need some configuration settings to get your notifications mode to work. You can register and retrieve additional configuration values using core Config object:

```
</php
//set configuration
Config::setConfigurationValues(
    'plugin:sms', //context
    [ //values
        'server' => '',
        'port' => '''
    ]
);

//get configuration
$conf = Config::getConfigurationValues('plugin:sms');
//$conf will be ['server' => ", 'port' => "]
```

That said, we need to create a class to handle the settings, and a front file to display them. The class must be named GlpiPlugin\Sms\NotificationSmsSetting and must be in the src/NotificationSmsSetting.php file. It have to extends the NotificationSetting core class:

```
<?php
namespace GlpiPlugin\Sms;
if (!defined('GLPI_ROOT')) {
   die("Sorry. You can't access this file directly");
}
/**
* This class manages the sms notifications settings
class NotificationSmsSetting extends NotificationSetting {
  static function getTypeName($nb=0) {
      return __('SMS followups configuration', 'sms');
   }
  public function getEnableLabel() {
      return __('Enable followups via SMS', 'sms');
   static public function getMode() {
      return Notification_NotificationTemplate::MODE_SMS;
  }
   function showFormConfig($options = []) {
      global $CFG_GLPI;
      $conf = Config::getConfigurationValues('plugin:sms');
                                                                            (continues on next page)
```

```
$params = [
        'display'
                => true
     $params = array_merge($params, $options);
     $out = "<form action='".Toolbox::getItemTypeFormURL(__CLASS__)."' method='post'>";
     $out .= Html::hidden('config_context', ['value' => 'plugin:sms']);
     $out .= "<div>";
     $out .= "<input type='hidden' name='id' value='1'>";
     $out .= "";
     $out .= ""._n('SMS notification', 'SMS_
-notifications', Session::getPluralNumber(), 'sms')."";
     if ($CFG_GLPI['notifications_sms']) {
        //TODO
       $out .= "" . __('SMS notifications are not implemented yet.
\rightarrow', 'sms') . "";
     } else {
       $out .= "" . __('Notifications are disabled.') . " <a href=</pre>
→'{$CFG_GLPI['root_doc']}/front/setup.notification.php'>" . _('See configuration') . "
";
     }
     $options['candel']
                        = false;
     if ($CFG_GLPI['notifications_sms']) {
        $options['addbuttons'] = array('test_sms_send' => __('Send a test SMS to you',

  'sms'));
     }
     //Ignore display parameter since showFormButtons is now ready :/ (from all but_
→tests)
     echo $out;
     $this->showFormButtons($options):
  }
}
```

The front form file, located at front/notificationsmssetting.form.php will be quite simple. It handles the display of the configuration form, update of the values, and test send (if any):

```
<?php
use Glpi\Plugin\Sms\NotificationSmsSetting;
include ('../../inc/includes.php');

Session::checkRight("config", UPDATE);
$notificationsms = new NotificationSmsSetting();

if (!empty($_POST["test_sms_send"])) {
   NotificationSmsSetting::testNotification();
   Html::back();
} else if (!empty($_POST["update"])) {
   $config = new Config();
   $config->update($_POST);
```

### 5.9.3 **Event**

Once the new mode has been enabled; it will try to raise core events. You will need to create an event class named GlpiPlugin\Sms\NotificationEventSms that implements NotificationEventInterface and extends NotificationEventAbstract in the src/NotificationEventSms.php file.

Methods to implement are:

- getTargetFieldName: defines the name of the target field;
- getTargetField: populates if needed the target field to use. For a SMS plugin, it would retrieve the phone number from users table for example;
- canCron: whether notification can be called from a crontask. For the SMS plugins, it would be true. It is set to false for ajax based events; because notifications are requested from user browser;
- getAdminData: as global admin is not a real user; you can define here the data used to send the notification;
- getEntityAdminData: same as the above, but for entities admins rather than global admin;
- send: method that will really send data.

The raise method declared in the interface is implemented in the abstract class; since it should be used as it for every mode. If you want to do extra process in the raise method, you should override the extraRaise method. This is done in the core to add signatures in the mailing for example.



Notifications uses the QueueNotification to store its data. Each notification about to be sent will be stored in the relevant table. Rows are updated once the notification has really be send (set is\_deleted to 1 and update sent\_time.

En example class for SMS Events would look like the following:

```
<?php
namespace GlpiPlugin\Sms;
class NotificationEventSms implements NotificationEventInterface {
    static public function getTargetFieldName() {
        return 'phone';
    }

    static public function getTargetField(&$data) {
        $field = self::getTargetFieldName();
}</pre>
```

```
if (!isset($data[$field])
        && isset($data['users_id'])) {
        // No phone set: get one for user
        $user = new user();
        $user->getFromDB($data['users_id']);
        $phone_fields = ['mobile', 'phone', 'phone2'];
        foreach ($phone_fields as $phone_field) {
           if (isset($user->fields[$phone_field]) && !empty($user->fields[$phone_
→field])) {
              $data[$field] = $user->fields[$phone_field];
              break;
        }
     }
     if (!isset($data[$field])) {
        //Missing field; set to null
        $data[$field] = null;
     }
     return $field;
  }
  static public function canCron() {
     return true;
  }
  static public function getAdminData() {
     //no phone available for global admin right now
     return false;
  }
  static public function getEntityAdminsData($entity) {
     global $DB, $CFG_GLPI;
     $iterator = $DB->request([
        'FROM' => 'glpi_entities',
        'WHERE' => ['id' => $entity]
     ]);
     $admins = [];
     while ($row = $iterator->next()) {
        $admins[] = [
           'language' => $CFG_GLPI['language'],
           'phone'
                       => $row['phone_number']
        ];
```

```
return $admins;
}

static public function send(array $data) {
    //data is an array of notifications to send. Process the array and send real SMS______
here!
    throw new \RuntimeException('Not yet implemented!');
}
```

#### 5.9.4 Notification

Finally, create a GlpiPlugin\Sms\NotificationSms class that implements the NotificationInterface in the src/NotificationSms.php file.

Methods to implement are:

- check: to validate data (checking if a mail address is well formed, ...);
- sendNotification: to store raised event notification in the QueueNotification;
- testNotification: used from settings to send a test notification.

Again, the SMS example:

```
<?php
namespace GlpiPlugin\Sms;
class NotificationSms implements NotificationInterface {
   static function check($value, $options = []) {
      //Does nothing, but we could check if $value is actually what we expect as a phone.
→number to send SMS.
     return true:
  }
  static function testNotification() {
      $instance = new self():
      //send a notification to current logged in user
      $instance->sendNotification([
         '_itemtype'
                                       => 'NotificationSms',
         '_items_id'
                                       => 1,
         '_notificationtemplates_id'
                                       => 0.
         '_entities_id'
                                       => 0.
         'fromname'
                                       => 'TEST',
         'subject'
                                       => 'Test notification',
                                       => "Hello, this is a test notification.",
         'content_text'
         'to'
                                       => Session::getLoginUserID()
      ]);
  }
```

```
function sendNotification($options=array()) {
     $data = array();
     $data['itemtype']
                                                    = $options['_itemtype'];
     $data['items_id']
                                                    = $options['_items_id'];
                                                    = $options['_notificationtemplates_id
     $data['notificationtemplates_id']
'];
     $data['entities_id']
                                                    = $options['_entities_id'];
     $data['sendername']
                                                    = $options['fromname'];
     $data['name']
                                                    = $options['subject'];
     $data['body_text']
                                                    = $options['content_text'];
     $data['recipient']
                                                    = $options['to'];
     $data['mode'] = Notification_NotificationTemplate::MODE_SMS;
     $mailqueue = new QueuedMail();
     if (!$mailqueue->add(Toolbox::addslashes_deep($data))) {
        Session::addMessageAfterRedirect(__('Error inserting sms notification to gueue',
→ 'sms'), true, ERROR);
        return false;
     } else {
        //TRANS to be written in logs %1$s is the to email / %2$s is the subject of the.
→mail
        Toolbox::logInFile("notification",
                           sprintf(__('%1$s: %2$s'),
                                    sprintf(__('An SMS notification to %s was added to_
→queue', 'sms'),
                                          $options['to']),
                                    $options['subject']."\n"));
     }
     return true:
  }
```

(CC) BY-NC-ND

# 5.10 Unit Testing

## 5.10.1 Goals

As a plugin's complexity increases so does the possibility of a feature or bug fix breaking some other part of the plugin. For this, it is recommended that plugins have some unit tests in place to detect when expected functionality breaks.

5.10. Unit Testing 117

## 5.10.2 Bootstrap

Next, you need to create a bootstrap file to prepare the testing environment. This file should be located at tests/bootstrap.php. In the bootstrap file, you need to import a few required files and set a few constants, as well as loading your plugin. Note that you must manually check prerequisites since this check is not called automatically. For example:

```
<?php
global $CFG_GLPI;
define('GLPI_ROOT', dirname(dirname(__DIR__))));
define("GLPI_CONFIG_DIR", GLPI_ROOT . "/tests");
include GLPI_ROOT . "/inc/includes.php";
include_once GLPI_ROOT . '/tests/GLPITestCase.php';
include_once GLPI_ROOT . '/tests/DbTestCase.php';
$plugin = new \Plugin();
$plugin->checkStates(true);
$plugin->getFromDBbyDir('myplugin');
if (!plugin_myplugin_check_prerequisites()) {
    echo "\nPrerequisites are not met!":
    die(1);
}
if (!$plugin->isInstalled('myplugin')) {
   $plugin->install($plugin->getID());
if (!$plugin->isActivated('myplugin')) {
    $plugin->activate($plugin->getID());
}
```

You must replace "myplugin" with the directory name of your plugin.

#### 5.10.3 Unit test files

All unit tests must be placed inside the tests/units directory in your plugin. Each test file has to correspond to an existing class name. If your plugin has a file inc/test.class.php with the class name PluginMypluginTest, the test file must be named PluginMypluginTest.php.

## 5.10.4 Running your tests

To run your tests, go to the root of your GLPI installation and run:

```
vendor/bin/atoum -bf plugins/myplugin/tests/bootstrap.php -d plugins/myplugin/tests/
```

You must replace "myplugin" with the directory name of your plugin.

# 5.10.5 Real examples

The following plugins are a good example of how to implement Atoum tests:

- JAMF Plugin for GLPI
- Fields Plugin for GLPI

## 5.10.6 Further reading

The Atoum documentation is a good place to start if you are not familiar with unit testing or Atoum.



# 5.11 Plugin development tutorial

This tutorial explores the basic concepts of GLPI while building a simple plugin. It has been written to be explained during a training session, but most of this document could be read and used by people wanting to write plugins. Don't hesitate to suggest enhancements or contribute at this address: https://github.com/glpi-project/docdev

## Warning

Several prerequisites are required in order to follow this tutorial:

- A base knowledge of GLPI usage
- A correct level in web development:
  - PHP
  - HTML
  - CSS
  - SQL
  - JavaScript (JQuery)
- · Being familiar with command line usage

In this first part, we will create a plugin named "My plugin" (key: myplugin). We will cover project startup as well as the setup of base elements.

# 5.11.1 Prerequisites

Here are all the things you need to start your GLPI plugin project:

- · a functional web server,
- latest GLPI stable release installed locally
- a text editor or any IDE (like vscode or phpstorm),
- git version management software.

You may also need:

- Composer PHP dependency software, to handle PHP libraries specific for your plugin.
- Npm JavaScript dependency software, to handle JavaScript libraries specific for your plugin.

# 5.11.2 Start your project

# **A** Warning

If you have production data in your GLPI instance, make sure you disable all notifications before beginning the development. This will prevent sending of tests messages to users present in the imported data.

First of all, a few resources:

- Empty plugin and its documentation. This plugin is a kind of skeleton for quick starting a brand new plugin.
- Example plugin. It aims to do an exhaustive usage of GLPI internal API for plugins.

#### My new plugin

Clone empty plugin repository in you GLPI plugins directory:

```
cd /path/to/glpi/plugins
git clone https://github.com/pluginsGLPI/empty.git
```

You can use the plugin.sh script in the empty directory to create your new plugin. You must pass it the name of your plugin and the first version number. In our example:

```
cd empty
chmod +x plugin.sh
./plugin.sh myplugin 0.0.1
```

# **1** Note

Several conditions must be respected choosing a plugin name: no space or special character is allowed.

This name will be used to declare your plugin directory, as well as methods, constants, database tables and so on. My-Plugin will therefore create the MyPlugin directory.

Using capital characters will cause issues for some core functions.

Keep it simple!

When running the command, a new directory myplugin will be created at the same level as the empty directory (both in /path/to/glpi/plugin directory) as well as files and methods associated with an empty plugin skeleton.



If you cloned the empty project outside your GLPI instance, you can define a destination directory for your new plugin:

./plugin.sh myplugin 0.0.1 /path/to/another/glpi/plugins/

#### **Retrieving Composer dependencies**

In a terminal, run the following command:

```
cd /path/to/glpi/plugins/myplugin
composer install
```

### Minimal plugin structure

- front directory is used to store our object actions (create, read, update, delete).
- ajax directory is used for ajax calls.
- Your plugin own classes will be stored in the src directory.
- gettext translations will be stored in the locales directory.
- An optional templates directory would contain your plugin Twig template files.
- tools directory provides some optional scripts from the empty plugin for development and maintenance of your plugin. It is now more common to get those scripts from vendor and node\_modules directories.
- vendor directory contains:
  - PHP libraries for your plugin,
  - helpful tools provided by empty model.
- node\_modules directory contains JavaScript libraries for your plugin.
- composer. json files describes PHP dependencies for your project.
- package.json file describes JavaScript dependencies for your project.
- myplugin.xml file contains data description for publishing your plugin.
- myplugin.png image is often included in previous XML file as a representation for GLPI plugins catalog
- setup.php file is meant to instantiate your plugin.
- hook.php file contains your plugin basic functions (install/uninstall, hooks, etc).

#### minimal setup.php

After running plugin.sh script, there must be a setup.php file in your myplugin directory.

It contains the following code:

#### setup.php

```
1 <?php
2
3 define('PLUGIN_MYPLUGIN_VERSION', '0.0.1');</pre>
```

An optional constant declaration for your plugin version number used later in the plugin\_version\_myplugin function.

#### setup.php

```
function plugin_init_myplugin() {
    global $PLUGIN_HOOKS;

//hooks declarations here...
}
```

This instanciation function is important, we will declare later here *Hooks* on GLPI internal API. It's systematically called on **all** GLPI pages except if the \_check\_prerequisites fails (see below).

#### setup.php

```
<?php
   // Minimal GLPI version, inclusive
11
   define("PLUGIN_MYPLUGIN_MIN_GLPI_VERSION", "10.0.0");
12
13
   // Maximum GLPI version, exclusive
   define("PLUGIN_MYPLUGIN_MAX_GLPI_VERSION", "10.0.99");
15
16
   function plugin_version_myplugin()
17
   {
18
       return [
            'name'
                              => 'MonNouveauPlugin'.
20
            'version'
                             => PLUGIN_MYPLUGIN_VERSION,
                             => '<a href="http://www.teclib.com">Teclib\'</a>',
            'author'
22
            'license'
                             => 'MIT',
23
                              => '',
            'homepage'
24
            'requirements'
                              => [
                'glpi' => [
26
                    'min' => PLUGIN_MYPLUGIN_MIN_GLPI_VERSION,
27
                     'max' => PLUGIN_MYPLUGIN_MAX_GLPI_VERSION,
28
                ]
29
       ];
30
   }
31
```

This function specifies data that will be displayed in the Setup > Plugins menu of GLPI as well as some minimal constraints. We reuse the constant PLUGIN\_MYPLUGIN\_VERSION declared above. You can of course change data according to your needs.

#### 1 Note

# Choosing a license

The choice of a license is **important** and has many consequences on the future use of your developments. Depending on your preferences, you can choose a more permissive or restrictive orientation. Websites that can be of help exists, like https://choosealicense.com/.

In our example, MIT license has been choose. It's a very popular choice which gives user enough liberty using your work. It just asks to keep the notice (license text) and respect the copyright. You can't be dispossessed of your work, paternity must be kept.

#### setup.php

```
<?php
32
33
   function plugin_myplugin_check_config($verbose = false)
34
35
        if (true) { // Your configuration check
            return true;
37
        }
39
        if ($verbose) {
40
            _e('Installed / not configured', 'myplugin');
41
        }
                                                                                         (continues on next page)
```

```
43
44
45

return false;
}
```

This function is systematically called on **all** GLPI pages. It allows to automatically deactivate plugin if defined criteria are not or no longer met (returning false).

#### minimal hook.php

This file must contains installation and uninstallation functions:

#### hook.php

```
function plugin_myplugin_install()

function plugin_myplugin_install()

function plugin_myplugin_uninstall()

function plugin_myplugin_uninst
```

When all steps are OK, we must return true. We will populate these functions later while creating/removing database tables.

### Install your plugin



Following those first steps, you should be able to install and activate your plugin from Setup > Plugins menu.

# 5.11.3 Creating an object

In this part, we will add an itemtype to our plugin and make it interact with GLPI.

This will be a parent object that will regroup several "assets".

We will name it "Superasset".

#### CommonDBTM usage and classes creation

This super class adds the ability to manage items in the database. Your working classes (in the src directory) can inherit from it and are called "itemtype" by convention.



#### **Conventions:**

- Classes must respect PSR-12 naming conventions. We maintain a guide on coding standards
- SQL tables related to your classes must respect that naming convention: glpi\_plugin\_pluginkey\_names

- a global glpi\_ prefix
- a prefix for plugins plugin\_
- plugin key myplugin\_
- itemtype name in plural form superassets
- Tables columns must also follow some conventions:
  - there must be an auto-incremented primary field named id
  - foreign keys names use that referenced table name without the global glpi\_ prefix and with and \_id suffix. example: plugin\_myotherclasses\_id references glpi\_plugin\_myotherclasses table

**Warning!** GLPI does not use database foreign keys constraints. Therefore you must not use FOREIGN or CONSTRAINT keys.

- Some extra advice:
  - always end your files with an extra carriage return
  - never use the closing PHP tag ?> see https://www.php.net/manual/en/language.
     basic-syntax.instruction-separation.php

Main reason for that is to avoid concatenation errors when using require/include functions, and prevent unexpected outputs.

We will create our first class in Superasset.php file in our plugin src directory:

We declare a few parts:

#### src/Superasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   class Superasset extends CommonDBTM
6
       // right management, we'll change this later
       static $rightname = 'computer';
10
       /**
11
        * Name of the itemtype
12
13
       static function getTypeName($nb=0)
14
           return _n('Super-asset', 'Super-assets', $nb);
16
       }
17
   }
18
```

## Warning

namespace must be CamelCase

## 1 Note

Here are most common CommonDBTM inherited methods:

add(array \$input): Add an new object in database table. input parameter contains table fields. If add goes well, the object will be populated with provided data. It returns the id of the new added line, or false if there were an error.

getFromDB(integer \$id): load an item from database into current object using its id. Fetched data will be available from fields object property. It returns false if the object does not exists.

update(array \$input): update fields of id identified line with \$input parameter. The id key must be part of \$input. Returns a boolean.

```
<?php
17
   if (
18
        $superasset->update([
19
                      => $superassets_id,
20
             'comment' => 'my comments'
21
        1)
22
   ) {
23
        //super asset comment has been updated in databse.
24
   }
```

delete(array \$input, bool \$force = false): remove id identified line corresponding. The id key must be part of \$input. \$force parameter indicates if the line must be place in trashbin (false, and a is\_deleted field must be present in the table) or removed (true). Returns a boolean.

```
<?php
23
24
   if ($superasset->delete(['id' => $superassets_id])) {
25
       //super asset has been moved to trashbin
26
   }
27
   if ($superasset->delete(['id' => $superassets_id], true)) {
29
       //super asset is no longer present in database.
30
       //a message will be displayed to user on next displayed page.
31
   }
```

#### Installation

In the plugin\_myplugin\_install function of your hook.php file, we will manage the creation of the database table corresponding to our itemtype Superasset.

#### hook.php

```
<?php
   use DBConnection;
   use GlpiPlugin\Myplugin\Superasset;
   use Migration;
   function plugin_myplugin_install()
       global $DB;
10
       $default_charset = DBConnection::getDefaultCharset();
11
       $default_collation = DBConnection::getDefaultCollation();
12
13
       // instantiate migration with version
14
       $migration = new Migration(PLUGIN_MYPLUGIN_VERSION);
15
       // create table only if it does not exist yet!
17
       $table = Superasset::getTable();
       if (!$DB->tableExists($table)) {
19
           //table creation query
           $query = "CREATE TABLE `$table` (
21
                      `id`
                                   int unsigned NOT NULL AUTO_INCREMENT,
22
                      `is_deleted` TINYINT NOT NULL DEFAULT '0',
23
                                 VARCHAR(255) NOT NULL,
                      `name`
                      PRIMARY KEY ('id')
25
                     ) ENGINE=InnoDB
                     DEFAULT CHARSET={$default_charset}
27
                     COLLATE={$default_collation}";
           $DB->queryOrDie($query, $DB->error());
29
       }
31
       //execute the whole migration
32
       $migration->executeMigration();
33
34
       return true;
35
   }
```

In addition, of a primary key, VARCHAR field to store a name entered by the user and a flag for the trashbin.

# 1 Note

You of course can add some other fields with other types (stay reasonable).

To handle migration from a version to another of our plugin, we will use GLPI Migration class.

#### hook.php

```
<?php
   use Migration;
   function plugin_myplugin_install()
       global $DB;
       // instantiate migration with version
       $migration = new Migration(PLUGIN_MYPLUGIN_VERSION);
11
12
        . . .
13
       if ($DB->tableExists($table)) {
            // missing field
15
            $migration->addField(
16
                $table,
17
                'fieldname',
18
                'string'
            );
20
21
            // missing index
22
            $migration->addKey(
23
                $table,
24
                 'fieldname'
            );
26
       }
27
28
       //execute the whole migration
       $migration->executeMigration();
30
       return true;
32
   }
```

# **A** Warning

Migration class provides several methods that permit to manipulate tables and fields. All calls will be stored in queue that will be executed when calling executeMigration method.

```
Here are some examples:

addField($table, $field, $type, $options)
    adds a new field to a table

changeField($table, $oldfield, $newfield, $type, $options)
    change a field name or type

dropField($table, $field)
    drops a field

dropTable($table)
    drops a table
```

```
renameTable($oldtable, $newtable)
```

rename a table

See Migration documentation for all other possibilities.

\$type parameter of different functions is the same as the private Migration::fieldFormat() method it allows shortcut for most common SQL types (bool, string, integer, date, datetime, text, longtext, autoincrement, char)

### Uninstallation

To uninstall our plugin, we want to clean all related data.

#### hook.php

```
<?php
   use GlpiPlugin\Myplugin\Superasset;
   function plugin_myplugin_uninstall()
   {
6
       global $DB;
       $tables = [
            Superasset::getTable(),
       ];
11
       foreach ($tables as $table) {
13
            if ($DB->tableExists($table)) {
                $DB->doQueryOrDie(
15
                     "DROP TABLE `$table`",
                     $DB->error()
17
                );
            }
19
       }
20
21
      return true;
22
   }
23
```

## Framework usage

Some useful functions

```
</php
Toolbox::logError($var1, $var2, ...);</pre>
```

This method stored in glpi/files/\_log/php-errors.log file content of its parameters (may be strings, arrays, objects, etc).

```
<?php

Html::printCleanArray($var);</pre>
```

This method will display a "debug" array of the provided variable. It only accepts array type.

# 5.11.4 Common actions on an object

# **1** Note

We will now add most common actions to our Superasset itemtype:

- · display a list and a form to add/edit
- define add/edit/delete routes

In our front directory, we will need two new files.

```
Into those files, we will import GLPI framework with the following:

<?php
include ('../../inc/includes.php');</pre>
```

First file (superasset.php) will display list of items stored in our table.

It will use the internal search engine show method of the search engine.

#### front/superasset.php

```
<?php
   use GlpiPlugin\Myplugin\Superasset;
   use Search:
   use Html;
   include ('../../inc/includes.php');
   Html::header(
       Superasset::getTypeName(),
10
       $_SERVER['PHP_SELF'],
11
       "plugins",
12
       Superasset::class,
13
       "superasset"
15
   Search::show(Superasset::class);
16
   Html::footer();
```

header and footer methods from Html class permit to rely on GLPI graphical user interface (menu, breadcrumb, page footer, etc).

Second file (superasset.form.php - with .form suffix) will handle CRUD actions.

## front/superasset.form.php

```
include ('../../inc/includes.php');
7
   $supperasset = new Superasset();
   if (isset($_POST["add"])) {
10
       $newID = $supperasset->add($_POST);
11
12
       if ($_SESSION['glpibackcreated']) {
13
           Html::redirect(Superasset::getFormURL()."?id=".$newID);
14
15
       Html::back();
16
   } else if (isset($_POST["delete"])) {
18
       $supperasset->delete($_POST);
       $supperasset->redirectToList();
20
21
   } else if (isset($_POST["restore"])) {
22
       $supperasset->restore($_POST);
23
       $supperasset->redirectToList();
24
   } else if (isset($_POST["purge"])) {
26
       $supperasset->delete($_POST, 1);
27
       $supperasset->redirectToList();
28
29
   } else if (isset($_POST["update"])) {
30
       $supperasset->update($_POST);
31
       \Html::back();
32
33
   } else {
34
       // fill id, if missing
35
       isset($_GET['id'])
           ? $ID = intval($_GET['id'])
37
            : ID = 0;
39
       // display form
       Html::header(
41
           Superasset::getTypeName(),
42
           $_SERVER['PHP_SELF'],
43
           "plugins",
           Superasset::class,
45
           "superasset"
46
       );
47
       $supperasset->display(['id' => $ID]);
48
       Html::footer();
49
   }
```

All common actions defined here are handled from CommonDBTM class. For missing display action, we will create a showForm method in our Superasset class. Note this one already exists in CommonDBTM and is displayed using a generic Twig template.

We will use our own template that will extends the generic one (because it only displays common fields).

#### src/Superasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   use Glpi\Application\View\TemplateRenderer;
   class Superasset extends CommonDBTM
10
11
12
       function showForm($ID, $options=[])
14
           $this->initForm($ID, $options);
            // @myplugin is a shortcut to the **templates** directory of your plugin
16
           TemplateRenderer::getInstance()->display('@myplugin/superasset.form.html.twig', [
                'item' => $this.
18
                'params' => $options,
19
           ]);
20
21
           return true;
22
       }
23
   }
24
```

#### templates/superasset.form.html.twig

```
{% extends "generic_show_form.html.twig" %}
{% import "components/form/fields_macros.html.twig" as fields %}

{% block more_fields %}
blabla
{% endblock %}
```

After that step, a call in our browser to http://glpi/plugins/myplugin/front/superasset.form.php should display the creation form.

### **A** Warning

components/form/fields\_macros.html.twig file imported in the example includes Twig functions or macros to display common HTML fields like:

```
{{ fields.textField(name, value, label = '', options = {}) }}: HTML code for a text input.
```

 $\{\{ \text{ fields.hiddenField(name, value, label = '', options = } \} : HTML code for a hidden input.}$ 

 ${\{\{ dateField(name, value, label = '', options = \{\}) \} : HTML code for a date picker (using flat-pickr)}$ 

{{ datetimeField(name, value, label = '', options = {}) }: HTML code for a datetime picker (using flatpickr)

See templates/components/form/fields\_macros.html.twig file in source code for more details and capacities.

# 5.11.5 Adding to menu and breadcrumb

We would like to access our pages without entering their URL in our browser.

We'll therefore define our first *Hook* in our plugin init.

Open setup.php and edit plugin\_init\_myplugin function:

#### setup.php


This *hook* indicates our Superasset itemtype defines a menu display function. Edit our class and add related methods:

```
src/Superasset.php
```

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   class Superasset extends CommonDBTM
10
        /**
11
         * Define menu name
12
13
       static function getMenuName($nb = 0)
14
            // call class label
16
            return self::getTypeName($nb);
       }
18
19
        /**
20
         * Define additionnal links used in breacrumbs and sub-menu
21
22
         * A default implementation is provided by CommonDBTM
23
24
       static function getMenuContent()
25
26
            $title = self::getMenuName(Session::getPluralNumber());
                                                                                     (continues on next page)
```

```
$search = self::getSearchURL(false);
28
                  = self::getFormURL(false);
            $form
30
            // define base menu
            menu = [
32
                'title' => __("My plugin", 'myplugin'),
33
                'page' => $search,
34
35
                // define sub-options
                // we may have multiple pages under the "Plugin > My type" menu
37
                'options' => [
                     'superasset' => [
                         'title' => $title,
                         'page' => $search,
41
42
                         //define standard icons in sub-menu
43
                         'links' => [
                             'search' => $search,
45
                             'add'
                                   => $form
                         ]
47
                    ]
                ]
49
           ];
51
           return $menu;
52
       }
53
   }
```

getMenuContent function may seem redundant at first, but each of the coded entries relates to different parts of the display. The options part is used to have a fourth level of breadcrumb and thus have a clickable submenu in your entry page.



Each page key is used to indicate on which URL the current part applies.

## **1** Note

GLPI menu is loaded in \$\_SESSION['glpimenu'] on login. To see your changes, either use the DEBUG mode, or disconnect and reconnect.

## 1 Note

It is possible to have only one menu level for the plugin (3 globally), just move the links part to the first level of the \$menu array.

## **1** Note

It is also possible to define custom links. You just need to replace the key (for example, add or search) with an html containing an image tag:

```
'links' = [
   '<img src="path/to/my.png" title="my custom link">' => $url
]
```

# 5.11.6 Defining tabs

GLPI proposes three methods to define tabs:

defineTabs(array \$options = []): declares classes that provides tabs to current class.

getTabNameForItem(CommonGLPI \$item, boolean \$withtemplate = 0): declares titles displayed for tabs.

displayTabContentForItem(CommonGLPI \$item, integer \$tabnum = 1, boolean \$withtemplate = 0): allow displaying tabs contents.

#### Standards tabs

Some GLPI internal API classes allows you to add a behaviour with minimal code.

It's true for notes (Notepad) and history (Log).

Here is an example for both of them:

#### src/Superasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   use Notepad;
   use Log;
   class Superasset extends CommonDBTM
10
       // permits to automaticaly store logs for this itemtype
11
       // in glpi_logs table
12
       public $dohistory = true;
13
14
15
16
       function defineTabs($options = [])
18
           $tabs = [];
```

```
$\text{$this->addDefaultFormTab($tabs)} \\
->addStandardTab(Notepad::class, $tabs, $options) \\
->addStandardTab(Log::class, $tabs, $options);

return $tabs;
}
```

Display of an instance of your itemtype from the page front/superasset.php?id=1 should now have 3 tabs:

- Main tab with your itemtype name
- · Notes tab
- · History tab

#### **Custom tabs**

On a similar basis, we can target another class of our plugin:

#### src/Superasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   use Notepad;
   use Log;
   class Superasset extends CommonDBTM
10
       // permits to automaticaly store logs for this itemtype
11
       // in glpi_logs table
12
       public $dohistory = true;
13
14
15
       function defineTabs($options = [])
17
       {
           $tabs = []:
19
           $this->addDefaultFormTab($tabs)
                ->addStandardTab(Superasset_Item::class, $tabs, $options);
21
                ->addStandardTab(Notepad::class, $tabs, $options)
22
                ->addStandardTab(Log::class, $tabs, $options);
23
           return $tabs;
25
       }
```

In this new class we will define two other methods to control title and content of the tab:

#### src/Superasset\_Item.php

```
1 </php
2 (continues on next page)</pre>
```

```
namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   use Glpi\Application\View\TemplateRenderer;
   class Superasset_Item extends CommonDBTM
   {
        /**
10
         * Tabs title
11
12
       function getTabNameForItem(CommonGLPI $item, $withtemplate = 0)
13
14
            switch ($item->getType()) {
                case Superasset::class:
16
                     $nb = countElementsInTable(self::getTable(),
18
                              'plugin_myplugin_superassets_id' => $item->getID()
20
                     );
21
                     return self::createTabEntry(self::getTypeName($nb), $nb);
22
            }
23
            return '';
24
       }
25
26
27
         * Display tabs content
28
         */
29
       static function displayTabContentForItem(CommonGLPI $item, $tabnum = 1,
   \rightarrow$withtemplate = 0)
       {
31
            switch ($item->getType()) {
32
                case Superasset::class:
                     return self::showForSuperasset($item, $withtemplate);
34
            }
36
            return true;
       }
38
       /**
40
         * Specific function for display only items of Superasset
42
       static function showForSuperasset(Superasset $superasset, $withtemplate = 0)
43
44
            TemplateRenderer::getInstance()->display('@myplugin/superasset_item_.html.twig',_
45
   \hookrightarrow
                 'superasset' => $superasset,
46
            ]);
47
       }
48
   }
```

As previously, we will use a Twig template to handle display.

### templates/superasset\_item.html.twig

```
{% import "components/form/fields_macros.html.twig" as fields %}
example content
```

## 1 Note

**Exercise**: For the rest of this part, you will need to complete our plugin to allow the installation/uninstallation of the data of this new class Superasset\_Item.

Table should contains following fields:

- an identifier (id)
- a foreign key to plugin\_myplugin\_superassets table
- two fields to link with an itemtype:
  - itemtype which will store the itemtype class to link to (Computer for example)
  - items\_id the id of the linked asset

Your plugin must be re-installed or updated for the table creation to be done. You can force the plugin status to change by incrementing the version number in the setup.php file.

For the exercise, we will only display computers (Computer) displayed with the following code:

```
{{ fields.dropdownField(
    'Computer',
    'items_id',
    '',
    __('Add a computer')
) }}
```

We will include a mini form to insert related items in our table. Form actions can be handled from myplugin/front/supperasset.form.php file.

Note GLPI forms submitted as POST will be protected with a CRSF token.. You can include a hidden field to validate the form:

```
<input type="hidden" name="_glpi_csrf_token" value="{{ csrf_token() }}">
```

We will also display a list of computers already associated below the form.

#### Using core objects

We can also allow our class to add tabs on core objects. We will declare this in a new line in our init function:

#### setup.php

Title and content for this tab are done as previously with:

- CommonDBTM::getTabNameForItem()
- CommonDBTM::displayTabContentForItem()

## 1 Note

Exercise: Complete previous methods to display on computers a new tab with associated Superasset.

## 5.11.7 Defining Search options

*Search options* is an array of columns for GLPI search engine. They are used to know for each itemtype how the database must be queried, and how data should be displayed.

In our class, we must declare a rawSearchOptions method:

#### src/Superasset.php

```
<?php
2
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   class Superasset extends CommonDBTM
9
       . . .
10
       function rawSearchOptions()
11
            $options = [];
13
            $options[] = [
15
                'id' => 'common',
                'name' => __('Characteristics')
17
           ];
18
            $options[] = [
20
                'id' => 1,
21
                'table' => self::getTable(),
22
                'field' => 'name',
                'name' => __('Name'),
24
                'datatype' => 'itemlink'
25
           ];
26
            $options[] = [
28
                'id' => 2,
                'table' => self::getTable(),
```

(continues on next page)

```
'field' => 'id'.
31
                 'name' => __('ID')
32
            ];
33
            $options[] = [
35
                 'id'
                                 => 3,
36
                                 => Superasset_Item::getTable(),
                 'table'
37
                 'field'
                                 => 'id',
38
                                 => __('Number of associated assets', 'myplugin'),
                 'name'
39
                                 => 'count'.
                 'datatype'
40
                 'forcegroupby' => true,
41
                 'usehaving'
                                 => true,
42
                 'joinparams' => [
43
                     'jointype' => 'child',
44
                 ]
45
            ];
46
            return $options;
48
       }
   }
50
```

Following this addition, we should be able to select our new columns from our asset list page:



Those options will also be present in search criteria list of that page.

Each option is identified by an id key. This key is used in other parts of GLPI. It **must be absolutely unique**. By convention, '1' and '2' are "reserved" for the object name and ID.

The search options documentation describes all possible options.

#### Using other objects

It is also possible to improve another itemtype search options. As an example, we would like to display associated "Superasset" on in the computer list:

#### hook.php

```
<?php
51
   use GlpiPlugin\Myplugin\Superasset;
52
   use GlpiPlugin\Myplugin\Superasset_Item;
53
55
56
   function plugin_myplugin_getAddSearchOptionsNew($itemtype)
57
   {
58
        $sopt = [];
59
60
        if ($itemtype == 'Computer') {
61
            $sopt[] = [
62
                                                                                         (continues on next page)
```

```
'id'
                                 => 12345.
63
                 'table'
                                 => Superasset::getTable(),
                 'field'
                                 => 'name',
65
                                 => __('Associated Superassets', 'myplugin'),
                 'name'
                 'datatype'
                                 => 'itemlink'.
67
                 'forcegroupby' => true,
                 'usehaving'
                                 => true,
69
                 'joinparams'
                                 => [
70
                     'beforejoin' => [
71
                         'table'
                                       => Superasset_Item::getTable(),
72
                         'joinparams' => [
73
                              'jointype' => 'itemtype_item',
74
                         ]
76
                ]
            ];
78
       }
       return $sopt;
   }
82
```

As previously, you must provide an id for your new search options that does not override existing ones for Computer.

You can use a script from the tools folder of the GLPI git repository (not present in the "release" archives) to help you list the **id** already declared (by the core and plugins present on your computer) for a particular itemtype.

```
/usr/bin/php /path/to/glpi/tools/getsearchoptions.php --type=Computer
```

# 5.11.8 Search engine display preferences

We just have added new columns to our itemtype list. Those columns are handled by DisplayPreference object (glpi\_displaypreferences table). They can be defined as global (set 0 for users\_id field) or personal (set users\_id field to the user id). They are sorted (rank field) and target an itemtype plus a searchoption (num field).



Warning Global preferences are applied to all users that don't have any personal preferences set.



**Exercise**: You will change installation and uninstallation functions of your plugin to add and remove global preferences so objects list display some columns.

# 5.11.9 Standard events hooks

During a GLPI object life cycle, we can intervene via our plugin before and after each event (add, modify, delete).

For our own objects, following methods can be implemented:

- prepareInputForAdd
- post\_addItem

- prepareInputForUpdate
- post updateItem
- pre\_deleteItem
- post\_deleteItem
- · post purgeItem

For every event applied on the database, we have a method that is executed before, and another after.



**Exercise**: Add required methods to PluginMypluginSuperasset class to check the name field is properly filled when adding and updating.

On effective removal, we must ensure linked data from other tables are also removed.

Plugins can also intercept standard core events to apply changes (or even refuse the event). Here are the names of the *hooks*:

```
c?php

use Glpi\Plugin\Hooks;

Hooks::PRE_ITEM_ADD;
Hooks::ITEM_ADD;
Hooks::PRE_ITEM_DELETE;
Hooks::ITEM_DELETE;
Hooks::PRE_ITEM_PURGE;
Hooks::ITEM_PURGE;
Hooks::ITEM_PURGE;
Hooks::ITEM_RESTORE;
Hooks::ITEM_RESTORE;
Hooks::PRE_ITEM_RESTORE;
Hooks::PRE_ITEM_UPDATE;
Hooks::ITEM_UPDATE;
```

More information are available from *hooks documentation* especially on *standard events* part.

For all those calls, we will get an instance of the current object in parameter of our callback function. We will be able to access its current fields (\$item->fields) or those sent by the form (\$item->input). As all PHP objects, this instance will be passed by reference.

We will declare one of those hooks usage in the plugin init function and add a callback function:

#### setup.php

```
1  <?php
2
3  use GlpiPlugin\Myplugin\Superasset;
4
5  ...
6  function plugin_init_myplugin()
8  {</pre>
```

```
// callback a function (declared in hook.php)
11
       $PLUGIN_HOOKS['item_update']['myplugin'] = [
            'Computer' => 'myplugin_computer_updated'
13
       ];
15
       // callback a class method
16
       $PLUGIN_HOOKS['item_add']['myplugin'] = [
             'Computer' => [
18
                  Superasset::class, 'computerUpdated'
            ]
20
       ];
21
   }
22
```

In both cases (hook.php function or class method), the prototype of the functions will be made on this model:

```
<?php
2
   use CommonDBTM;
   use Session;
   function hookCallback(CommonDBTM $item)
   {
       // if we need to stop the process (valid for pre* hooks)
10
       if ($mycondition) {
           // clean input
12
           $item->input = [];
13
14
           // store a message in session for warn user
           Session::addMessageAfterRedirect('Action forbidden because...');
16
17
           return:
18
      }
19
   }
```

### 1 Note

Exercise: Use a *hook* to intercept the purge of a computer and remove associated with a Superasset lines if any.

# 5.11.10 Importing libraries (JavaScript / CSS)

Plugins can declare import of additional libraries from their init function.

#### setup.php

```
function plugin_init_myplugin()
   {
6
        . . .
       // css & js
       $PLUGIN_HOOKS[Hooks::ADD_CSS]['myplugin'] = 'myplugin.css';
10
       $PLUGIN_HOOKS[Hooks::ADD_JAVASCRIPT]['myplugin'] = [
11
            'js/common.js',
12
       ];
13
14
       // on ticket page (in edition)
15
       if (strpos($_SERVER['REQUEST_URI'], "ticket.form.php") !== false
           && isset($_GET['id'])) {
17
            $PLUGIN_HOOKS['add_javascript']['myplugin'][] = 'js/ticket.js.php';
       }
19
21
   }
```

Several things to remember:

- Loading paths are relative to plugin directory.
- Scripts declared this way will be loaded on all GLPI pages. You must check the current page in the init function.
- You can rely on Html::requireJs() method to load external resources. Paths will be prefixed with GLPI root URL at load.
- If you want to modify page DOM and especially what is displayed in main form, you should call your code twice (on page load and on current tab load) and add a class to check the effective application of your code:

```
$(function() {
       doStuff();
2
        $(".glpi_tabs").on("tabsload", function(event, ui) {
3
            doStuff();
       });
   });
6
   var doStuff = function()
   {
       if (! $("html").hasClass("stuff-added")) {
10
            $("html").addClass("stuff-added");
11
12
            // do stuff you need
            . . .
14
       }
16
   };
```

```
    Note
    Exercises:
```

- 1. Add a new icon in preferences menu to display main GLPI configuration. You can use tabler-icons:
- <a href='...' class='ti ti-mood-smile'></a>
- 1. On ticket edition page, add an icon to self-associate as a requester on the model of the one present for the "assigned to" part.

# 5.11.11 Display hooks

Since GLPI 9.1.2, it is possible to display data in native objects forms via new hooks. See *display related hooks* in plugins documentation.

As previous hooks, declaration will look like:

#### setup.php

#### Warning

**Important** Those display hooks are a bit different from other hooks regarding parameters that are passed to callback underlying method. We will obtain an array with the following keys:

- item with current CommonDBTM object
- options, an array passed from current object showForm() method

example of a call from core:

```
<?php
Plugin::doHook("pre_item_form", ['item' => $this, 'options' => &$options]);
```

#### **1** Note

**Exercice**: Add the number of associated Superasset in the computer form header. It should be a link to the *previous added tab* to computers. This link will target the same page, but with the forcetab=PluginMypluginSuperasset\$1 parameter.

# 5.11.12 Adding a configuration page

We will add a tab in GLPI configuration so some parts of our plugin can be optional.

We previously added a tab to the form for computers using hooks in setup.php file. We will define two configuration options to enable/disable those tabs.

GLPI provides a glpi\_configs table to store software configuration. It allows plugins to save their own data without defining additional tables.

First of all, let's create a new Config.php class in the src/ folder with the following skeleton:

#### src/Config.php

```
<?php
2
   namespace GlpiPlugin\Myplugin;
   use Config;
   use CommonGLPI;
   use Dropdown;
   use Html;
   use Session;
   use Glpi\Application\View\TemplateRenderer;
11
   class Config extends \Config
12
13
14
       static function getTypeName($nb = 0)
15
16
           return __('My plugin', 'myplugin');
17
       }
18
19
       static function getConfig()
20
21
            return Config::getConfigurationValues('plugin:myplugin');
22
       }
23
24
       function getTabNameForItem(CommonGLPI $item, $withtemplate = 0)
25
26
            switch ($item->getType()) {
                case Config::class:
28
                    return self::createTabEntry(self::getTypeName());
            }
30
            return '';
       }
32
33
       static function displayTabContentForItem(
34
            CommonGLPI $item,
35
            tabnum = 1
36
            $withtemplate = 0
37
       ) {
38
            switch ($item->getType()) {
39
                case Config::class:
                    return self::showForConfig($item, $withtemplate);
41
            }
```

```
43
            return true;
       }
45
       static function showForConfig(
47
            Config $config,
48
            $withtemplate = 0
49
       ) {
50
            global $CFG_GLPI;
51
52
            if (!self::canView()) {
53
                return false:
            }
56
            $current_config = self::getConfig();
                             = Session::haveRight(self::$rightname, UPDATE);
58
            TemplateRenderer::getInstance()->display('@myplugin/config.html.twig', [
60
                'current_config' => $current_config,
                'can_edit'
                                 => $canedit
62
            ]);
       }
64
   }
```

Once again, we manage display from a dedicated template file:

#### templates/config.html.twig

```
{% import "components/form/fields_macros.html.twig" as fields %}
2
   {% if can_edit %}
       <form name="form" action="{{ "Config"|itemtype_form_path }}" method="POST">
4
           <input type="hidden" name="config_class" value="GlpiPlugin\\Myplugin\\Config">
           <input type="hidden" name="config_context" value="plugin:myplugin">
6
           <input type="hidden" name="_glpi_csrf_token" value="{{ csrf_token() }}">
           {{ fields.dropdownYesNo(
                'myplugin_computer_tab',
10
                current_config['myplugin_computer_tab'],
11
                __("Display tab in computer", 'myplugin')
12
           ) }}
13
           {{ fields.dropdownYesNo(
15
                'myplugin_computer_form',
                current_config['myplugin_computer_form'],
17
                 _("Display information in computer form", 'myplugin')
           ) }}
19
           <button type="submit" class="btn btn-primary mx-1" name="update" value="1">
21
                <i class="ti ti-device-floppy"></i>
22
                <span>{{ _x('button', 'Save') }}</span>
23
           </button>
24
       </form>
                                                                                  (continues on next page)
```

```
26 {% endif %}
```

This skeleton retrieves the calls to a tab in the Setup > General menu to display the dedicated form. It is useless to add a front file because the GLPI Config object already offers a form display.

Note that we display, from the myplugin\_computer\_form two yes/no fields named myplugin\_computer\_tab and myplugin\_computer\_form.

### Note

Complete setup.php file by defining the new tab in the Config class.

You also have to add those new configuration entries management to install/uninstall methods. You can use the following:

Do not forget to replace ## surrounded terms with your own values!

# 5.11.13 Managing rights

To limit access to our plugin features to some of our users, we can use the GLPI Profile class.

This will check \$rightname property of class that inherits CommonDBTM for all standard events. Those check are done by static can\* functions:

- · canCreate for add
- canUpdate for update
- · canDelete for delete
- canPurge for delete when \$force parameter is set to true

In order to customize rights, we will redefine those static methods in our classes.

If we need to check a right manually in our code, the Session class provides some methods:

```
}
   // we can also test a set multiple rights with AND operator
   if (Session::haveRightsAnd(self::$rightname, [CREATE, READ])) {
      // OK
11
12
13
   // also with OR operator
14
   if (Session::haveRightsOr(self::$rightname, [CREATE, READ])) {
15
16
   }
17
18
   // check a specific right (not your class one)
19
   if (Session::haveRight('ticket', CREATE)) {
20
      // OK
21
   }
22
```

Above methods return a boolean. If we need to stop the page with a message to the user, we can use equivalent methods with check instead of have prefix:

- checkRight
- checkRightsOr

# Warning If you need to check a right in an SQL query, use bitwise operators & and |: <?php \$iterator = \$DB->request([ 'SELECT' => 'glpi\_profiles\_users.users\_id', 'FROM' => 'glpi\_profiles\_users', 'INNER JOIN' => [ 'glpi\_profiles' => [ 'ON' => [ 'glpi\_profiles\_users' => 'profiles\_id' 'glpi\_profiles' => 'id' ] ], 'glpi\_profilerights' => [ 'ON' => [ 'glpi\_profilerights' => 'profiles\_id', 'glpi\_profiles' => 'id' ] ] ], 'WHERE' => [ 'glpi\_profilerights.name' => 'ticket', 'glpi\_profilerights.rights' => ['&', (READ | CREATE)]; ] ]); In this code example, the READ | CREATE make a bit sum, and the & operator compare the value at logical level

with the table.

Possible values for standard rights can be found in the inc/define.php file of GLPI:

```
c?php

define("READ", 1);
define("UPDATE", 2);
define("CREATE", 4);
define("DELETE", 8);
define("PURGE", 16);
define("ALLSTANDARDRIGHT", 31);
define("READNOTE", 32);
define("UPDATENOTE", 64);
define("UNLOCK", 128);
```

### Add a new right

### 1 Note

We *previously defined a property* \$rightname = 'computer' on which we've automatically rights as super-admin. We will now create a specific right for the plugin.

First of all, let's create a new class dedicated to profiles management:

#### src/Profile.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   use CommonGLPI;
   use Html;
   use Profile as Glpi_Profile;
   class Profile extends CommonDBTM
   {
10
       public static $rightname = 'profile';
11
12
       static function getTypeName($nb = 0)
13
       {
14
           return __("My plugin", 'myplugin');
15
17
       public function getTabNameForItem(CommonGLPI $item, $withtemplate = 0)
18
19
           if (
                $item instanceof Glpi_Profile
21
                && $item->getField('id')
```

```
) {
23
                return self::createTabEntry(self::getTypeName());
25
           return '';
       }
27
28
       static function displayTabContentForItem(
29
            CommonGLPI $item,
30
            tabnum = 1
31
            $withtemplate = 0
32
       ) {
33
            if (
34
                $item instanceof Glpi_Profile
                && $item->getField('id')
36
           ) {
                return self::showForProfile($item->getID());
38
            }
40
           return true;
       }
42
       static function getAllRights($all = false)
44
45
            sights = [
46
                47
                     'itemtype' => Superasset::class,
48
                    'label'
                              => Superasset::getTypeName(),
                     'field'
                                => 'myplugin::superasset'
                ]
51
            ];
52
53
           return $rights;
       }
55
       static function showForProfile($profiles_id = 0)
59
            $profile = new Glpi_Profile();
            $profile->getFromDB($profiles_id);
61
62
            TemplateRenderer::getInstance()->display('@myplugin/profile.html.twig', [
63
                'can_edit' => self::canUpdate(),
                'profile' => $profile
                'rights' => self::getAllRights()
66
            ]);
67
       }
68
   }
```

Once again, display will be done from a Twig template:

### templates/profile.html.twig

We declare a new tab on Profile object from our init function:

# setup.php

And we tell installer to setup a minimal right for current profile (super-admin):

#### hook.php

```
function plugin_myplugin_uninstall() {
    ...

// delete rights for current profile
foreach (MyPlugin_Profile::getAllRights() as $right) {
    ProfileRight::deleteProfileRights([$right['field']]);
}

}
```

Then, wa can define rights from Administration > Profiles menu and can change the \$rightname property of our class to myplugin::superasset.

#### **Extending standard rights**

If we need specific rights for our plugin, for example the right to perform associations, we must override the getRights function in the class defining the rights.

In defined above example of the PluginMypluginProfile class, we added a getAllRights method which indicates that the right myplugin::superasset is defined in the PluginMypluginSuperasset class. This one inherits from CommonDBTM and has a getRights method that we can override:

#### src/Superasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM:
   class Superasset extends CommonDBTM
       const RIGHT_ONE = 128;
10
11
12
       function getRights($interface = 'central')
14
       {
           // if we need to keep standard rights
16
           $rights = parent::getRights();
17
18
           // define an additional right
           $rights[self::RIGHT_ONE] = __("My specific rights", "myplugin");
20
           return $rights;
22
       }
   }
```

# 5.11.14 Massive actions

GLPI massive actions allow applying modifications to a selection.



By default, GLPI proposes following actions:

- Edit: to edit fields that are defined in search options (excepted those where massiveaction is set to false)
- Put in trashbin/Delete

It is possible to declare extra massive actions.

To achieve that in your plugin, you must declare a hook in the init function:

### setup.php

```
function plugin_init_myplugin()

function plugin_init_myplugi
```

Then, in the Superasset class, you must add 3 methods:

- getSpecificMassiveActions: massive actions declaration.
- showMassiveActionsSubForm: sub-form display.
- processMassiveActionsForOneItemtype: handle form submit.

Here is a minimal implementation example:

#### src/Superasset.php

```
1  <?php
2
3  namespace GlpiPlugin\Myplugin;
4
5  use CommonDBTM;
6  use Html;</pre>
```

```
use MassiveAction;
   class Superasset extends CommonDBTM
11
12
       function getSpecificMassiveActions($checkitem = NULL)
13
14
            $actions = parent::getSpecificMassiveActions($checkitem);
15
16
            // add a single massive action
17
                         = __CLASS___;
18
            $action_key = "myaction_key";
            $action_label = "My new massive action";
20
            $actions[$class . MassiveAction::CLASS_ACTION_SEPARATOR . $action_key] = $action_
21
    →label:
22
           return $actions;
23
       }
24
25
       static function showMassiveActionsSubForm(MassiveAction $ma)
        {
27
            switch ($ma->getAction()) {
28
                case 'myaction_key':
29
                     echo __("fill the input");
30
                     echo Html::input('myinput');
31
                     echo Html::submit(__('Do it'), ['name' => 'massiveaction']) . "</span>";
32
                     break;
34
            }
35
36
           return parent::showMassiveActionsSubForm($ma);
       }
38
       static function processMassiveActionsForOneItemtype(
40
            MassiveAction $ma,
            CommonDBTM $item,
42
            array $ids
       ) {
44
            switch ($ma->getAction()) {
                case 'myaction_key':
46
                     $input = $ma->getInput();
48
                     foreach ($ids as $id) {
49
50
                         if (
51
                             $item->getFromDB($id)
52
                             && $item->doIt($input)
53
                         ) {
                             $ma->itemDone($item->getType(), $id, MassiveAction::ACTION_OK);
55
                             $ma->itemDone($item->getType(), $id, MassiveAction::ACTION_KO);
57
                                                                                    (continues on next page)
```

# **1** Note

**Exercise**: With the help of the official documentation on *massive actions*, complete in your plugin the above methods to allow the linking with a computer from "Super assets" massive actions.

You can display a list of computers with:

```
Computer::dropdown();
```

It is also possible to add massive actions to GLPI native objects. To achieve that, you must declare a \_MassiveActions function in the hook.php file:

#### hook.php

```
<?php
   use Computer;
   use MassiveAction;
   use GlpiPlugin\Myplugin\Superasset;
   . . .
   function plugin_myplugin_MassiveActions($type)
10
      $actions = [];
11
      switch ($type) {
         case Computer::class:
13
             $class = Superasset::class;
                   = 'DoIt';
             $key
15
             $label = __("plugin_example_DoIt", 'example');
             $actions[$class.MassiveAction::CLASS_ACTION_SEPARATOR.$key]
                = $label:
18
19
             break;
      }
21
      return $actions;
22
   }
23
```

Sub form display and processing are done the same way as you did for your plugin itemtypes.



1 Note

Exercise: As the previous exercise, add a massive action to link a computer to a "Super asset" from the computer

Do not forget to use unique keys and labels.

#### 5.11.15 Notifications



#### Warning

Access to an SMTP server is recommended; it must be properly configured in Setup > Notifications menu. On a development environment, you can install mailhog or mailcatcher which expose a local SMTP server and allow you to get emails sent by GLPI in a graphical interface.

Please also note that GLPI queues all notifications rather than sending them directly. The only exception to this is the test email notification. All "pending" notifications are visible in the Administration > Notification queue menu. You can send notifications immediately from this menu or by forcing the queuednotification automatic action.

The GLPI notification system allows sending alerts to the actors of a recorded event. By default, notifications can be sent by email or as browser notifications, but other channels may be available from plugins (or you can add your own one).

That system is divided in several classes:

· Notification: the triggering item. It receives common data like name, if it is active, sending mode, event, content (NotificationTemplate), etc.




• NotificationTarget: defines notification recipients.

It is possible to define recipients based on the triggering item (author, assignee) or static recipients (a specific user, all users of a specific group, etc).




• NotificationTemplate: notification templates are used to build the content, which can be chosen from Notification form. CSS can be defined in the templates and it receives one or more  ${\tt NotificationTemplateTranslation}$  instances.



• NotificationTemplateTranslation: defines the translated template content. If no language is specified, it will be the default translation. If no template translation exists for a user's language, the default translation will be used.

The content is dynamically generated with tags provided to the user and completed by HTML.



All of these notification-related object are natively managed by GLPI core and does not require any development intervention from us.

We can however trigger a notification execution via the following code:

The event key corresponds to the triggering event name defined in the Notification object and the item key to the triggering item. Therefore, the raiseEvent method will search the glpi\_notifications table for an active line

with these 2 characteristics.

To use this trigger in our plugin, we will add a new class PluginMypluginNotificationTargetSuperasset. This ones targets our Superasset object. It is the standard way to develop notifications in GLPI. We have an itemtype with its own life and a notification object related to it.

### src/NotificationTargetSuperasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use NotificationTarget;
   class NotificationTargetSuperasset extends NotificationTarget
       function getEvents()
10
11
           return [
12
                'my_event_key' => __('My event label', 'myplugin')
13
           ];
       }
15
       function getDatasForTemplate($event, $options = [])
17
            $this->datas['##myplugin.name##'] = __('Name');
19
       }
20
   }
21
```

We have to declare our Superasset object can send notifications in our init function:

#### setup.php

```
compage to the state of th
```

With this minimal code it's possible to create using the GLPI UI, a new notification targeting our Superasset itemtype and with the 'My event label' event and then use the raiseEvent method with these parameters.

#### 1 Note

**Exercise**: Along with an effective sending test, you will manage installation and uninstallation of notification and related objects (templates, translations).

You can see an example (still incomplete) on notifications in plugins documentation.

# 5.11.16 Automatic actions

This GLPI feature provides a task scheduler executed silently from user usage (GLPI mode) or by the server in command line (CLI mode) via a call to the front/cron.php file of GLPI.



To add one or more automatic actions to our class, we will add those methods:

- cronInfo: possible actions for the class, and associated labels
- cron\*Action\*: a method for each action defined in cronInfo. Those are called to manage each action.

#### src/Superasset.php

```
<?php
   namespace GlpiPlugin\Myplugin;
   use CommonDBTM;
   class Superasset extends CommonDBTM
   {
10
       static function cronInfo($name)
11
12
13
            switch ($name) {
14
                case 'myaction':
15
                     return ['description' => __('action desc', 'myplugin')];
16
            }
            return [];
18
       }
19
20
       static function cronMyaction($task = NULL)
21
22
            // do the action
23
24
            return true;
25
```

```
26 }
27 }
```

To tell GLPI that the automatic action exists, you just have to register it:

#### hook.php

```
<?php
   use CronTask;
   function plugin_myplugin_install()
   {
       CronTask::register(
10
            PluginMypluginSuperasset::class,
11
            'myaction',
12
            HOUR_TIMESTAMP,
13
            'comment'
                             => ''',
15
                 'mode'
                             => \CronTask::MODE_EXTERNAL
            ]
17
       );
   }
19
```

No need to manage uninstallation (unregister) as GLPI will handle that itself when the plugin is uninstalled.

# 5.11.17 Publishing your plugin

#### Catalog

When you consider your plugin is ready and covers a real need, you can submit it to the community.

The plugins catalog allows GLPI users to discover, download and follow plugins provided by the community as well as first-party plugins provided by Teclib'.

Just publish your code to an publicly accessible GIT repository (github, gitlab, ...) with an open source license of your choice and prepare an XML description file of your plugin. The XML file must follow this structure:

```
<root>
      <name>Displayed name</name>
2
      <key>System name</key>
      <state>stable</state>
      <le><logo>http://link/to/logo/with/dimensions/40px/40px</logo>
      <description>
6
         <short>
            <en>short description of the plugin, displayed on list, text only
            <lang>...</lang>
         </short>
10
         <long>
            <en>short description of the plugin, displayed on detail, Markdown accepted/en>
12
            <lang>...</lang>
```

```
</long>
14
      </description>
      <homepage>http://link/to/your/page</homepage>
16
      <download>http://link/to/your/files</download>
      <issues>http://link/to/your/issues</issues>
18
      <readme>http://link/to/your/readme</readme>
19
      <authors>
20
          <author>Your name</author>
21
      </authors>
22
      <versions>
23
          <version>
24
             <num>1.0</num>
25
             <compatibility>10.0</compatibility>
26
             <download_url>http://link/to/your/download/glpi-myplugin-1.0.tar.bz2</download_</pre>
27
   -url>
          </version>
28
      </re>
      <langs>
30
          <lang>en_GB</lang>
31
          <lang>...</lang>
32
      </langs>
      <license>GPL v2+</license>
34
      <tags>
          <en>
             <tag>tag1</tag>
37
          </en>
38
          <lang>
             <tag>tag1</tag>
40
          </lang>
41
      </tags>
42
      <screenshots>
43
          <screenshot>http://link/to/your/screenshot</screenshot>
          <screenshot>http://link/to/your/screenshot</screenshot>
45
          <screenshot>...</screenshot>
      </screenshots>
47
   </root>
```

To market this plugin to a wide range of users, you should add a detailed description in several languages and provide screenshots that represent your plugin.

Finally, submit your XML file on the dedicated page of the plugins catalog (registration is required).

#### **1** Note

Path to plugin XML file must display the raw XML file itself. For example, the following URL for the *exmple* plugin would be incorrect:

```
https://github.com/pluginsGLPI/example/blob/main/example.xml
```

The correct one (use Github UI raw button) would be:

https://raw.githubusercontent.com/pluginsGLPI/example/refs/heads/main/example.xml

Teclib' will receive a notification for this submission and after some checks, will activate the publication on the catalog.

#### Marketplace

By following these steps and recommendations, you will be able to make your plugin available on the GLPI Marketplace, thus offering users simplified installation and updates. We would like to thank you for this contribution, which helps enrich the GLPI ecosystem for the entire community.

#### 1. Preparation:

a. Your plugin archive should contain a directory with a name corresponding to the plugin's technical name. All your plugin's files should be placed in this directory.

#### Example:

for a plugin whose plugin\_init\_ function is plugin\_init\_oauthimap in setup.php, the technical name of its directory must be oauthimap. The plugin's files should be located inside a directory named oauthimap.

b. Make sure your XML file contains a <key> element that exactly matches this directory name (no spaces, no accents, no uppercase letters).

```
Example: <key>oauthimap</key>
```

c. In the <versions> section of your XML file, for each version of your plugin (with version number and compatibility), add a download\_url tag containing the URL where the plugin archive can be downloaded.

#### Example:

d. In the <versions> section of your XML file, for each version of your plugin the compatibility tag value must correspond to a GLPI version constraint in a format compatible with the composer API.

```
Example: <compatibility>~10.0.7</compatibility>
```

#### 1. Public Access:

- Make sure the URL of the XML file and the plugin archive download URL are publicly accessible.
- $\bullet \ \ Ensure \ that \ the \ plugin \ archive \ is \ properly \ structured \ and \ download able \ using \ the \ URL \ provided \ in \ the \ XML \ file.$

# **Technical Requirements and Recommendations**

- 1. Compliance with Coding Standards:
- Follow the recommendations in the GLPI Developer Documentation: GLPI Developer Documentation
- Ensure your code complies with GLPI coding standards and does not trigger errors from tools like phpcs.
- 2. Code Security and Quality:
- Avoid raw SQL queries. Always use GLPI framework methods (see *Querying* and *Updating*) this is mandatory starting from GLPI 11.
- Use Twig for templating.

- Properly enforce permissions in all front-end (front/) and AJAX (ajax/) files this is mandatory.
- The plugin may be rejected if it contains backdoors or obvious security flaws.

#### 3. Compatibility and Updates:

- Make sure your plugin is compatible with a maintained version of GLPI.
- Keep your plugin up to date to ensure continued compatibility with future GLPI versions.

#### **Submission Process**



Before continuing, your plugin must be published on the plugins catalog, see above.

#### 1. Validation and Approval:

- By default, plugins accepted on the Plugins Website are not automatically available on the Marketplace. For security and relevance reasons, the GLPI team must review key technical aspects before approving Marketplace availability.
- If your plugin is already listed on the Plugins Website and you want to distribute it on the Marketplace, please send an email to the GLPI team at glpi@teclib.com.
- Depending on the results of the review, the team may approve the plugin for availability on the on-premise GLPI Marketplace, and/or the Cloud instance Marketplace (which has stricter security requirements).

#### 2. Lifecycle and Maintenance

- Ongoing Monitoring:
- After approval and publication, regularly monitor your plugin's performance and security to ensure continued compliance with GLPI requirements.
- Plugin Deactivation:
- The GLPI team reserves the right to deactivate the plugin from the Marketplace if, at any point, it no longer meets requirements, causes a major bug, or presents a critical security vulnerability.

Therefore, it is crucial to maintain your plugin and promptly address any reported issues.

#### 5.11.18 Miscellaneous

#### **Querying database**

Rely on *DBmysqlIterator*. It provides an exhaustive query builder.

```
<?php
   // => SELECT * FROM `glpi_computers`
   $iterator = $DB->request(['FROM' => 'glpi_computers']);
   foreach ($ierator as $row) {
       //... work on each row ...
   }
   $DB->request([
10
       'FROM' => ['glpi_computers', 'glpi_computerdisks'],
```

```
'LEFT JOIN' => [

'glpi_computerdisks' => [

'ON' => [

'glpi_computers' => 'id',

'glpi_computerdisks' => 'computer_id'

'glpi_computer_id'

'glpi_computer_id'

'glpi_computer_id'

'glpi_computer_id'

'glpi_computer_id'

'glpi_computer_id'

'glp
```

#### **Dashboards**

Since GLPI 9.5, dashboards are available from:

- · Central page
- · Assets menu
- · Assistance menu
- Ticket search results (mini dashboard)

This feature is split into several concepts - sub classes:

- a placement grid (Glpi\Dashboard\Grid)
- a widget collection (Glpi\Dashboard\Widget) to graphically display data
- a data provider collection (Glpi\Dashboard\Provider) that queries the database
- rights (Glpi\Dashboard\Right) on each dashboard
- filters (Glpi\Dashboard\Filter) that can be displayed in a dashboard header and impacting providers.

With these classes, we can build a dashboard that will display cards on its grid. A card is a combination of a widget, a data provider, a place on grid and various options (like a background colour for example).

From your plugin, you can complete these concepts with your own data and code.

#### setup.php

```
<?php
   use Glpi\Plugin\Hooks;
   use GlpiPlugin\Myplugin\Dashboard;
   function plugin_init_myplugin()
   {
       // add new widgets to the dashboard
10
       $PLUGIN_HOOKS[Hooks::DASHBOARD_TYPES]['myplugin'] = [
11
           Dashboard::class => 'getTypes',
12
       ];
13
14
       // add new cards to the dashboard
15
       $PLUGIN_HOOKS[Hooks::DASHBOARD_CARDS]['myplugin'] = [
16
           Dashboard::class => 'getCards',
17
```

```
18 ];
19 }
```

We will create a dedicated class for our dashboards:

#### src/Dashboard.php

```
<?php
2
   namespace GlpiPlugin\Myplugin;
   class Dashboard
6
       static function getTypes()
       {
8
           return [
                'example' => [
10
                    'label'
                               => __("Plugin Example", 'myplugin'),
11
                    'function' => __class__ . "::cardWidget",
12
                    'image' => "https://via.placeholder.com/100x86?text=example",
13
                ],
14
                'example_static' => [
15
                    'label' => __("Plugin Example (static)", 'myplugin'),
16
                    'function' => __class__ . "::cardWidgetWithoutProvider",
17
                    'image' => "https://via.placeholder.com/100x86?text=example+static",
18
                ],
19
           ];
20
       }
21
22
       static function getCards($cards = [])
23
           if (is_null($cards)) {
25
                $cards = [];
            }
27
            $new_cards = [
28
                'plugin_example_card' => [
29
                    'widgettype' => ["example"],
                                   => __("Plugin Example card"),
                    'label'
31
                                   => "PluginExampleExample::cardDataProvider",
                    'provider'
32
                ],
33
                'plugin_example_card_without_provider' => [
34
                    'widgettype' => ["example_static"],
35
                    'label'
                                    => __("Plugin Example card without provider"),
36
                ],
37
                'plugin_example_card_with_core_widget' => [
38
                    'widgettype' => ["bigNumber"],
                    'label'
                                   => __("Plugin Example card with core provider"),
40
                    'provider'
                                   => "PluginExampleExample::cardBigNumberProvider",
41
                ],
42.
           ];
43
44
           return array_merge($cards, $new_cards);
45
```

```
47
       static function cardWidget(array $params = [])
49
            $default = [
                'data' => [],
51
                'title' => '',
52
                // this property is "pretty" mandatory,
53
                // as it contains the colors selected when adding widget on the grid send
54
                // without it, your card will be transparent
55
                'color' => '',
56
57
           ];
            $p = array_merge($default, $params);
58
            // you need to encapsulate your html in div.card to benefit core style
60
            $html = "<div class='card' style='background-color: {$p["color"]};'>";
            $html.= "<h2>{$p['title']}</h2>";
62.
            $html.= "";
63
            foreach ($p['data'] as $line) {
64
                $html.= "$line";
            }
66
            $html.= "";
            $html.= "</div>";
68
           return $html;
70
       }
71
72
       static function cardWidgetWithoutProvider(array $params = [])
73
74
         $default = [
75
            // this property is "pretty" mandatory,
76
            // as it contains the colors selected when adding widget on the grid send
77
             // without it, your card will be transparent
             'color' => '',
79
         ];
         $p = array_merge($default, $params);
81
         // you need to encapsulate your html in div.card to benefit core style
83
         $html = "<div class='card' style='background-color: {$p["color"]};'>
                      static html (+optional javascript) as card is not matched with a data_
85
    →provider
                      <img src='https://www.linux.org/images/logo.png'>
86
                   </div>";
87
88
         return $html;
89
90
91
       static function cardBigNumberProvider(array $params = [])
92
       {
93
            $default_params = [
                'label' => null.
                'icon' => null,
           ];
97
                                                                                  (continues on next page)
```

```
$params = array_merge($default_params, $params);
98
            return [
100
                 'number' => rand(),
                          => "https://www.linux.org/",
102
                 'label' => "plugin example - some text",
103
                          => "fab fa-linux", // font awesome icon
                 'icon'
104
            ];
105
       }
106
   }
```

A few explanations on those methods:

- getTypes(): define available widgets for cards and methods to call for display.
- getCards(): define available cards for dashboards (when added to the grid). As previously explained, each is defined from a label, widget and optional data provider (from core or your plugin) combination
- cardWidget(): use provided parameters to display HTML. You are free to delegate display to a Twig template, and use your favourite JavaScript library.
- cardWidgetWithoutProvider(): almost the same as the cardWidget(), but does not use parameters and just returns a static HTML.
- cardBigNumberProvider(): provider and expected return example when grid will display card.

GLPI dashboards system is modular and you can use it in your own displays.

```
1  <?php
2
3  use Glpi\Dashboard\Grid;
4
5  $dashboard = new Grid('myplugin_example_dashboard', 10, 10, 'myplugin');
6  $dashboard->show();
```

By adding a context (myplugin), you can filter dashboards available in the dropdown list at the top right of the grid. You will not see GLPI core ones (central, assistance, etc.).

#### **Translating your plugins**

In many places in current document, code exmaples takes care of using gettext GLPI notations to display strings to users. Even if your plugin will be private, it is a good practice to keep this gettext usage.

See developper guide translation documentation for more explanations and list of PHP functions that can be used.

- On your local instance, you can use software like poedit to manage your translations.
- You can also rely on online services like Transifex or Weblate (both are free for open source projects).

If you have used the Empty plugin skeleton, you will benefit from command line tools to manage your locales:

```
# extract strings to translate from your source code
# and put them in the locales/myplugin.pot file
vendor/bin/extract-locales
```




#### 🛕 Warning

It is possible your translations are not updated after compiling MO files, a restart of your PHP (or web server, depending on your configuration) may be required.

# **5.11.19 REST API**

Since GLPI (since 9.1 release) has an external API in REST format. An XMLRPC format is also still available, but is deprecated.



### Configuration

For security reasons, API is disabled bu default. From the Setup > General, API tab menu, you can enable it. It's available from your instance at:

- http://path/to/glpi/apirest.php
- http://path/to/glpi/apixmlrpc.php

The first link includes an integrated documentation when you access it from a simple browser (a link is provided as soon as the API is active).

For the rest of the configuration:

- login allows to use login / password as well as web interface
- token connection use the token displayed in user preferences

Clé d'accès distant sjw24pvdh3ekxuidb9zyrv7fhbh4p25hk2iore30g 🔲 Regénérer générée le 06-04-2016 11:53

· API clients allow to limit API access from some IP addresses and log if necessary. A client allowing access from any IP is provided by default.

You can use the API usage bootstrap. This one is written in PHP and relies on Guzzle library to handle HTTP requests.

By default, it does a connection with login details defined in the config.inc.php file (that you must create by copying the config.inc.example file).



#### Warning

Make sure the script is working as expected before continuing.

### **API** usage

To learn this part, with the help of integrated documentation (or latest stable GLPI API documentation on github), we will do several exercises:

#### 1 Note

Exercise: Test a new connection using GLPI user external token

### 1 Note

**Exercise**: Close the session at the end of your script.

#### 1 Note

**Exercise**: Simulate computer life cycle:

- add a computer and some volumes (Item\_Disk),
- edit several fields,
- add commercial and administrative information (Infocom),
- display its detail in a PHP page,
- put it in the trashbin,
- and then remove it completely.

# 1 Note

Exercise: Retrieve computers list and display them an HTML array. The endpoint to use us "Search items". If you want to display columns labels, you will have to use the "List searchOptions" endpoint.

#### (cc) BY-NC-ND

# 5.12 Javascript

# 5.12.1 Vue.js

Please refer to the core Vue developer documentation first.

Plugins that wish to use custom Vue components must implement their own webpack config to build the components and add them to the *window.Vue.components* object.

Sample webpack config (derived from the config used in GLPI itself for Vue):

```
const webpack = require('webpack');
const path = require('path');
const VueLoaderPlugin = require('vue-loader').VueLoaderPlugin;
const config = {
   entry: {
        'vue': './js/src/vue/app.js',
   },
   externals: {
        // prevent duplicate import of Vue library (already done in ../../public/build/
→vue/app.js)
       vue: 'window _vue',
   },
   output: {
        filename: 'app.js',
        chunkFilename: "[name].js",
        chunkFormat: 'module',
        path: path.resolve(__dirname, 'public/build/vue'),
        publicPath: '/public/build/vue/',
        asyncChunks: true,
        clean: true,
   },
   module: {
        rules: [
            {
                // Vue SFC
                test: /\.vue$/,
                loader: 'vue-loader'
            },
                // Build styles
                test: /\.css$/,
                use: ['style-loader', 'css-loader'],
            },
        ]
   },
   plugins: [
       new VueLoaderPlugin(), // Vue SFC support
       new webpack.ProvidePlugin(
            {
                process: 'process/browser'
            }
        ),
```

(continues on next page)

```
new webpack.DefinePlugin({
            __VUE_OPTIONS_API__: false, // We will only use composition API
            __VUE_PROD_DEVTOOLS__: false,
        }),
   ],
   resolve: {
        fallback: {
            'process/browser': require.resolve('process/browser.js')
        },
   },
   mode: 'none', // Force 'none' mode, as optimizations will be done on release process
   devtool: 'source-map', // Add sourcemap to files
    stats: {
        // Limit verbosity to only usefull information
        all: false.
        errors: true,
        errorDetails: true,
        warnings: true,
        entrypoints: true,
        timings: true,
   },
    target: "es2020"
};
module.exports = config
```

Note the use of the externals option. This will prevent webpack from including Vue itself when building your components since it is already imported by the bundle in GLPI itself. The core GLPI bundle sets window.\_vue to the vue module and the plugin's externals option will map any imports from 'vue' to that. This will drastically reduce the size of your imports.

For your entrypoint, it is mostly the same as the core GLPI one except you should use the defineAsyncComponent method in window. Vue instead of importing it from Vue itself.

Example entrypoint:

```
// Require all Vue SFCs in is/src directory
const component_context = import.meta.webpackContext('.', {
   regExp: /\.vue$/i,
   recursive: true,
   mode: 'lazv'.
    chunkName: '/vue-sfc/[request]'
});
const components = {};
component_context.keys().forEach((f) => {
    const component_name = f.replace(/^{...}).vue$/, '$1');
    components[component_name] = {
        component: window.Vue.defineAsyncComponent(() => component_context(f)),
   };
});
// Save components in global scope
window.Vue.components = Object.assign(window.Vue.components | | {}, components);
```

5.12. Javascript 171

# **GLPI Developer Documentation Documentation**

To keep your components from colliding with core components or other plugins, it you should organize them inside the *js/src/Plugin/Yourplugin* folder. This will ensure plugin components are registered as Plugin/Yourplugin/YourComponent. You can organize components further with additional subfolders.



**CHAPTER** 

SIX

# **PACKAGING**

Various Linux distributions provides packages (*deb*, *rpm*, ...) for GLPI (Debian, Mandriva, Fedora, Redhat/CentOS, ...) and for some plugins. You may want to take a look at Remi's package for Fedora/RHEL to rely on a concrete example.

Here is some information about using and creating package:

- · for users to understand how GLPI is installed
- for support to understand how GLPI work on this installation
- · for packagers

# 6.1 Sources

GLPI public tarball is designed for ends-user; it will not fit packaging requirements. For example, this tarball bundle a lot of third party libraries, it does not ships unit tests, etc.

A better candidate would be to retrieve directly a tarball from github as package source.

# 6.2 Filesystem Hierarchy Standard

Most distributions requires that packages follows the FHS (Filesystem Hierarchy Standard):

- /etc/glpi for configuration files: config\_db.php and config\_db\_slave.php. Prior to 9.2 release, other files stay in glpi/config; beginning with 9.2, those files have been moved;
- /usr/share/glpi for the web pages (read only dir);
- /var/lib/glpi/files for GLPI data and state information (session, uploaded documents, cache, cron, plugins, ...);
- /var/log/glpi for various GLPI log files.

Please refer to GLPI installation documentation in order to get GLPI paths configured.

# 6.3 Apache Configuration File

Here is a configuration file sample for the Apache web server:

```
#To access via http://servername/glpi/
Alias /glpi /usr/share/glpi

# some people prefer a simple URL like http://glpi.example.com
```

```
#<VirtualHost *:80>
# DocumentRoot /usr/share/glpi
# ServerName glpi.example.com
#</VirtualHost>
<Directory /usr/share/glpi>
   Options None
   AllowOverride None
    # to overwrite default configuration which could be less than recommended value
   php_value memory_limit 64M
   <IfModule mod_authz_core.c>
      # Apache 2.4
      Require all granted
   </IfModule>
   <IfModule !mod_authz_core.c>
      # Apache 2.2
      Order Deny, Allow
      Allow from All
   </IfModule>
</Directory>
<Directory /usr/share/glpi/install>
    # 15" should be enough for migration in most case
   php_value max_execution_time 900
   php_value memory_limit 128M
</Directory>
# This sections replace the .htaccess files provided in the tarball
<Directory /usr/share/glpi/config>
   <IfModule mod_authz_core.c>
      # Apache 2.4
      Require all denied
   </IfModule>
   <IfModule !mod_authz_core.c>
      # Apache 2.2
      Order Deny, Allow
     Denv from All
   </IfModule>
</Directory>
<Directory /usr/share/glpi/locales>
   <IfModule mod_authz_core.c>
      # Apache 2.4
      Require all denied
  </IfModule>
   <IfModule !mod_authz_core.c>
      # Apache 2.2
      Order Deny, Allow
      Deny from All
   </IfModule>
```

```
</Directory>
<Directory /usr/share/glpi/install/mysql>
   <IfModule mod_authz_core.c>
      # Apache 2.4
      Require all denied
   </IfModule>
   <IfModule !mod_authz_core.c>
      # Apache 2.2
      Order Deny, Allow
      Deny from All
   </IfModule>
</Directory>
<Directory /usr/share/glpi/scripts>
   <IfModule mod_authz_core.c>
      # Apache 2.4
      Require all denied
  </IfModule>
   <IfModule !mod_authz_core.c>
      # Apache 2.2
      Order Deny, Allow
      Deny from All
   </IfModule>
</Directory>
```

# 6.4 Logs files rotation

Here is a logrotate sample configuration file (/etc/logrotate.d/glpi):

```
# Rotate GLPI logs daily, only if not empty
# Save 14 days old logs under compressed mode
/var/log/glpi/*.log {
    daily
    rotate 14
    compress
    notifempty
    missingok
    create 644 apache apache
}
```

# 6.5 SELinux stuff

For SELinux enabled distributions, you need to declare the correct context for the folders.

As an example, on Redhat based distributions:

- /etc/glpi and /var/lib/glpi: httpd\_sys\_script\_rw\_t, the web server need to write the config file in the former and various data in the latter;
- /var/log/glpi: httpd\_log\_t (apache log type: write only, no delete).

# 6.6 Use system cron

GLPI provides an internal cron for automated tasks. Using a system cron allow a more consistent and regular execution, for example when no user connected on GLPI.

```
    Note

cron.php should be run as the web server user (apache or www-data)
```

You will need a crontab file, and to configure GLPI to use system cron. Sample cron configuration file (/etc/cron.d/glpi):

```
# GLPI core
# Run cron from to execute task even when no user connected
*/4 * * * * apache /usr/bin/php /usr/share/glpi/front/cron.php
```

To tell GLPI it must use the system crontab, simply define the GLPI\_SYSTEM\_CRON constant to true in the config\_path.php file:

```
<?php
//[...]

//Use system cron
define('GLPI_SYSTEM_CRON', true);</pre>
```

# 6.7 Using system libraries

Since most distributions prefers the use of system libraries (maintained separately); you can't rely on the vendor directory shipped in the public tarball; nor use composer.

The way to handle third party libraries is to provide an autoload file with paths to you system libraries. You'll find all requirements from the composer.json file provided along with GLPI:

```
<?php
$vendor = '##DATADIR##/php';
// Dependencies from composer.json
// "ircmaxell/password-compat"
// \Rightarrow useless for php >= 5.5
//require_once $vendor . '/password_compat/password.php';
// "jasig/phpcas"
require_once '##DATADIR##/pear/CAS/Autoload.php';
// "iamcal/lib_autolink"
require_once $vendor . '/php-iamcal-lib-autolink/autoload.php';
// "phpmailer/phpmailer"
require_once $vendor . '/PHPMailer/PHPMailerAutoload.php';
// "sabre/vobject"
require_once $vendor . '/Sabre/VObject/autoload.php';
// "simplepie/simplepie"
require_once $vendor . '/php-simplepie/autoloader.php';
// "tecnickcom/tcpdf"
require_once $vendor . '/tcpdf/tcpdf.php';
// "zendframework/zend-cache"
```

```
// "zendframework/zend-i18n"
// "zendframework/zend-loader"
require_once $vendor . '/Zend/autoload.php';
// "zetacomponents/graph"
require_once $vendor . '/ezc/Graph/autoloader.php';
// "ramsey/array_column"
// => useless for php >= 5.5
// "michelf/php-markdown"
require_once $vendor . '/Michelf/markdown-autoload.php';
// "true/punycode"
if (file_exists($vendor . '/TrueBV/autoload.php')) {
    require_once $vendor . '/TrueBV/autoload.php';
} else {
    require_once $vendor . '/TrueBV/Punycode.php';
}
```

# 1 Note

In the above example, the ##DATADIR## value will be replaced by the correct value (/usr/share/php for instance) from the specfile using macros. Adapt with your build system possibilities.

# 6.8 Using system fonts rather than bundled ones

Some distribution prefers the use of system fonts (maintained separately).

GLPI use the FreeSans.ttf font you can configure adding in the config\_path.php:

```
<?php
//[...]
define('GLPI_FONT_FREESANS', '/path/to/FreeSans.ttf');</pre>
```

(cc) BY-NC-ND

**CHAPTER** 

SEVEN

# **UPGRADE GUIDES**

The upgrade guides are intended to help you adapt your plugins to the changes introduced in the new versions of GLPI.



Only the most important changes and those requiring support are documented here. If you are having trouble migrating your code, feel free to suggest a documentation update.

# 7.1 Upgrade to GLPI 11.0

# 7.1.1 Removal of input variables auto-sanitize

Prior to GLPI 11.0, PHP superglobals  $\GET$ ,  $\GET$ , and  $\GET$  were automatically sanitized. It means that SQL special characters were escaped (prefixed by a  $\DET$ ), and HTML special characters  $\CET$ , and  $\GET$  were encoded into HTML entities. This caused issues because it was difficult, for some pieces of code, to know if the received variables were "secure" or not.

In GLPI 11.0, we removed this auto-sanitization, and any data, whether it comes from a form, the database, or the API, will always be in its raw state.

#### **Protection against SQL injection**

Protection against SQL injection is now automatically done when DB query is crafted.

All the addslashes() usages that were used for this purpose have to be removed from your code.

```
- $item->add(Toolbox::addslashes_deep($properties));
+ $item->add($properties);
```

#### **Protection against XSS**

HTML special characters are no longer encoded automatically. Even existing data will be seamlessly decoded when it will be fetched from database. Code must be updated to ensure that all dynamic variables are correctly escaped in HTML views.

Views built with Twig templates no longer require usage of the |verbatim\_value filter to correctly display HTML special characters. Also, Twig automatically escapes special characters, which protects against XSS.

```
- {{ content|verbatim_value }}
+ {{ content }}
```

Code that outputs HTML code directly must be adapted to use the htmlescape() function.

```
- echo '' . $content . '';
+ echo '' . htmlescape($content) . '';
```

Also, code that ouputs javascript must be adapted to prevent XSS by escaping both the HTML code with the htmlescape() function and the JS variables with the jsescape() function.

# 1 Note

Both the htmlescape() and the jsescape() functions have been added to ease the migration to GLPI 11.0 but will be deprecated and removed when the GLPI HTML and JS code will be completely moved into Twig templates and JS files.

#### Query builder usage

Since it has been implemented, internal query builder (named DBMysqlIterator) do accept several syntaxes; that make things complex:

- 1. conditions (including table name as FROM array key) as first (and only) parameter.
- 2. table name as first parameter and condition as second parameter,
- 3. raw SQL queries,

The most used and easiest to maintain was the first. The second has been deprecated and the thrird has been prohibited or security reasons.

If you were using the second syntax, you will need to replace as follows:

```
- $iterator = $DB->request('mytable', ['field' => 'condition']);
+ $iterator = $DB->request(['FROM' => 'mytable', 'WHERE' => ['field' => 'condition']]);
```

Using raw SQL queries must be replaced with query builder call, among other to prevent syntax issues, and SQL injections; please refer to :doc:devapi/database/dbiterator.

# 7.1.2 Changes related to web requests handling

In GLPI 11.0, all the web requests are now handled by a unique entry point, the /public/index.php script. This allowed us to centralize a large number of things, including GLPI's initialization mechanics and error management.

#### Removal of the /inc/includes.php script

All the logic that was executed by the inclusion of the /inc/includes.php script is now made automatically. Therefore, it is no longer necessary to include it, even if it is still present to ease the migration to GLPI 11.0.

```
- include("../../inc/includes.php");
```

#### **Resource access restrictions**

In GLPI 11.0, we restrict the resources that can be accessed through a web request.

To ease the migration to GLPI 11.0, we still support public access to the PHP scripts located in the /ajax, /front and /report directories, and their URL remains unchanged.

All static assets or other PHP scripts that must be accessible through a web request must be moved in the /public directory. The /public part of the path must not be present in their URL, for instance:

- the URL of the /public/css/styles.css stylesheet of your plugin will be /plugins/myplugin/css/styles.css;
- the URL of the /public/mypluginapi.php script of your plugin will be /plugins/myplugin/mypluginapi.php.

### Legacy scripts access policy

By default, the access to any PHP script will be allowed only to authenticated users. If you need to change this default policy for some of your PHP scripts, you will need to do this in your plugin init function, using the Glpi\Http\Firewall::addPluginStrategyForLegacyScripts() method.

```
</php

use Glpi\Http\Firewall;

function plugin_init_myplugin() {
    Firewall::addPluginStrategyForLegacyScripts('myplugin', '#^/front/faq.php$#', __
    Firewall::STRATEGY_FAQ_ACCESS);
    Firewall::addPluginStrategyForLegacyScripts('myplugin', '#^/front/dashboard.php$#', __
    Firewall::STRATEGY_CENTRAL_ACCESS);
}
</pre>
```

The following strategies are available:

- Firewall::STRATEGY\_NO\_CHECK: no check is done, anyone can access your script, even unauthenticated users;
- Firewall::STRATEGY\_AUTHENTICATED: only authenticated users can access your script, it is the default strategy for all PHP scripts;
- Firewall::STRATEGY\_CENTRAL\_ACCESS: only users with access to the standard interface can access your script;
- Firewall::STRATEGY\_HELPDESK\_ACCESS: only users with access to the simplified interface can access your script;
- Firewall::STRATEGY\_FAQ\_ACCESS: only users with a read access to the FAQ will be allowed to access your script, unless the FAQ is configured to be public.

#### Stateless endpoints

By default, GLPI will automatically start the PHP session, and use a session cookie to share the current session ID between web requests. If there is no active session, it will redirect the client to the login page. This behaviour should be disabled for stateless endpoints, such as APIs endpoints. To do this, you will need to call the \Glpi\Http\SessionManager::registerPluginStatelessPath() method from the boot hook of your plugin, located in the setup.php file.

```
<?php (continues on next page)
```

```
use Glpi\Http\SessionManager;
function plugin_init_myplugin() {
    SessionManager::registerPluginStatelessPath('myplugin', '#^/front/api.php/#');
}
```

#### Handling of response codes and early script exit

Usage of the exit()/die() language construct is now discouraged as it prevents the execution of routines that might take place after the request has been executed. Also, due to a PHP bug (see https://bugs.php.net/bug.php?id=81451), the usage of the http\_response\_code() function will produce unexpected results, depending on the server environment.

In the case they were used to exit the script early due to an error, you can replace them by throwing an exception. Any exception thrown will now be caught correctly and forwarded to the error handler. If this exception is thrown during the execution of a web request, the GLPI error page will be shown, unless this exception is handled by a specific routine.

```
if ($item->getFromDB($_GET['id']) === false) {
    http_response_code(404);
    exit();
    throw new \Glpi\Exception\Http\NotFoundHttpException();
}
```

In case the exit()/die() language construct was used to just ignore the following line of code in the script, you can replace it with a return instruction.

```
if ($action === 'foo') {
    // specific action
    echo "foo action executed";
- exit();
+ return;
}

MypluginItem::displayFullPageForItem($_GET['id']);
```

#### **Crafting plugins URLs**

We changed the way to handle URLs to plugin resources so that they no longer need to reflect the location of the plugin on the file system. For instance, the same URL could be used to access a plugin file whether it was installed manually in the /plugins directory or via the marketplace.

To maintain backwards compatibility with previous behavior, we will continue to support URLs using the /marketplace path prefix. However, their use is deprecated and may be removed in a future version of GLPI.

The Plugin::getWebDir() PHP method has been deprecated.

```
- $path = Plugin::getWebDir('myplugin', false) . '/front/myscript.php';
+ $path = '/plugins/myplugin/front/myscript.php';
- $path = Plugin::getWebDir('myplugin', true) . '/front/myscript.php';
+ $path = $CFG_GLPI['root_doc'] . '/plugins/myplugin/front/myscript.php';
```

The GLPI\_PLUGINS\_PATH javascript variable has been deprecated.

```
- var url = CFG_GLPI.root_doc + '/' + GLPI_PLUGINS_PATH.myplugin + '/ajax/script.php';
+ var url = CFG_GLPI.root_doc + '/plugins/myplugin/ajax/script.php';
```

The get\_plugin\_web\_dir Twig function has been deprecated.

```
- <form action="{{ get_plugin_web_dir('myplugin') }}/front/config.form.php" method="post 

→">
+ <form action="{{ path('/plugins/myplugin/front/config.form.php') }}" method="post">
```





If you want to help us improve the current documentation, feel free to open pull requests! You can see open issues and join the documentation mailing list.

Here is a list of things to be done:

#### Todo

- · datafields option
- difference between searchunit and delay\_unit
- dropdown translations
- giveItem
- export
- · fulltext search

(The original entry is located in /home/docs/checkouts/readthedocs.org/user\_builds/glpi-developer-documentation/checkouts/master/source/devapi/search.rst, line 27.)

#### **7** Todo

Write documentation for this hook.

#### Todo

Write documentation for this hook. It looks a bit particular.

(The original entry is located in /home/docs/checkouts/readthedocs.org/user\_builds/glpi-developer-documentation/checkouts/master/source/plugins/hooks.rst, line 664.)

### **7** Todo

Write documentation for this hook.

# **GLPI Developer Documentation Documentation**

 $(The \quad original \quad entry \quad is \quad located \quad in \quad /home/docs/checkouts/readthedocs.org/user\_builds/glpi-developer-documentation/checkouts/master/source/plugins/hooks.rst, line 686.)$ 

