


GeoQuest

Alunos:

João Marques, 20210408 Roberta Santos, 20211091

https://github.com/JoaoMarques03/GeoQuest

```
GET Get Users
                                                                           Open Req
http://127.0.0.1:7000/user/all
Add request description...
Example
Request
  cURL
                                                                               =
 curl --location --request GET '127.0.0.1:7000/user/all'
Response
Body Headers
                                                                               =
  json
  t
      "id": 1,
      "usersName": "Roberta",
      "usersPassword": "123".
```



Example Success

Request

```
cURL

curl --location --request POST '127.0.0.1:7000/user' \
--data-raw '{
    "usersName": "Roberta",
    "usersPassword": "fofinha"
}'
```

Response

Body Headers

```
json

{
    "id": 4,
    "usersName": "Roberta",
    "usersPassword": "fofinha",
    "userQuests": []
}
```

DEL Delete Users

Open Request →

127.0.0.1:7000/users

Add request description...

Example Success

Request

```
cURL curl --location --request DELETE '127.0.0.1:7000/user/all'
```

Response

Body Headers

No response body

This request doesn't return any response body.

Foto

Add folder description...

POST Create foto

Open Request →

```
127.0.0.1:7000/foto
```

Add request description...

Body raw (json)

```
json

{
   "imagem": "link_para_imagem"
}
```

Example Success

Request

```
cURL


curl --location --request POST '127.0.0.1:7000/foto' \
--data-raw '{
    "imagem": "link_para_imagem"
}'
```


Response

Body Headers

```
json

{
  "id": 1,
  "imagem": "link_para_imagem",
  "locaisFotos": []
}
```





Locais Add folder description... **GET** Get locais Open Request → http://127.0.0.1:7000/locais Add request description... **GET** Get local by name Open Request → http://127.0.0.1:7000/locais/Museu do Oriente Add request description... **DEL** Delete locais Open Request → http://127.0.0.1:7000/locais Add request description... രീ Cookies രീ Ca **POST** Delete locais Copy Open Request → http://127.0.0.1:7000/locais Add request description... Body raw (json) = json "locationName": "local", "latitude": 39.233, "longitude": -9.222 }

Login

Add folder description...

POST Login

Open Request →

127.0.0.1:7000/login

Add request description...

Body raw (json)

```
json

{
  "username": "Joao",
  "password": "123"
}
```

Leaderboard

Add folder description...

GET New Request

Open Request →

http://127.0.0.1:7000/leaderboard

Add request description...

```
POST New Request Copy
```

Open Request →

http://127.0.0.1:7000/leaderboard

Add request description...

Body raw (json)

```
json = □

{
    "userId": 1,
    "questId": 1
}
```

DEL New Request Copy 2

Open Request →

http://127.0.0.1:7000/leaderboard/1

Add request description...