html 5 Visual Cheat Sheet

TAG HTML Version
- ● Tag supported in HTML 4.01 and HTML 5
- ● Tag not supported in HTML 5
- ● New HTML 5 tag

Attributes
- ● Attribute defined in HTML 4.01
- ● Attribute defined in HTML 4.01 and HTML 5
- ● Attribute defined in HTML 5

g Standard global attributes
(class, contenteditable, contextmenu, dir, draggable, id, irrelevant, lang, ref, registrationmark, tabindex, template,

---

`<!-- -->` comment — none

`<!DOCTYPE>` document type — none

`<a>` hyperlink — charset, coords, href, hreflang, media, name, ping, rel, rev, shape, target, type

`<abbr>` abbreviation — g

`<acronym>` acronym — Not supported in HTML 5, use `<abbr>` instead

`<address>` address element — g

`<applet>` applet — Not supported in HTML 5, use `<object>` instead

`<area>` image map area — alt, coords, href, hreflang, nohref, media, ping, rel, shape, target, type

`<article>` article — g

`<aside>` content aside from the page content — g

`<audio>` sound content — autoplay, controls, end, loopend, loopstart, playcount, src, start

`<b>` bold text — g

`<base>` base URL for all the links in a page — href, target

`<basefont>` base font — Not supported in HTML 5, use CSS instead

`<bdo>` text direction — dir

`<big>` big text — Not supported in HTML 5, use CSS instead

`<blockquote>` long quotation — cite

`<body>` body element — g

`<br>` single line break — g

`<button>` push button — autofocus, disabled, name, type, value

`<canvas>` graphics — height, width

`<caption>` table caption — g

`<center>` centered text — Not supported in HTML 5, use CSS instead

---

`<cite>` citation — g

`<code>` code text — g

`<col>` attributes for columns — align, char, charoff, span, valign, width

`<colgroup>` groups of columns — align, char, charoff, span, valign, width

`<command>` command button — checked, default, disabled, hidden, icon, label, radiogroup, type

`<datagrid>` data in a tree-list — disabled, multiple

`<datalist>` dropdown list — data

`<datatemplate>` data template — g

`<dd>` definition description — g

`<del>` deleted text — cite, datetime

`<details>` details of an element — open

`<dialog>` dialog (conversation) — g

`<dir>` directory list — Not supported in HTML 5, use CSS instead

`<div>` section in a document — g

`<dfn>` definition term — g

`<dl>` definition list — g

`<dt>` definition term — g

`<em>` emphasized text — g

`<embed>` embedded content — height, src, type, width

`<event-source>` target for events sent by a server — src

`<fieldset>` fieldset — disabled, form

`<figure>` group of media content — g

`<font>` text font, size, and color — Only the style attribute is supported in HTML 5. Use CSS instead

---

`<footer>` footer for a section or page — g

`<form>` form — action, data, replace, accept, accept-charset, enctype, method, name, target

`<frame>` sub window — Not supported in HTML 5

`<frameset>` set of frames — Not supported in HTML 5

`<h1> - <h6>` header 1 to header 6 — align

`<head>` document information — profile

`<header>` header for a section or page — g

`<hr>` horizontal rule — align, noshade, size, width

`<html>` html document — manifest, xmlns

`<i>` italic text — g

`<iframe>` inline sub window — align, frameborder, height, longdesc, marginheight, marginwidth, name, scrolling, src, width

`<img>` image — alt, src, align, border, height, hspace, ismap, longdesc, usemap, vspace, width

`<input>` input field — accept, align, alt, autocomplete, autofocus, checked, disabled, form, inputmode, list, max, maxlength, min, name, pattern, readonly, replace, required, size, src, step, template, type, value

`<ins>` inserted text — cite, datetime

`<isindex>` single-line input field — Not supported in HTML 5

`<kbd>` keyboard text — g

`<label>` label for a form control — for

`<legend>` title in a fieldset — align

`<li>` list item — type, value

`<link>` resource reference — charset, href, hreflang, media, rel, rev, target, type

`<mark>` marked text — g

`<map>` image map — id, name

`<menu>` menu list — autosubmit, compact, label, type

`<meta>` meta information — charset, content, http-equiv, name, scheme

`<meter>` measurement within a predefined range — high, low, max, min, optimum, value

`<nav>` navigation links — g

`<nest>` nestingpoint in a datatemplate — filter, mode

`<noframes>` noframe section — Not supported in HTML 5

`<noscript>` noscript section — none

`<object>` embedded object — align, archive, border, classid, codebase, codetype, data, declare, height, hspace, name, standby, type, usemap, vspace, width

`<ol>` ordered list — compact, start, type

`<optgroup>` option group — label, disabled

`<option>` option in a drop-down list — disabled, label, selected, value

`<output>` types of output — form

`<p>` paragraph — align

`<param>` parameter for an object — name, type, value, valuetype

`<pre>` preformatted text — width

`<progress>` progress of a task of any kind — max, value

`<q>` short quotation — cite

`<rule>` rules for updating a template — condition, mode

`<s>` strikethrough text — Not supported in HTML 5, use CSS instead

`<samp>` sample computer code — g

`<script>` script — async, type, charset, defer, language, src

`<section>` section in a document — g

`<select>` selectable list — autofocus, data, disabled, form, multiple, name, size

`<small>` small text — g

`<source>` media resources — media, src, type

`<span>` section in a document — g

`<strike>` strikethrough text — Not supported in HTML 5, use CSS instead

`<strong>` strong text — g

`<style>` style definition — media, scoped, type

`<sub>` subscripted text — g

`<sup>` superscripted text — g

`<table>` table — align, bgcolor, border, cellpadding, cellspacing, frame, rules, summary, width

`<tbody>` table body — g

`<td>` table cell — abbr, align, axis, bgcolor, char, charoff, colspan, headers, height, nowrap, rowspan, scope, valign, width

`<textarea>` text area — autofocus, cols, disabled, form, inputmode, name, readonly, required, rows

`<tfoot>` table footer — g

`<th>` table header — abbr, align, axis, bgcolor, char, charoff, colspan, headers, height, nowrap, rowspan, scope, valign, width

`<thead>` table header — g

`<time>` date/time — datetime

`<title>` document title — g

`<tr>` table row — align, bgcolor, char, charoff, valign

`<tt>` teletype text — Not supported in HTML 5, use CSS instead

`<u>` underlined text — Not supported in HTML 5, use CSS instead

`<ul>` unordered list — compact, type

`<var>` variable — g

`<video>` video — autoplay, controls, end, height, loopend, loopstart, playcount, poster, src, start, width

`<xmp>` preformatted text — Not supported in HTML 5