

**Normalized metrics for means and variances of the size, shape, and orientation dimensions of a diffusion tensor distribution**

Reference	variance of sizes	mean-square shape	root-mean-square shape	orientational order
Lasič 2014 [1]	$\tilde{\mu}_{2,\text{iso}}$	$\Delta\tilde{\mu}_2$	$\mu\text{FA}$	OP
Szczepankiewicz 2015 [2]	$V_i/\text{MD}^2$	$V_a/\text{MD}^2$		
Topgaard 2016 [3]				<b>S</b>
Westin 2016 [4]	$C_{\text{MD}}$	$C_{\mu}$		$C_c$
Szczepankiewicz 2016 [5]	$\text{MK}_I$	$\text{MK}_A$		
Topgaard 2016 [6]	$\frac{V(D_{\text{iso}})}{\langle D_{\text{iso}} \rangle^2}$	$\frac{\langle D_{\text{aniso}}^2 \rangle}{\langle D_{\text{iso}} \rangle^2}$		$ S_{zz} $

**References**

1. S. Lasič, F. Szczepankiewicz, S. Eriksson, M. Nilsson, D. Topgaard. Microanisotropy imaging: quantification of microscopic diffusion anisotropy and orientational order parameter by diffusion MRI with magic-angle spinning of the  $q$ -vector. *Front. Physics* 2, 11 (2014).
2. F. Szczepankiewicz, S. Lasič, D. van Westen, P.C. Sundgren, E. Englund, C.-F. Westin, F. Ståhlberg, J. Lätt, D. Topgaard, M. Nilsson. Quantification of microscopic diffusion anisotropy disentangles effects of orientation dispersion from microstructure: Applications in healthy volunteers and in brain tumors. *Neuroimage* 104, 241-252 (2015).
3. D. Topgaard. Director orientations in lyotropic liquid crystals: Diffusion MRI mapping of the Saupe order tensor. *Phys. Chem. Chem. Phys.* 18, 8545-8553 (2016).
4. C.-F. Westin, H. Knutsson, O. Pasternak, F. Szczepankiewicz, E. Özarslan, D. van Westen, C. Mattisson, M. Bogren, L. O'Donnell, M. Kubicki, D. Topgaard, M. Nilsson. Q-space trajectory imaging for multidimensional diffusion MRI of the human brain. *Neuroimage* 135, 345-362 (2016).
5. F. Szczepankiewicz, D. van Westen, E. Englund, C.-F. Westin, F. Ståhlberg, J. Lätt, P.C. Sundgren, M. Nilsson. The link between diffusion MRI and tumor heterogeneity: Mapping cell eccentricity and density by diffusional variance decomposition (DIVIDE). *Neuroimage* 142, 522-532 (2016).
6. D. Topgaard. NMR methods for studying microscopic diffusion anisotropy. In: R. Valiullin (Ed.) *Diffusion NMR of Confined Systems: Fluid Transport in Porous Solids and Heterogeneous Materials*, pp. 226-259, *New Developments in NMR* 9, Royal Society of Chemistry, Cambridge, UK (2016).