

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer Servers(1) PostgreSQL 17 Databases(8) aula bd_escola bdabp clima_alerta gestao_academica postgres queimadas_db sistema_bancario Casts Catalogs Event Triggers Extensions Foreign Data Wrappers Languages Publications Schemas Login/Group Roles Tablespaces

Dashboard Properties SQL Statistics Dependencies Dependents Processes sistema_bancario/postgres@PostgreSQL 17*

Query Query History

```
31 };
```

```
32
```

```
33 INSERT INTO transacoes (id_conta, tipo, valor) VALUES
```

```
34 (1, 'Depósito', 500.00),
```

```
35 (2, 'Saque', 200.00);
```

```
36
```

```
37 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
```

```
38 (1, 'Transferência', 300.00, 2);
```

```
39
```

```
40
```

```
41 SELECT * FROM clientes;
```

```
42
```

```
43
```

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

id_cliente	nome	cpf	endereco	telefone
[PK] Integer	character varying (100)	character varying (11)	text	character varying (15)
1	João Silva	12345678900	Rua A, 123	11999990000
2	Maria Oliveira	98765432100	Rua B, 456	11988887777

Total rows: 2 Query complete 00:00:00.189 CRLF Ln 40, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer Servers(1) PostgreSQL 17 Databases(8) aula bd_escola bdabp clima_alerta gestao_academica postgres queimadas_db sistema_bancario Casts Catalogs Event Triggers Extensions Foreign Data Wrappers Languages Publications Schemas Login/Group Roles Tablespaces

Dashboard Properties SQL Statistics Dependencies Dependents Processes sistema_bancario/postgres@PostgreSQL 17*

Query Query History

```
33 INSERT INTO transacoes (id_conta, tipo, valor) VALUES
```

```
34 (1, 'Depósito', 500.00),
```

```
35 (2, 'Saque', 200.00);
```

```
36
```

```
37 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
```

```
38 (1, 'Transferência', 300.00, 2);
```

```
39
```

```
40
```

```
41 SELECT * FROM clientes;
```

```
42
```

```
43 SELECT clientes.nome, contas.numero_conta, contas.saldo
```

```
44 FROM clientes
```

```
45 INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
```

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

nome	numero_conta	saldo
character varying (100)	character varying (10)	numeric (10,2)
João Silva	000123	1500.00
Maria Oliveira	000456	2300.00

Total rows: 2 Query complete 00:00:00.082 CRLF Ln 42, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers(1)
 - PostgreSQL 17
 - Databases(8)
 - aula
 - bd_escola
 - bdabp
 - clima_alerta
 - gestao_academica
 - postgres
 - queimadas_db
 - sistema_bancario**
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

Dashboard X Properties X SQL X Statistics X Dependencies X Dependents X Processes X sistema_bancario/postgres@PostgreSQL 17*

sistema_bancario/postgres@PostgreSQL 17

Query Query History

```
36
37 INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
38 (1, 'Transferência', 300.00, 2);
39
40 SELECT * FROM clientes;
41
42 SELECT clientes.nome, contas.numero_conta, contas.saldo
43 FROM clientes
44 INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
45
46 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
47 ('Carlos Mendes', '11122233344', 'Rua C, 789', '11977776666');
48
```

Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 73 msec.

Total rows: Query complete 00:00:00.073

✓ Query returned successfully in 73 msec. ✕

CRLF Ln 46, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers(1)
 - PostgreSQL 17
 - Databases(8)
 - aula
 - bd_escola
 - bdabp
 - clima_alerta
 - gestao_academica
 - postgres
 - queimadas_db
 - sistema_bancario**
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

Dashboard X Properties X SQL X Statistics X Dependencies X Dependents X Processes X sistema_bancario/postgres@PostgreSQL 17*

sistema_bancario/postgres@PostgreSQL 17

Query Query History

```
39
40 SELECT * FROM clientes;
41
42 SELECT clientes.nome, contas.numero_conta, contas.saldo
43 FROM clientes
44 INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
45
46 INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
47 ('Carlos Mendes', '11122233344', 'Rua C, 789', '11977776666');
48
49 INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
50 ('000789', 0, 3);
51
```

Data Output Messages Notifications



INSERT 0 1

Query returned successfully in 46 msec.

Total rows: Query complete 00:00:00.046

✓ Query returned successfully in 46 msec. ✕

CRLF Ln 49, Col 1



CREATE TABLE clientes (

id_cliente SERIAL PRIMARY KEY,

nome VARCHAR(100) NOT NULL,

cpf VARCHAR(11) UNIQUE NOT NULL,

endereco TEXT,

telefone VARCHAR(15)

);

```
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
('João Silva', '12345678900', 'Rua A, 123', '11999990000'),
('Maria Oliveira', '98765432100', 'Rua B, 456', '11988887777');
```

```
CREATE TABLE contas (
    id_conta SERIAL PRIMARY KEY,
    numero_conta VARCHAR(10) UNIQUE NOT NULL,
    saldo DECIMAL(10,2) DEFAULT 0,
    id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE
);
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000123', 1500.00, 1),
('000456', 2300.00, 2);
```

```
CREATE TABLE transacoes (
    id_transacao SERIAL PRIMARY KEY,
    id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
    tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
    valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
    data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    destino_transferencia INT REFERENCES contas(id_conta)
);
```

```
INSERT INTO transacoes (id_conta, tipo, valor) VALUES
(1, 'Depósito', 500.00),
(2, 'Saque', 200.00);
```

```
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES  
(1, 'Transferência', 300.00, 2);
```

```
SELECT * FROM clientes;
```

```
SELECT clientes.nome, contas.numero_conta, contas.saldo  
FROM clientes  
INNER JOIN contas ON clientes.id_cliente = contas.id_cliente;
```

```
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES  
( 'Carlos Mendes', '11122233344', 'Rua C, 789', '11977776666');
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES  
( '000789', 0, 3);
```

```
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES  
(1, 'Transferência', 100.00, 3);
```

```
SELECT clientes.nome, contas.numero_conta, contas.saldo  
FROM clientes  
LEFT JOIN contas ON clientes.id_cliente = contas.id_cliente;
```