
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error Saw <?. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)

At line 13, column 10

body>← <?php require(".

2. Warning Empty heading.

From line 56, column 33; to line 56, column 54

<h1 class="display-1"><i id=

3. Error Saw <?. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)

At line 73, column 58

t-group-item"><?= file_get_con
```

```
Error in an unquoted attribute value. Probable causes: Attributes running
 4.
    together or a URL query string in an unquoted attribute value.
    At line 73, column 134
      "<span style=\"color: red;\">
     Error Quote | in attribute name. Probable cause: Matching quote missing
 5.
    somewhere earlier.
    At line 73, column 147
     =\"color: red;\">Ativo</span>"
    (Warning) Attribute red; \" is not serializable as XML 1.0.
 6.
    From line 73, column 121; to line 73, column 148
     ) > 39 ? "<span style=\"color: red;\">Ativo<
     Error Attribute red; \" not allowed on element span at this point.
 7.
    From line 73, column 121; to line 73, column 148
     ) > 39 ? "<span style=\"color: red;\">Ativo<
    Attributes for element span:
       Global attributes
     Error | CSS: \"color |: Parse Error.
    From line 73, column 121; to line 73, column 148
    ) > 39 ? "<span style=\"color: red;\">Ativo<</pre>
     Error | | " | in an unquoted attribute value. Probable causes: Attributes running
 9.
    together or a URL query string in an unquoted attribute value.
    At line 73, column 179
      "<span style=\"color: green;\"</pre>
     Error Quote | "| in attribute name. Probable cause: Matching quote missing
10.
    somewhere earlier.
    At line 73, column 194
     "color: green;\">A monitorizar
    Warning Attribute green; \" is not serializable as XML 1.0.
11.
    From line 73, column 166; to line 73, column 195
    span>" : "<span style=\"color: green;\">A moni
12.
     Error Attribute green; \" not allowed on element span at this point.
    From line 73, column 166; to line 73, column 195
     span>" : "<span style=\"color: green;\">A moni
```

```
Showing results for contents of text-input area - Nu Html Checker
    Attributes for element span:
       Global attributes
     Error CSS: \"color: Parse Error.
13.
    From line 73, column 166; to line 73, column 195
     span>" : "<span style=\"color: green;\">A moni
     Error | Saw | <? |. Probable cause: Attempt to use an XML processing
14.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 74, column 73
     ivel de fumo: <?= file get con</pre>
     Error Saw <? . Probable cause: Attempt to use an XML processing
15.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 75, column 58
     t-group-item"><?= file_get_con
     Error Saw <? Probable cause: Attempt to use an XML processing
16.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 88, column 58
     t-group-item"><?= file get con
             in an unquoted attribute value. Probable causes: Attributes running
17.
    together or a URL query string in an unquoted attribute value.
    At line 88, column 133
      "<span style=\"color: green;\"</pre>
     Error Quote | " | in attribute name. Probable cause: Matching quote missing
18.
    somewhere earlier.
    At line 88, column 148
     "color: green;\">Ligado</span>
     Warning Attribute green; \" is not serializable as XML 1.0.
19.
    From line 88, column 120; to line 88, column 149
     ) > 30 ? "<span style=\"color: green;\">Ligado
    Error Attribute green; \" not allowed on element span at this point.
20.
    From line 88, column 120; to line 88, column 149
    ) > 30 ? "<span style=\"color: green;\">Ligado
    Attributes for element span:
       Global attributes
```

```
Error CSS: \"color : Parse Error.
21.
    From line 88, column 120; to line 88, column 149
     ) > 30 ? "<span style=\"color: green;\">Ligado
     Error : in an unquoted attribute value. Probable causes: Attributes running
22.
    together or a URL query string in an unquoted attribute value.
    At line 88, column 181
      "<span style=\"color: red;\">
             Quote | " | in attribute name. Probable cause: Matching quote missing
23.
    somewhere earlier.
    At line 88, column 194
     =\"color: red;\">Desligado</sp
     Warning Attribute red; \" is not serializable as XML 1.0.
24.
    From line 88, column 168; to line 88, column 195
     span>" : "<span style=\"color: red;\">Deslig
     Error Attribute red; \" not allowed on element span at this point.
25.
    From line 88, column 168; to line 88, column 195
     span>" : "<span style=\"color: red;\">Deslig
    Attributes for element span:
       Global attributes
     Error | CSS: \"color |: Parse Error.
26.
    From line 88, column 168; to line 88, column 195
     span>" : "<span style=\"color: red;\">Deslig
     Error | Saw | <? |. Probable cause: Attempt to use an XML processing
27.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 89, column 71
     >Temperatura: <?= file get con
28.
     Error | Saw | <? |. Probable cause: Attempt to use an XML processing
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 90, column 58
     t-group-item"><?= file_get_con
     Error Saw <? Probable cause: Attempt to use an XML processing
29.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
```

```
At line 103, column 58
     t-group-item"><?= file get con
     Error | " in an unquoted attribute value. Probable causes: Attributes running
30.
    together or a URL query string in an unquoted attribute value.
    At line 103, column 130
      "<span style=\"color: red;\">
     Error Quote in attribute name. Probable cause: Matching quote missing
31.
    somewhere earlier.
    At line 103, column 143
     =\"color: red;\">Aberto</span>
     Warning Attribute red; \" is not serializable as XML 1.0.
32.
    From line 103, column 117; to line 103, column 144
     ") > 4 ? "<span style=\"color: red;\">Aberto
     Error Attribute red; \" not allowed on element span at this point.
33.
    From line 103, column 117; to line 103, column 144
     ") > 4 ? "<span style=\"color: red;\">Aberto
    Attributes for element span:
       Global attributes
34.
     Error CSS: \"color : Parse Error.
    From line 103, column 117; to line 103, column 144
     ") > 4 ? "<span style=\"color: red;\">Aberto
    Error | | " | in an unquoted attribute value. Probable causes: Attributes running
35.
    together or a URL query string in an unquoted attribute value.
    At line 103, column 176
      "<span style=\"color: green;\"</pre>
     Error Quote in attribute name. Probable cause: Matching quote missing
36.
    somewhere earlier.
    At line 103, column 191
     "color: green;\">Fechado</span</pre>
     Warning Attribute green; \" is not serializable as XML 1.0.
37.
    From line 103, column 163; to line 103, column 192
     span>" : "<span style=\"color: green;\">Fechad
```

```
Error Attribute green; \" not allowed on element span at this point.
38.
    From line 103, column 163; to line 103, column 192
     span>" : "<span style=\"color: green;\">Fechad
    Attributes for element span:
       Global attributes
     Error CSS: \"color : Parse Error.
39.
    From line 103, column 163; to line 103, column 192
     span>" : "<span style=\"color: green;\">Fechad
     Error | Saw | <? | Probable cause: Attempt to use an XML processing
40.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 104, column 73
     ivel da agua: <?= file_get_con</pre>
     Error Saw <? Probable cause: Attempt to use an XML processing
41.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
     At line 105, column 58
     t-group-item"><?= file_get_con</pre>
     Error Saw <? Probable cause: Attempt to use an XML processing
42.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 118, column 58
     t-group-item"><?= file_get_con
     Error Stray end tag | span |.
43.
    From line 118, column 164; to line 118, column 170
     o detetado</span>" : "<
     Error in an unquoted attribute value. Probable causes: Attributes running
44.
    together or a URL query string in an unquoted attribute value.
    At line 118, column 189
      "<span style=\"color: green;\"</pre>
     Error Quote in attribute name. Probable cause: Matching quote missing
45.
    somewhere earlier.
    At line 118, column 204
     "color: green;\">A monitorizar
     Warning Attribute green; \" is not serializable as XML 1.0.
46.
    From line 118, column 176; to line 118, column 205
```

```
Showing results for contents of text-input area - Nu Html Checker
    span>" : "<span style=\"color: green;\">A moni
     Error Attribute green; \" | not allowed on element | span | at this point.
47.
    From line 118, column 176; to line 118, column 205
     span>" : "<span style=\"color: green;\">A moni
    Attributes for element span:
       Global attributes
     Error CSS: \"color: Parse Error.
48.
    From line 118, column 176; to line 118, column 205
     span>" : "<span style=\"color: green;\">A moni
     Error Saw <? Probable cause: Attempt to use an XML processing
49.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 119, column 58
     t-group-item"><?= file_get_con
     Error | Saw | <? | Probable cause: Attempt to use an XML processing
50.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 132, column 58
     t-group-item"><?= file_get_con
51.
     Error Stray end tag span.
    From line 132, column 148; to line 132, column 154
     ;\">Ligado</span>" : "<
     Error in an unquoted attribute value. Probable causes: Attributes running
52.
    together or a URL query string in an unquoted attribute value.
    At line 132, column 173
      "<span style=\"color: red;\">
53.
     Error | Quote | "| in attribute name. Probable cause: Matching quote missing
    somewhere earlier.
    At line 132, column 186
     =\"color: red;\">Desligado</sp
     Warning Attribute red; \" is not serializable as XML 1.0.
54.
    From line 132, column 160; to line 132, column 187
    span>" : "<span style=\"color: red;\">Deslig
     Error Attribute red; \" not allowed on element span at this point.
```

55.

```
From line 132, column 160; to line 132, column 187
     span>" : "<span style=\"color: red;\">Deslig
    Attributes for element span:
       Global attributes
     Error | CSS: \"color |: Parse Error.
56.
    From line 132, column 160; to line 132, column 187
     span>" : "<span style=\"color: red;\">Deslig
     Error | Saw | <? |. Probable cause: Attempt to use an XML processing
57.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 133, column 58
     t-group-item"><?= file_get_con
     Error Saw <? Probable cause: Attempt to use an XML processing
58.
    instruction in HTML. (XML processing instructions are not supported in HTML.)
    At line 146, column 58
     t-group-item"><?= file_get_con
     Error Stray end tag | span |.
59.
    From line 146, column 154; to line 146, column 160
     \">A Tocar</span>" : "<
     Error | "in an unquoted attribute value. Probable causes: Attributes running
60.
    together or a URL query string in an unquoted attribute value.
    At line 146, column 179
      "<span style=\"color: green;\"</pre>
     Error Quote | in attribute name. Probable cause: Matching quote missing
61.
    somewhere earlier.
     At line 146, column 194
     "color: green;\">Pronta</span>
     Warning Attribute green; \" is not serializable as XML 1.0.
62.
    From line 146, column 166; to line 146, column 195
     span>" : "<span style=\"color: green;\">Pronta
     Error Attribute green; \" | not allowed on element | span | at this point.
63.
    From line 146, column 166; to line 146, column 195
     span>" : "<span style=\"color: green;\">Pronta
    Attributes for element span:
```

Global attributes

```
64. Error CSS: \"color: Parse Error.

From line 146, column 166; to line 146, column 195

span>": "<span style=\"color: green;\">Pronta
65. Error Saw <? Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)

At line 147, column 58

t-group-item"><?= file_get_con</li>
66. Error Bad value //images/camara.jpg?t=<?= time() ?> for attribute src on element img: Illegal character in query: ⟨ is not allowed.

From line 161, column 25; to line 161, column 160

<imp src="./images/camara.jpg?t=<?= time() ?>" class="img-fluid rounded border border-dark p-2" alt="Fotografia capturada pela camara"/>

rounded border border-dark p-2" alt="Fotografia capturada pela camara"/>
```

Document checking completed.

Source

```
1. <!DOCTYPE html>←
   <html lang="pt">↔
 3.
        <head>←
 4.
            <title>Padaria Inteligente - Painel de Controlo IOT</title>↔
 5.
            <meta charset="utf-8" />↔
            <meta name="viewport" content="width=device-width, initial-scale=1"</pre>
 6.
    />←
 7.
            k
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
    EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
    crossorigin="anonymous">↔
 8.
            <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
    icons@1.7.2/font/bootstrap-icons.css">↔
 9.
            <link rel="icon" href="./images/logo.png" />←
10.
            <meta http-equiv="refresh" content="15" />←
11.
        </head>↩
12.
        <body>←
13.
            <?php require("./funcao_calculo.php"); ?>←
14.
            <nav class="navbar navbar-dark bg-primary navbar-expand-lg">←
                <div class="container">\leftrightarrow
15.
16.
                    <a class="navbar-brand" href="./">↔
17.
                        <img src="./images/logo.png" alt="Logotipo da Padaria</pre>
    Inteligente" height="50" width="50" class="d-inline-block"/>↔
18.
                        Padaria Inteligente↔
19.
                    </a>←
20.
                    <button class="navbar-toggler" type="button" data-bs-</pre>
    toggle="collapse" data-bs-target="#navbarNavDropdown" aria-
    controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
    navigation">↔
21.
                        <span class="navbar-toggler-icon"></span>↔
22.
                    </button>←
23.
                    <div class="collapse navbar-collapse" id="navbarNavDropdown">←
24.
                        ←
```

```
←
25.
26.
                             <a class="nav-link active" aria-current="page"</pre>
   href="./">Inicio</a>↔
27.
                         ↩
28.
                         class="nav-item">↔
29.
                             <a class="nav-link" id="sensor detetor fumo"</pre>
   href="./sensor.php?nome=detetor_fumo">Detetor de Incêndio</a>↔
30.
                         ↔
31.
                         class="nav-item">↔
                             <a class="nav-link" id="sensor_temperatura"</pre>
32.
   href="./sensor.php?nome=temperatura">Ventilação</a>↔
33.
                         ↔
34.
                         ←
                             <a class="nav-link" id="sensor ralo agua"</pre>
35.
   href="./sensor.php?nome=ralo_agua">Ralo contra Inundação</a>↔
36.
                         ↩
37.
                         ←
                             <a class="nav-link" id="sensor movimento"</pre>
38.
   href="./sensor.php?nome=movimento">Sensor Movimento</a>↔
39.
                         ↔
40.
                         ←
41.
                             <a class="nav-link" id="sensor_luz"</pre>
   href="./sensor.php?nome=luz">Iluminação</a>↔
42.
                         ↔
43.
                         class="nav-item">↔
                             <a class="nav-link" id="sensor campainha"</pre>
44.
   href="./sensor.php?nome=campainha">Campainha</a>↔
45.
                         ↩
46.
                      ↔
47.
                  </div>←
48.
              </div>←
49.
           </nav>←
           <div class="container">←
50.
51.
              <div class="row">↔
52.
                  <div class="col border m-2" id="estado sistema">←
53.
                      <div class="row">↔
54.
                         <div class="col">←
55.
                             <div class="text-center">←
56.
                                 <h1 class="display-1"><i
   id="icon_estado_sistema"></i></h1>↔
                             </div>↩
57.
58.
                         </div>←
59.
                         <div class="col-10">←
60.
                             Estado
   do sistema.
61.
                             <small
   id="descricao_estado_sistema">Mensagem</small>↔
62.
                         </div>←
63.
                      </div>←
64.
                  </div>←
65.
              </div>←
              <div class="row">↔
66.
                  <div class="col-12 col-sm-6 col-md-4 mt-2 text-center">←
67.
68.
                      <div class="card">↔
69.
                          <div class="card-header text-center">←
70.
                             Detetor de Incêndio↔
71.
                         </div>←
72.
                         ←
                             <?=</pre>
73
   file_get_contents("./dados/detetor_fumo/valor.txt") > 39 ? "<span</pre>
   style=\"color: red;\">Ativo</span>" : "<span style=\"color: green;\">A
   monitorizar</span>" ?>↔
74.
                             Nível de fumo: <?=</pre>
   file_get_contents("./dados/detetor_fumo/valor.txt") ?>%
                             <?=</pre>
75.
   file_get_contents("./dados/detetor_fumo/hora.txt") ?>
76.
                         ←
77.
                         <div class="card-body">↔
                             <a href="./sensor.php?nome=detetor_fumo"</pre>
78.
   class="card-link">Detalhes</a>↔
79.
                         </div>←
```

```
80.
                      </div>←
81.
                   </div>←
82.
                   <div class="col-12 col-sm-6 col-md-4 mt-2 text-center">←
                      <div class="card">↔
83.
                          <div class="card-header text-center">←
84.
85.
                             Ventilação↩
86.
                          </div>←
87.
                          ↔
                              <?=</pre>
88.
    file get contents("./dados/temperatura/valor.txt") > 30 ? "<span style=\"color:</pre>
    green;\">Ligado</span>" : "<span style=\"color: red;\">Desligado</span>" ?>
    ↔
89.
                              Temperatura: <?=</pre>
    file get contents("./dados/temperatura/valor.txt") ?>Cº↔
                              <?=</pre>
90.
    file get contents("./dados/temperatura/hora.txt") ?>
91.
                          ←
                          <div class="card-body">↔
92.
93.
                              <a href="./sensor.php?nome=temperatura"</pre>
    class="card-link">Detalhes</a>↔
94.
                          </div>←
95.
                      </div>←
96.
                   </div>↔
97.
                   <div class="col-12 col-sm-6 col-md-4 mt-2 text-center">←
                      <div class="card">↔
98.
                          <div class="card-header text-center">←
99.
100.
                              Ralo contra Inundação ←
101.
                          </div>←
102.
                          ↔
                              <?=</pre>
103.
    file_get_contents("./dados/ralo_agua/valor.txt") > 4 ? "<span style=\"color:</pre>
    red;\">Aberto</span>" : "<span style=\"color: green;\">Fechado</span>" ?>
    ←
104.
                              Nível da agua: <?=</pre>
    file get contents("./dados/ralo agua/valor.txt") ?>cm
105.
                              <?=</pre>
    file_get_contents("./dados/ralo_agua/hora.txt") ?>
106.
                          ↩
107.
                          <div class="card-body">←
108.
                             <a href="./sensor.php?nome=ralo_agua" class="card-</pre>
    link">Detalhes</a>↔
109.
                          </div>←
                      </div>←
110.
111.
                   </div>↔
                   <div class="col-12 col-sm-6 col-md-4 mt-2 text-center">←
112.
                      <div class="card">↔
113.
                          <div class="card-header text-center">←
114.
115.
                             Sensor Movimento↔
116.
                          </div>←
117.
                          ↔
                             <?=</pre>
118.
    file_get_contents("./dados/movimento/valor.txt") == 1 ? "<span style=\"color:</pre>
    red;\">Movimento detetado</span>" : "<span style=\"color: green;\">A
    monitorizar</span>" ?>↔
119.
                              <?=</pre>
    file get contents("./dados/movimento/hora.txt") ?>
120.
                          ←
                          <div class="card-body">↔
121.
122.
                              <a href="./sensor.php?nome=movimento" class="card-</pre>
    link">Detalhes</a>↔
                          </div>↔
123.
124.
                      </div>←
125.
                   </div>←
126.
                   <div class="col-12 col-sm-6 col-md-4 mt-2 text-center">←
                      <div class="card">↔
127.
                          <div class="card-header text-center">←
128.
129.
                              Iluminação↩
130.
                          </div>←
                          <ul class="list-group list-group-flush">\leftrightarrow
131.
132.
                              <?=</pre>
    file_get_contents("./dados/luz/valor.txt") == 1 ? "<span style=\"color:</pre>
```

```
green;\">Ligado</span>" : "<span style=\"color: red;\">Desligado</span>" ?>
    ←
133.
                               <?=</pre>
    file_get_contents("./dados/luz/hora.txt") ?>
134.
                            ↩
135.
                            <div class="card-body">←
                               <a href="./sensor.php?nome=luz" class="card-</pre>
136.
    link">Detalhes</a>↔
137.
                            </div>←
138.
                        </div>←
139.
                    </div>←
140.
                    <div class="col-12 col-sm-6 col-md-4 mt-2 text-center">←
141.
                        <div class="card">↔
142.
                            <div class="card-header text-center">←
143.
                               Campainha↔
144.
                            </div>←
145.
                            ↔
                               <?=</pre>
146.
    file_get_contents("./dados/campainha/valor.txt") == 1 ? "<span style=\"color:</pre>
    blue;\">A Tocar</span>" : "<span style=\"color: green;\">Pronta</span>" ?>
    ←
147.
                               <?=</pre>
    file_get_contents("./dados/campainha/hora.txt") ?>↔
148.
                           ↔
149.
                            <div class="card-body">←
150.
                               <a href="./sensor.php?nome=campainha" class="card-</pre>
    link">Detalhes</a>↔
151.
                            </div>←
                        </div>←
152.
153.
                    </div>←
154.
                </div>↔
155.
                <div class="row mt-2">↔
156.
                    <div class="col-5 mt-2 text-center">←
157.
                        Última imagem captada pela camara de videovigilância.↔
158.
                    <div class="col-7 mt-2">←
159.
160.
                        <div class="text-center">←
161.
                            <img src="./images/camara.jpg?t=<?= time() ?>"
    class="img-fluid rounded border border-dark p-2" alt="Fotografia capturada pela
    camara"/>⊷
162.
                        </div>←
163.
                    </div>←
164.
                </div>←
165.
                <footer class="d-flex flex-wrap justify-content-between align-</pre>
    items-center py-3 my-4 border-top">↔
166.
                    <div class="col-md-4 d-flex align-items-center">←
                        <a href="/" class="mb-3 me-\bar{2} mb-md-0 text-muted text-
167.
    decoration-none lh-1">↔
168.
                            <svg class="bi" width="30" height="24">↔
169.
                               <use xlink:href="#bootstrap"></use>←
170.
                           </svg>↔
171.
                        </a>←
172.
                        <span class="text-muted">© 2022 Bruno Silva, João
    Gonçalves, Tiago Amaro</span>↔
173.
                    </div>←
174.
175.
                    flex">↔
176.
                        class="ms-3">←
177.
                            <a class="text-muted"</pre>
    href="https://github.com/JoaoRodrigoGoncalves/projeto_IRSO">↔
178.
                               <i class="bi bi-github"></i></i>
179.
                            </a>←
180.
                        ↔
181.
                    ←
182.
                </footer>↔
183.
            </div>←
184.
            <script src="./js/jquery.min.js"></script>↔
185.
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.
    js" integrity="sha384-
```

Used the HTML parser.

Total execution time 30 milliseconds.

About this checker • Report an issue • Version: 22.1.29