

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="pt">
  <head>
    <title>Padaria Inteligente - Detalhes</title>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.7.2/font/bootstrap-icons.css">
    <link rel="icon" href="./images/logo.png" />
    <meta http-equiv="refresh" content="15" />
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Saw `<?>`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)

[At line 13, column 10](#)

```
body><?php
```

2. **Error** Stray end tag `span`.

[From line 44, column 93; to line 44, column 99](#)

```
arme Ativo</span>;
```

3. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 45, column 67](#)

```
"<span style=\"color: green;
```

4. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.
[At line 45, column 82](#)
`"color: green;\>A monitorizar`
5. **Warning** Attribute `green;\` is not serializable as XML 1.0.
[From line 45, column 54; to line 45, column 83](#)
`'off'] = "A moni`
6. **Error** Attribute `green;\` not allowed on element `span` at this point.
[From line 45, column 54; to line 45, column 83](#)
`'off'] = "A moni`
Attributes for element `span`:
[Global attributes](#)
7. **Error** CSS: `\"color`: Parse Error.
[From line 45, column 54; to line 45, column 83](#)
`'off'] = "A moni`
8. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.
[At line 48, column 65](#)
`"<span style=\"color: green;\`
9. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.
[At line 48, column 80](#)
`"color: green;\>Ligado`
10. **Warning** Attribute `green;\` is not serializable as XML 1.0.
[From line 48, column 52; to line 48, column 81](#)
`['on'] = "Ligado`
11. **Error** Attribute `green;\` not allowed on element `span` at this point.
[From line 48, column 52; to line 48, column 81](#)
`['on'] = "Ligado`
Attributes for element `span`:
[Global attributes](#)
12. **Error** CSS: `\"color`: Parse Error.
[From line 48, column 52; to line 48, column 81](#)

```
['on'] = "<span style=\"color: green;\">Ligado
```

13. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 49, column 66](#)

```
"<span style=\"color: red;\">
```

14. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 49, column 79](#)

```
=\"color: red;\">Desligado</sp
```

15. **Warning** Attribute `red;\"` is not serializable as XML 1.0.

[From line 49, column 53; to line 49, column 80](#)

```
'off'] = "<span style=\"color: red;\">Deslig
```

16. **Error** Attribute `red;\"` not allowed on element `span` at this point.

[From line 49, column 53; to line 49, column 80](#)

```
'off'] = "<span style=\"color: red;\">Deslig
```

Attributes for element `span`:

[Global attributes](#)

17. **Error** CSS: `\"color`: Parse Error.

[From line 49, column 53; to line 49, column 80](#)

```
'off'] = "<span style=\"color: red;\">Deslig
```

18. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 52, column 63](#)

```
"<span style=\"color: green;\"
```

19. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 52, column 78](#)

```
"color: green;\">Aberto</span>
```

20. **Warning** Attribute `green;\"` is not serializable as XML 1.0.

[From line 52, column 50; to line 52, column 79](#)

```
['on'] = "<span style=\"color: green;\">Aberto
```

21. **Error** Attribute `green;\"` not allowed on element `span` at this point.

[From line 52, column 50; to line 52, column 79](#)

```
['on'] = "<span style=\"color: green;\">Aberto
```

Attributes for element [span](#):

[Global attributes](#)

22. **Error** CSS: `\`"color": Parse Error.

[From line 52, column 50; to line 52, column 79](#)

```
['on'] = "<span style=\"color: green;\">Aberto
```

23. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 53, column 64](#)

```
"<span style=\"color: red;\">
```

24. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 53, column 77](#)

```
=\"color: red;\">Fechado</span
```

25. **Warning** Attribute `red;\"` is not serializable as XML 1.0.

[From line 53, column 51; to line 53, column 78](#)

```
'off'] = "<span style=\"color: red;\">Fechad
```

26. **Error** Attribute `red;\"` not allowed on element [span](#) at this point.

[From line 53, column 51; to line 53, column 78](#)

```
'off'] = "<span style=\"color: red;\">Fechad
```

Attributes for element [span](#):

[Global attributes](#)

27. **Error** CSS: `\`"color": Parse Error.

[From line 53, column 51; to line 53, column 78](#)

```
'off'] = "<span style=\"color: red;\">Fechad
```

28. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 56, column 63](#)

```
"<span style=\"color: red;\">
```

29. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 56, column 76](#)

```
=\"color: red;\">Movimento Det
```

30. **Warning** Attribute `red;\"` is not serializable as XML 1.0.

[From line 56, column 50; to line 56, column 77](#)

```
['on'] = "<span style=\"color: red;\">Movime
```

31. **Error** Attribute `red;\"` not allowed on element `span` at this point.

[From line 56, column 50; to line 56, column 77](#)

```
['on'] = "<span style=\"color: red;\">Movime
```

Attributes for element `span`:

[Global attributes](#)

32. **Error** CSS: `\"color`: Parse Error.

[From line 56, column 50; to line 56, column 77](#)

```
['on'] = "<span style=\"color: red;\">Movime
```

33. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 57, column 64](#)

```
"<span style=\"color: green;\"
```

34. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 57, column 79](#)

```
"color: green;\">A monitorizar
```

35. **Warning** Attribute `green;\"` is not serializable as XML 1.0.

[From line 57, column 51; to line 57, column 80](#)

```
'off'] = "<span style=\"color: green;\">A moni
```

36. **Error** Attribute `green;\"` not allowed on element `span` at this point.

[From line 57, column 51; to line 57, column 80](#)

```
'off'] = "<span style=\"color: green;\">A moni
```

Attributes for element `span`:

[Global attributes](#)

37. **Error** CSS: `\"color`: Parse Error.

[From line 57, column 51; to line 57, column 80](#)

```
'off'] = "<span style=\"color: green;\">A moni
```

38. **Error** " in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.
[At line 60, column 57](#)
`"<span style=\"color: green;\"`
39. **Error** Quote " in attribute name. Probable cause: Matching quote missing somewhere earlier.
[At line 60, column 72](#)
`"color: green;\">Ligada`
40. **Warning** Attribute `green;\"` is not serializable as XML 1.0.
[From line 60, column 44; to line 60, column 73](#)
`['on'] = "Ligada`
41. **Error** Attribute `green;\"` not allowed on element `span` at this point.
[From line 60, column 44; to line 60, column 73](#)
`['on'] = "Ligada`
Attributes for element `span`:
[Global attributes](#)
42. **Error** CSS: `\"color`: Parse Error.
[From line 60, column 44; to line 60, column 73](#)
`['on'] = "Ligada`
43. **Error** " in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.
[At line 61, column 58](#)
`"`
44. **Error** Quote " in attribute name. Probable cause: Matching quote missing somewhere earlier.
[At line 61, column 71](#)
`=\"color: red;\">Desligada</sp`
45. **Warning** Attribute `red;\"` is not serializable as XML 1.0.
[From line 61, column 45; to line 61, column 72](#)
`'off'] = "Deslig`
46. **Error** Attribute `red;\"` not allowed on element `span` at this point.
[From line 61, column 45; to line 61, column 72](#)
`'off'] = "Deslig`

Attributes for element [span](#):

[Global attributes](#)

47. **Error** CSS: `\ "color`: Parse Error.

[From line 61, column 45; to line 61, column 72](#)

```
'off'] = "<span style=\ "color: red;\ ">Deslig
```

48. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 64, column 63](#)

```
"<span style=\ "color: blue;\ "
```

49. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 64, column 77](#)

```
\ "color: blue;\ ">A tocar...</s
```

50. **Warning** Attribute `blue;\ "` is not serializable as XML 1.0.

[From line 64, column 50; to line 64, column 78](#)

```
['on'] = "<span style=\ "color: blue;\ ">A toca
```

51. **Error** Attribute `blue;\ "` not allowed on element [span](#) at this point.

[From line 64, column 50; to line 64, column 78](#)

```
['on'] = "<span style=\ "color: blue;\ ">A toca
```

Attributes for element [span](#):

[Global attributes](#)

52. **Error** CSS: `\ "color`: Parse Error.

[From line 64, column 50; to line 64, column 78](#)

```
['on'] = "<span style=\ "color: blue;\ ">A toca
```

53. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 65, column 64](#)

```
"<span style=\ "color: green;\ "
```

54. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 65, column 79](#)

```
"color: green;\ ">A espera</spa
```

55. **Warning** Attribute `green;"` is not serializable as XML 1.0.
[From line 65, column 51; to line 65, column 80](#)
'off'] = "À espe
56. **Error** Attribute `green;"` not allowed on element `span` at this point.
[From line 65, column 51; to line 65, column 80](#)
'off'] = "À espe
Attributes for element `span`:
[Global attributes](#)
57. **Error** CSS: `\"color`: Parse Error.
[From line 65, column 51; to line 65, column 80](#)
'off'] = "À espe
58. **Warning** Empty heading.
[From line 109, column 33; to line 109, column 54](#)
<h1 class="display-1"><i id=
59. **Error** Saw `<?`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)
[At line 122, column 63](#)
text-center"><?= \$nome_sensor
60. **Error** Saw `<?`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)
[At line 124, column 58](#)
t-group-item"><?= file_get_con
61. **Error** Saw `<?`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)
[At line 125, column 65](#)
-item">Valor: <?= file_get_con
62. **Error** Saw `<?`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)
[At line 125, column 132](#)
valor.txt") ?><?= \$unidade[\$_G
63. **Error** Saw `<?`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)
[At line 126, column 78](#)

Atualização: `<?= file_get_con`

64. **Error** Saw `<?`. Probable cause: Attempt to use an XML processing instruction in HTML. (XML processing instructions are not supported in HTML.)

[At line 134, column 30](#)

`<?php`

65. **Error** Text not allowed in element `ul` in this context.

[From line 137, column 51; to line 137, column 53](#)

`($dados) > 1)`

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

66. **Error** Text not allowed in element `ul` in this context.

[From line 138, column 3; to line 138, column 33](#)

`s) > 1)`

`{`

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

67. **Error** Text not allowed in element `ul` in this context.

[From line 139, column 10; to line 139, column 88](#)

`foreach (array_reverse($dados) as $key`

`=> $linha) {`

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

68. **Error** Text not allowed in element `ul` in this context.

[From line 140, column 1; to line 140, column 59](#)

`linha) {`

`if (!empty($linha) && ($k`

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

69. **Error** Text not allowed in element `ul` in this context.

[From line 140, column 60; to line 140, column 61](#)

`y($linha) && ($key`

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

70. **Error** Text not allowed in element `ul` in this context.

[At line 140, column 62](#)

`$linha) && ($key`

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

71. **Error** Text not allowed in element `ul` in this context.

[From line 140, column 63; to line 140, column 130](#)

```
linha) && ($key != count($dados)-1)) { // primeira linha é uma quebra de  
linha↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

72. **Error** Text not allowed in element `ul` in this context.

[From line 141, column 1; to line 141, column 92](#)

```
de linha↵                                list($data_hora,  
$valor) = explode(";", $linha);↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

73. **Error** Text not allowed in element `ul` in this context.

[From line 142, column 1; to line 142, column 50](#)

```
$linha);↵                                echo "<li cl
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

74. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 142, column 62](#)

```
ho "<li class=\"list-group-ite
```

75. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 142, column 79](#)

```
ist-group-item\">[" . $data_ho
```

76. **Error** Text not allowed in element `ul` in this context.

[From line 142, column 154; to line 142, column 155](#)

```
] . "</li>";↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

77. **Error** Text not allowed in element `ul` in this context.

[From line 143, column 1; to line 143, column 41](#)

```
"</li>";↵                                }↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

78. **Error** Text not allowed in element `ul` in this context.

[From line 144, column 1; to line 144, column 37](#)

```
}↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

79. **Error** Text not allowed in element `ul` in this context.

[From line 145, column 1; to line 145, column 33](#)

```
}↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

80. **Error** Text not allowed in element `ul` in this context.

[From line 146, column 1; to line 146, column 36](#)

```
}↵ else↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

81. **Error** Text not allowed in element `ul` in this context.

[From line 147, column 1; to line 147, column 33](#)

```
else↵ {↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

82. **Error** Text not allowed in element `ul` in this context.

[From line 148, column 1; to line 148, column 42](#)

```
{↵ echo "<li cl
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

83. **Error** `"` in an unquoted attribute value. Probable causes: Attributes running together or a URL query string in an unquoted attribute value.

[At line 148, column 54](#)

```
ho "<li class=\"list-group-ite
```

84. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

[At line 148, column 83](#)

```
em text-center\">Sem informaçã
```

85. **Warning** Attribute `text-center\"` is not serializable as XML 1.0.

[From line 148, column 43; to line 148, column 84](#)

```
echo "<li class=\"list-group-item text-center\">Sem in
```

86. **Error** Attribute `text-center\"` not allowed on element `li` at this point.

[From line 148, column 43; to line 148, column 84](#)

```
echo "<li class=\"list-group-item text-center\">Sem in
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an `ul` or `menu` element: [value](#) — [Ordinal value](#) of the list item

87. **Error** Text not allowed in element `ul` in this context.

[From line 148, column 114; to line 148, column 115](#)

```
strar</li>";↵
```

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

88. **Error** Text not allowed in element `ul` in this context.

[From line 149, column 1; to line 149, column 33](#)

```
ar</li>";↵ }↵
```

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

89. **Error** Text not allowed in element `ul` in this context.

[From line 150, column 1; to line 150, column 30](#)

```
}↵ ?>↵
```

Content model for element `ul`:

Zero or more `li` and [script-supporting](#) elements.

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="pt">↵
3.   <head>↵
4.     <title>Padaria Inteligente - Detalhes</title>↵
5.     <meta charset="utf-8" />↵
6.     <meta name="viewport" content="width=device-width, initial-scale=1"
/>>↵
7.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfspd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">↵
8.     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.7.2/font/bootstrap-icons.css">↵
```

```

9.      <link rel="icon" href="./images/logo.png" />↵
10.     <meta http-equiv="refresh" content="15" />↵
11. </head>↵
12. <body>↵
13.     <?php↵
14.         if (!isset($_GET['nome'])) {↵
15.             header("Location: ./"); // voltar para trás caso não exista
nenhum sensor especificado↵
16.         }↵
17. ↵
18.         require("../funcao_calculo.php");↵
19. ↵
20.         /* Nome Sensores */↵
21. ↵
22.         $nome_sensor['detetor_fumo'] = "Detetor de Incêndio";↵
23.         $nome_sensor['temperatura'] = "Ventilação";↵
24.         $nome_sensor['ralo_agua'] = "Ralo contra Inundação";↵
25.         $nome_sensor['movimento'] = "Sensor Movimento";↵
26.         $nome_sensor['luz'] = "Iluminação";↵
27.         $nome_sensor['campainha'] = "Campainha";↵
28. ↵
29.         /* Unidades por Sensor */↵
30. ↵
31.         //      Nome do Sensor↵
32.         $unidade['detetor_fumo'] = "%";↵
33.         $unidade['temperatura'] = "C°";↵
34.         $unidade['ralo_agua'] = "cm";↵
35.         $unidade['movimento'] = " (0 - LOW / 1 - HIGH)";↵
36.         $unidade['luz'] = " (0 - LOW / 1 - HIGH)";↵
37.         $unidade['campainha'] = " (0 - LOW / 1 - HIGH)";↵
38. ↵
39. ↵
40. ↵
41.         /* Estados dos Sensores */↵
42. ↵
43.         $estado_sensor['detetor_fumo']['trip_value'] = 39;↵
44.         $estado_sensor['detetor_fumo']['on'] = "<span style=\"color:
red;\">>Alarme Ativo</span>";↵
45.         $estado_sensor['detetor_fumo']['off'] = "<span style=\"color:
green;\">>A monitorizar...</span>";↵
46. ↵
47.         $estado_sensor['temperatura']['trip_value'] = 30;↵
48.         $estado_sensor['temperatura']['on'] = "<span style=\"color:
green;\">>Ligado</span>";↵
49.         $estado_sensor['temperatura']['off'] = "<span style=\"color:
red;\">>Desligado</span>";↵
50. ↵
51.         $estado_sensor['ralo_agua']['trip_value'] = 4;↵
52.         $estado_sensor['ralo_agua']['on'] = "<span style=\"color:
green;\">>Aberto</span>";↵
53.         $estado_sensor['ralo_agua']['off'] = "<span style=\"color:
red;\">>Fechado</span>";↵
54. ↵
55.         $estado_sensor['movimento']['trip_value'] = 0; //verificado como
maior que 0 (bool)↵
56.         $estado_sensor['movimento']['on'] = "<span style=\"color:
red;\">>Movimento Detetado</span>";↵
57.         $estado_sensor['movimento']['off'] = "<span style=\"color:
green;\">>A monitorizar...</span>";↵
58. ↵
59.         $estado_sensor['luz']['trip_value'] = 0; //verificado como maior
que 0 (bool)↵
60.         $estado_sensor['luz']['on'] = "<span style=\"color:
green;\">>Ligada</span>";↵
61.         $estado_sensor['luz']['off'] = "<span style=\"color:
red;\">>Desligada</span>";↵
62. ↵
63.         $estado_sensor['campainha']['trip_value'] = 0; //verificado como
maior que 0 (bool)↵
64.         $estado_sensor['campainha']['on'] = "<span style=\"color: blue;\">>A
tocar...</span>";↵

```

```

65.         $estado_sensor['campanha']['off'] = "<span style=\"color:
green;\">>À espera</span>";↵
66.         ?>↵
67.         <nav class="navbar navbar-dark bg-primary navbar-expand-lg">↵
68.             <div class="container">↵
69.                 <a class="navbar-brand" href="."/>↵
70.                     ↵
71.                     Padaria Inteligente↵
72.                 </a>↵
73.                 <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavDropdown" aria-
controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle
navigation">↵
74.                     <span class="navbar-toggler-icon"></span>↵
75.                 </button>↵
76.                 <div class="collapse navbar-collapse" id="navbarNavDropdown">↵
77.                     <ul class="navbar-nav">↵
78.                         <li class="nav-item">↵
79.                             <a class="nav-link" href="."/>Inicio</a>↵
80.                         </li>↵
81.                         <li class="nav-item">↵
82.                             <a class="nav-link" id="sensor_detetor_fumo"
href="./sensor.php?nome=detetor_fumo">Detetor de Incêndio</a>↵
83.                         </li>↵
84.                         <li class="nav-item">↵
85.                             <a class="nav-link" id="sensor_temperatura"
href="./sensor.php?nome=temperatura">Ventilação</a>↵
86.                         </li>↵
87.                         <li class="nav-item">↵
88.                             <a class="nav-link" id="sensor_ralo_agua"
href="./sensor.php?nome=ralo_agua">Ralo contra Inundação</a>↵
89.                         </li>↵
90.                         <li class="nav-item">↵
91.                             <a class="nav-link" id="sensor_movimento"
href="./sensor.php?nome=movimento">Sensor Movimento</a>↵
92.                         </li>↵
93.                         <li class="nav-item">↵
94.                             <a class="nav-link" id="sensor_luz"
href="./sensor.php?nome=luz">Iluminação</a>↵
95.                         </li>↵
96.                         <li class="nav-item">↵
97.                             <a class="nav-link" id="sensor_campanha"
href="./sensor.php?nome=campanha">Campanha</a>↵
98.                         </li>↵
99.                     </ul>↵
100.                 </div>↵
101.             </div>↵
102.         </nav>↵
103.         <div class="container mt-2">↵
104.             <div class="row">↵
105.                 <div class="col border m-2" id="estado_sistema">↵
106.                     <div class="row">↵
107.                         <div class="col">↵
108.                             <div class="text-center">↵
109.                                 <h1 class="display-1"><i
id="icon_estado_sistema"></i></h1>↵
110.                             </div>↵
111.                         </div>↵
112.                         <div class="col-10">↵
113.                             <p class="lead" id="titulo_estado_sistema">Estado
do sistema.</p>↵
114.                             <small
id="descricao_estado_sistema">Mensagem</small>↵
115.                         </div>↵
116.                     </div>↵
117.                 </div>↵
118.             </div>↵
119.             <div class="row">↵
120.                 <div class="col-12 col-sm-5">↵
121.                     <div class="card">↵

```

```

122.         <div class="card-header text-center"><?=  

$nome_sensor[$_GET["nome"]] ?></div><?=  

123.         <ul class="list-group list-group-flush"><?=  

124.         <li class="list-group-item"><?=  

file_get_contents("./dados/" . $_GET["nome"] . "/valor.txt") >  

$estado_sensor[$_GET['nome']][ 'trip_value' ] ? $estado_sensor[$_GET['nome']]  

[ 'on' ] : $estado_sensor[$_GET['nome']][ 'off' ] ?></li><?=  

125.         <li class="list-group-item">Valor: <?=  

file_get_contents("./dados/" . $_GET["nome"] . "/valor.txt") ?><?=  

$unidade[$_GET['nome']] ?></li><?=  

126.         <li class="list-group-item">Última Atualização: <?=  

file_get_contents("./dados/" . $_GET["nome"] . "/hora.txt") ?></li><?=  

127.         </ul><?=  

128.         </div><?=  

129.     </div><?=  

130.     <div class="col-12 col-sm-7"><?=  

131.         <div class="card"><?=  

132.             <div class="card-header">Histórico do Sensor</div><?=  

133.             <ul class="list-group list-group-flush" style="max-  

height: 54vh; overflow-y: scroll;"><?=  

134.                 <?php<?=  

135.                 $list = file_get_contents("./dados/" .  

$_GET["nome"] . "/log.txt");<?=  

136.                 $dados = explode("\n", $list);<?=  

137.                 if(count($dados) > 1)<?=  

138.                 {<?=  

139.                     foreach (array_reverse($dados) as $key =>  

$linha) { <?=  

140.                         if (!empty($linha) && ($key !=  

count($dados)-1)) { // primeira linha é uma quebra de linha<?=  

141.                             list($data_hora, $valor) =  

explode(";", $linha);<?=  

142.                             echo "<li class=\"list-group-  

item\">[" . $data_hora . "] Valor: " . $valor . $unidade[$_GET['nome']] . "  

</li>";<?=  

143.                             }<?=  

144.                         }<?=  

145.                     }<?=  

146.                     else<?=  

147.                     {<?=  

148.                         echo "<li class=\"list-group-item text-  

center\">Sem informação a mostrar</li>";<?=  

149.                     }<?=  

150.                 }><?=  

151.             </ul><?=  

152.         </div><?=  

153.     </div><?=  

154. </div><?=  

155. <footer class="d-flex flex-wrap justify-content-between align-  

items-center py-3 my-4 border-top"><?=  

156.     <div class="col-md-4 d-flex align-items-center"><?=  

157.         <a href="/" class="mb-3 me-2 mb-md-0 text-muted text-  

decoration-none lh-1"><?=  

158.             <svg class="bi" width="30" height="24"><?=  

159.                 <use xlink:href="#bootstrap"></use><?=  

160.             </svg><?=  

161.         </a><?=  

162.         <span class="text-muted">© 2022 Bruno Silva, João  

Gonçalves, Tiago Amaro</span><?=  

163.     </div><?=  

164. <?=  

165.     <ul class="nav col-md-4 justify-content-end list-unstyled d-  

flex"><?=  

166.         <li class="ms-3"><?=  

167.             <a class="text-muted"  

href="https://github.com/JoaoRodrigoGoncalves/projeto_IRSO"><?=  

168.                 <i class="bi bi-github"></i> <?=  

169.             </a><?=  

170.         </li><?=  

171.     </ul><?=  

172. </footer><?=  


```

```
173.         </div><↵
174.         <script src="./js/jquery.min.js"></script><↵
175.         <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.
js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script><↵
176.         <script src="./js/script.js"></script><↵
177.         <script><↵
178.             $(document).ready(() => {↵
179.                 $("#sensor_<?=$_GET['nome'] ?
>").addClass("active").attr("aria-current", "page");↵
180.                 acionarEstadoSistema(<?=$_GET['nome'] ?>);↵
181.             });↵
182.         </script><↵
183.     </body><↵
184. </html>
```

Used the HTML parser.

Total execution time 32 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.1.31