7
☐ jgbrittos / controleatletas Public
<> Code ↑↑ Pull requests ▶ Actions  ☐ Projects □ Wiki • Security   Insights
Commit
⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.
Extract Class - 1  Browse files
Arthurlevicoelho committed on Jun 23
1 parent 6fd195a commit 8c70537
Showing 44 changed files with 1,626 additions and 1 deletion.  Whitespace Ignore whitespace Split Unified
✓ 0 ■■■■■ ControleAtleta/build/classes/.netbeans_automatic_build □
Empty file.
✓ 0 ■■■■ ControleAtleta/build/classes/.netbeans_update_resources □
Empty file.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/Atleta.class □
Binary file not shown.
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/Boxeador.class □
Binary file not shown.
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$1.class □
Binary file not shown.
■ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$10.class 「□

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$11.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$12.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$13.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$14.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$15.class □
Binary file not shown.
→ BIN +80 Bytes (110%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$16.class □
Binary file not shown.
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$17.class □
Binary file not shown.
✓ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$2.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$3.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$4.class □
Binary file not shown.
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$5.class □
Binary file not shown.

→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$6.class □

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$7.class □

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$8.class □

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$9.class □

Binary file not shown.

∨ BIN +139 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador.class □

Binary file not shown.

∨ 887 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroBoxeador.form 
□

## Load diff

Large diffs are not rendered by default.

∨ 85 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroPatrocinadores.form 
□

```
@@ -0,0 +1,85 @@
. . .
     + <?xml version="1.0" encoding="UTF-8" ?>
 1
 2
 3
     + <Form version="1.3" maxVersion="1.8"
       type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
         <Properties>
 4
 5
            <Property name="defaultCloseOperation" type="int" value="2"/>
 6
        </Properties>
 7
         <SyntheticProperties>
 8
           <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
 9
            <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
     + </SyntheticProperties>
10
11
        <AuxValues>
12
            <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"</pre>
       value="0"/>
```

```
13
           <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"</pre>
       value="false"/>
14
           <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"</pre>
       value="true"/>
           <AuxValue name="FormSettings generateMnemonicsCode" type="java.lang.Boolean"</pre>
15
       value="false"/>
           <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"</pre>
16
       value="false"/>
           <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"</pre>
17
       value="1"/>
           <AuxValue name="FormSettings listenerGenerationStyle" type="java.lang.Integer"</pre>
18
       value="0"/>
           <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"</pre>
19
       value="false"/>
           <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"</pre>
20
       value="2"/>
         </AuxValues>
21
22
23
         <Layout>
           <DimensionLayout dim="0">
24
              <Group type="103" groupAlignment="0" attributes="0">
25
                  <Group type="102" alignment="0" attributes="0">
26
27
                      <EmptySpace max="-2" attributes="0"/>
                      <Component id="jLabel1" min="-2" max="-2" attributes="0"/>
28
                      <EmptySpace min="-2" pref="31" max="-2" attributes="0"/>
29
                      <Group type="103" groupAlignment="0" attributes="0">
30
                          <Group type="102" attributes="0">
31
                              <Component id="jButtonAdicionarPatrocinador" min="-2"</pre>
32
       pref="103" max="-2" attributes="0"/>
                               <EmptySpace pref="56" max="32767" attributes="0"/>
33
                               <Component id="jButtonCancelarPatrocinador" min="-2"</pre>
34
       pref="87" max="-2" attributes="0"/>
35
                          </Group>
                          <Component id="jTextFieldNomePatrocinador" max="32767"</pre>
36
       attributes="0"/>
37
                      </Group>
                      <EmptySpace max="-2" attributes="0"/>
38
39
                  </Group>
40
              </Group>
           </DimensionLayout>
41
           <DimensionLayout dim="1">
42
              <Group type="103" groupAlignment="0" attributes="0">
43
                  <Group type="102" alignment="0" attributes="0">
44
                      <EmptySpace max="-2" attributes="0"/>
45
                      <Group type="103" groupAlignment="3" attributes="0">
46
                          <Component id="jLabel1" alignment="3" min="-2" max="-2"</pre>
47
       attributes="0"/>
                          <Component id="jTextFieldNomePatrocinador" alignment="3" min="-2"</pre>
48
       max="-2" attributes="0"/>
                      </Group>
49
                      <EmptySpace max="32767" attributes="0"/>
50
51
                      <Group type="103" groupAlignment="3" attributes="0">
```

```
52
                          <Component id="jButtonAdicionarPatrocinador" alignment="3"</pre>
       min="-2" max="-2" attributes="0"/>
                          <Component id="jButtonCancelarPatrocinador" alignment="3"</pre>
53
       min="-2" max="-2" attributes="0"/>
54
                      </Group>
55
                      <EmptySpace max="-2" attributes="0"/>
                  </Group>
56
57
              </Group>
           </DimensionLayout>
58
         </Layout>
59
         <SubComponents>
60
           <Component class="javax.swing.JLabel" name="jLabel1">
61
              <Properties>
62
                <Property name="text" type="java.lang.String" value="Nome do</pre>
63
       Patrocinador:"/>
              </Properties>
64
           </Component>
65
           <Component class="javax.swing.JTextField" name="jTextFieldNomePatrocinador">
66
           </Component>
67
           <Component class="javax.swing.JButton" name="jButtonAdicionarPatrocinador">
68
              <Properties>
69
                <Property name="text" type="java.lang.String" value="Adicionar"/>
70
71
              </Properties>
72
              <Fvents>
                <EventHandler event="actionPerformed"</pre>
73
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonAdicionarPatrocinadorActionPerformed"/>
74
              </Events>
75
           </Component>
           <Component class="javax.swing.JButton" name="jButtonCancelarPatrocinador">
76
77
                <Property name="text" type="java.lang.String" value="Cancelar"/>
78
              </Properties>
79
              <Events>
80
                <EventHandler event="actionPerformed"</pre>
81
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonCancelarPatrocinadorActionPerformed"/>
              </Events>
82
83
           </Component>
         </SubComponents>
84
     + </Form>
85
```

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroPremiacao$1.class □
```

Binary file not shown.

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroPremiacao$2.class □

Binary file not shown.
```

```
∨ BIN +73 Bytes (110%)

ControleAtleta/build/classes/controleatleta/CadastroPremiacao$3$1.class □

Binary file not shown.
```

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroPremiacao$3.class □

Binary file not shown.
```

→ BIN +109 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroPremiacao.class □

Binary file not shown.

```
∨ 105 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroPremiacao.form 「□

                @@ -0,0 +1,105 @@
       . . .
             + <?xml version="1.1" encoding="UTF-8" ?>
         1
         2
         3
             + <Form version="1.3" maxVersion="1.7"
                type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
                 <SyntheticProperties>
         4
                    <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
         5
                </SyntheticProperties>
         6
         7
                <AuxValues>
                    <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"</pre>
         8
                value="0"/>
                    <AuxValue name="FormSettings autoSetComponentName" type="java.lang.Boolean"</pre>
         9
                value="false"/>
                    <AuxValue name="FormSettings generateFQN" type="java.lang.Boolean"</pre>
        10
                value="true"/>
                    <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"</pre>
        11
                value="false"/>
                    <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"</pre>
        12
                value="false"/>
        13
                    <AuxValue name="FormSettings layoutCodeTarget" type="java.lang.Integer"</pre>
                value="1"/>
                    <AuxValue name="FormSettings listenerGenerationStyle" type="java.lang.Integer"</pre>
        14
                value="0"/>
        15
                    <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"</pre>
                value="false"/>
                    <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"</pre>
        16
                value="2"/>
                  </AuxValues>
        17
        18
        19
                <Layout>
                    <DimensionLayout dim="0">
        20
        21
                      <Group type="103" groupAlignment="0" attributes="0">
             +
                          <Group type="102" alignment="0" attributes="0">
        22
```

```
23
                      <EmptySpace max="-2" attributes="0"/>
                      <Group type="103" groupAlignment="0" attributes="0">
24
                          <Group type="102" alignment="0" attributes="0">
25
                              <Group type="103" groupAlignment="0" attributes="0">
26
27
                                   <Component id="jLabelTitulo" alignment="0" min="-2"</pre>
       max="-2" attributes="0"/>
                                   <Component id="jLabelAno" alignment="0" min="-2" max="-2"</pre>
28
       attributes="0"/>
                              </Group>
29
                              <EmptySpace max="-2" attributes="0"/>
30
                              <Group type="103" groupAlignment="0" attributes="0">
31
                                   <Component id="jTextFieldAno" alignment="0" min="-2"</pre>
32
       pref="84" max="-2" attributes="0"/>
                                   <Component id="jTextFieldTitulo" alignment="0" pref="346"</pre>
33
       max="32767" attributes="0"/>
34
                              </Group>
35
                          </Group>
                          <Group type="102" alignment="1" attributes="0">
36
                              <Component id="jButtonAdicionar" min="-2" max="-2"</pre>
37
       attributes="0"/>
                              <EmptySpace type="unrelated" max="-2" attributes="0"/>
38
                              <Component id="jButtonCancelar" min="-2" max="-2"</pre>
39
       attributes="0"/>
                          </Group>
40
41
                      </Group>
                      <EmptySpace max="-2" attributes="0"/>
42
                  </Group>
43
44
              </Group>
45
           </DimensionLayout>
           <DimensionLayout dim="1">
46
              <Group type="103" groupAlignment="0" attributes="0">
47
                  <Group type="102" alignment="0" attributes="0">
48
                      <EmptySpace min="-2" pref="8" max="-2" attributes="0"/>
49
                      <Group type="103" groupAlignment="3" attributes="0">
50
                          <Component id="jLabelTitulo" alignment="3" min="-2" max="-2"</pre>
51
       attributes="0"/>
                          <Component id="jTextFieldTitulo" alignment="3" min="-2" max="-2"</pre>
52
       attributes="0"/>
53
                      </Group>
                      <EmptySpace max="-2" attributes="0"/>
54
                      <Group type="103" groupAlignment="1" attributes="0">
55
                          <Group type="102" alignment="1" attributes="0">
56
                              <Group type="103" groupAlignment="3" attributes="0">
57
                                   <Component id="jLabelAno" alignment="3" min="-2" max="-2"</pre>
58
       attributes="0"/>
                                   <Component id="jTextFieldAno" alignment="3" min="-2"
59
       max="-2" attributes="0"/>
60
                              </Group>
                              <EmptySpace min="-2" pref="32" max="-2" attributes="0"/>
61
                          </Group>
62
                          <Group type="103" alignment="1" groupAlignment="3"</pre>
63
       attributes="0">
```

```
<Component id="jButtonAdicionar" alignment="3" min="-2"</pre>
64
        max="-2" attributes="0"/>
                               <Component id="jButtonCancelar" alignment="3" min="-2"</pre>
65
        max="-2" attributes="0"/>
                           </Group>
66
                      </Group>
67
                       <EmptySpace max="32767" attributes="0"/>
 68
69
                  </Group>
70
              </Group>
            </DimensionLayout>
71
72
          </Layout>
          <SubComponents>
73
            <Component class="javax.swing.JButton" name="jButtonCancelar">
74
75
              <Properties>
                <Property name="text" type="java.lang.String" value="Cancelar"/>
76
              </Properties>
77
              <Events>
78
79
                <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarActionPerformed"/>
              </Events>
80
            </Component>
81
82
            <Component class="javax.swing.JButton" name="jButtonAdicionar">
83
              <Properties>
                <Property name="text" type="java.lang.String" value="Adicionar"/>
84
              </Properties>
85
              < Events>
86
                <EventHandler event="actionPerformed"</pre>
87
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonAdicionarActionPerformed"/>
              </Events>
88
            </Component>
89
            <Component class="javax.swing.JLabel" name="jLabelTitulo">
90
91
                <Property name="text" type="java.lang.String" value="Titulo:"/>
92
              </Properties>
93
            </Component>
94
            <Component class="javax.swing.JTextField" name="jTextFieldTitulo">
95
96
            </Component>
            <Component class="javax.swing.JLabel" name="jLabelAno">
97
              <Properties>
98
                <Property name="text" type="java.lang.String" value="Ano:"/>
99
100
              </Properties>
101
            </Component>
            <Component class="javax.swing.JTextField" name="jTextFieldAno">
102
103
            </Component>
104
          </SubComponents>
105
      + </Form>
```

```
✓ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroTelefone$1.class □
```

Binary file not shown.

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroTelefone$2.class □

Binary file not shown.
```

```
→ BIN +73 Bytes (110%) ControleAtleta/build/classes/controleatleta/CadastroTelefone$3$1.class □

Binary file not shown.
```

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroTelefone$3.class □

Binary file not shown.
```

```
→ BIN +109 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroTelefone.class □

Binary file not shown.
```

```
88 ControleAtleta/build/classes/controleatleta/CadastroTelefone.form
             @@ -0,0 +1,88 @@
     . . .
           + <?xml version="1.1" encoding="UTF-8" ?>
       1
       2
       3
           + <Form version="1.3" maxVersion="1.7"
             type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
       4
              <Properties>
                 <Property name="defaultCloseOperation" type="int" value="2"/>
       5
       6
              </Properties>
       7
               <SyntheticProperties>
                 <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
       8
       9
               </SyntheticProperties>
      10
               <AuxValues>
                 <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"</pre>
      11
             value="0"/>
      12
                 <AuxValue name="FormSettings autoSetComponentName" type="java.lang.Boolean"</pre>
             value="false"/>
                 <AuxValue name="FormSettings generateFQN" type="java.lang.Boolean"</pre>
      13
             value="true"/>
                 <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"</pre>
      14
             value="false"/>
                 <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"</pre>
      15
             value="false"/>
                 <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"</pre>
      16
             value="1"/>
                 <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"</pre>
      17
             value="0"/>
      18
                 <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"</pre>
             value="false"/>
```

```
19
           <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"</pre>
       value="2"/>
         </AuxValues>
20
21
22
         <Layout>
           <DimensionLayout dim="0">
23
              <Group type="103" groupAlignment="0" attributes="0">
24
                  <EmptySpace min="0" pref="400" max="32767" attributes="0"/>
25
                  <Group type="102" alignment="0" attributes="0">
26
                      <EmptySpace max="-2" attributes="0"/>
27
                      <Group type="103" groupAlignment="0" attributes="0">
28
                          <Group type="102" alignment="0" attributes="0">
29
                              <Component id="jLabelTelefone" min="-2" max="-2"</pre>
30
       attributes="0"/>
                              <EmptySpace max="-2" attributes="0"/>
31
                              <Component id="jTextFieldTelefone" pref="330" max="32767"</pre>
32
       attributes="0"/>
                          </Group>
33
                          <Group type="102" alignment="1" attributes="0">
34
                              <Component id="jButtonAdicionar" min="-2" max="-2"</pre>
35
       attributes="0"/>
                              <EmptySpace type="unrelated" max="-2" attributes="0"/>
36
37
                              <Component id="jButtonCancelar" min="-2" max="-2"
       attributes="0"/>
38
                          </Group>
39
                      </Group>
                      <EmptySpace max="-2" attributes="0"/>
40
41
                  </Group>
42
             </Group>
           </DimensionLayout>
43
           <DimensionLayout dim="1">
44
             <Group type="103" groupAlignment="0" attributes="0">
45
                  <EmptySpace min="0" pref="68" max="32767" attributes="0"/>
46
                  <Group type="102" alignment="0" attributes="0">
47
                      <EmptySpace min="-2" pref="8" max="-2" attributes="0"/>
48
                      <Group type="103" groupAlignment="3" attributes="0">
49
                          <Component id="jLabelTelefone" alignment="3" min="-2" max="-2"</pre>
50
       attributes="0"/>
51
                          <Component id="jTextFieldTelefone" alignment="3" min="-2"</pre>
       max="-2" attributes="0"/>
                      </Group>
52
                      <EmptySpace max="-2" attributes="0"/>
53
                      <Group type="103" groupAlignment="3" attributes="0">
54
                          <Component id="jButtonCancelar" alignment="3" min="-2" max="-2"</pre>
55
       attributes="0"/>
                          <Component id="jButtonAdicionar" alignment="3" min="-2" max="-2"</pre>
56
       attributes="0"/>
57
                      </Group>
58
                      <EmptySpace max="32767" attributes="0"/>
59
                  </Group>
60
              </Group>
           </DimensionLayout>
61
```

```
62
         </Layout>
63
         <SubComponents>
64
           <Component class="javax.swing.JLabel" name="jLabelTelefone">
65
             <Properties>
               <Property name="text" type="java.lang.String" value="Telefone:"/>
66
67
             </Properties>
           </Component>
68
69
           <Component class="javax.swing.JTextField" name="jTextFieldTelefone">
70
           </Component>
           <Component class="javax.swing.JButton" name="jButtonCancelar">
71
72
             <Properties>
73
               <Property name="text" type="java.lang.String" value="Cancelar"/>
74
             </Properties>
75
             <Events>
76
               <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonCancelarActionPerformed"/>
77
             </Events>
           </Component>
78
           <Component class="javax.swing.JButton" name="jButtonAdicionar">
79
             <Properties>
80
               <Property name="text" type="java.lang.String" value="Adicionar"/>
81
82
             </Properties>
             <Fvents>
83
               <EventHandler event="actionPerformed"</pre>
84
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonAdicionarActionPerformed"/>
85
             </Events>
86
           </Component>
87
         </SubComponents>
     + </Form>
```

## ✓ 210 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroTenista.form □

```
@@ -0,0 +1,210 @@
. . .
        . . .
              + <?xml version="1.0" encoding="UTF-8" ?>
         1
         2
         3
              + <Form version="1.3" maxVersion="1.8"
                type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
         4
                  <Properties>
                    <Property name="defaultCloseOperation" type="int" value="2"/>
         5
                  </Properties>
         6
                  <SyntheticProperties>
         7
                    <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
         8
         9
                    <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
                  </SyntheticProperties>
        10
        11
                  <AuxValues>
                    <AuxValue name="FormSettings autoResourcing" type="java.lang.Integer"</pre>
        12
                value="0"/>
        13
                    <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"</pre>
                value="false"/>
```

```
14
            <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"</pre>
       value="true"/>
15
            <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"</pre>
       value="false"/>
            <AuxValue name="FormSettings i18nAutoMode" type="java.lang.Boolean"</pre>
16
       value="false"/>
            <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"</pre>
17
       value="1"/>
            <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"</pre>
18
       value="0"/>
            <AuxValue name="FormSettings variablesLocal" type="java.lang.Boolean"</pre>
19
       value="false"/>
            <AuxValue name="FormSettings variablesModifier" type="java.lang.Integer"</pre>
20
        value="2"/>
         </AuxValues>
21
22
         <Layout>
23
            <DimensionLayout dim="0">
24
              <Group type="103" groupAlignment="0" attributes="0">
25
                  <Group type="102" attributes="0">
26
                       <EmptySpace min="-2" pref="32" max="-2" attributes="0"/>
27
                       <Group type="103" groupAlignment="0" attributes="0">
28
29
                           <Group type="102" attributes="0">
                               <Group type="103" groupAlignment="1" attributes="0">
30
                                    <Group type="102" attributes="0">
31
                                        <Component id="jButtonPesquisarTenista" max="32767"</pre>
32
        attributes="0"/>
                                        <EmptySpace min="-2" pref="173" max="-2"</pre>
33
        attributes="0"/>
                                        <Component id="jButtonSalvarTenista" min="-2"</pre>
34
       pref="90" max="-2" attributes="0"/>
                                        <EmptySpace min="-2" pref="50" max="-2"</pre>
35
        attributes="0"/>
                                        <Component id="jButtonCancelar" min="-2" pref="90"</pre>
36
       max="-2" attributes="0"/>
37
                                    </Group>
                                    <Group type="102" attributes="0">
38
                                        <Group type="103" groupAlignment="0" attributes="0">
39
40
                                            <Component id="jLabelPosRankMundial" min="-2"</pre>
       max="-2" attributes="0"/>
                                            <Component id="jLabelFortunaJogos" alignment="0"</pre>
41
       min="-2" max="-2" attributes="0"/>
42
                                        <EmptySpace max="32767" attributes="0"/>
43
                                        <Group type="103" groupAlignment="0" max="-2"</pre>
44
        attributes="0">
                                            <Component id="jTextFieldFortunaJogos" pref="290"</pre>
45
       max="32767" attributes="0"/>
                                            <Component id="jTextFieldPosRankMundial"</pre>
46
       max="32767" attributes="0"/>
47
                                        </Group>
48
                                    </Group>
```

```
49
                                   <Group type="102" attributes="0">
                                       <Group type="103" groupAlignment="0" attributes="0">
50
                                           <Component id="jLabelFortunaPropagandas"</pre>
51
       alignment="0" min="-2" max="-2" attributes="0"/>
                                           <Component id="jLabelTipoQuadra" alignment="0"</pre>
52
       min="-2" max="-2" attributes="0"/>
53
                                       <EmptySpace pref="52" max="32767" attributes="0"/>
54
                                       <Group type="103" groupAlignment="0" attributes="0">
55
                                           <Component id="jTextFieldFortunaPropagandas"</pre>
56
       max="32767" attributes="0"/>
                                           <Component id="jComboBoxTipoQuadra" pref="290"</pre>
57
       max="32767" attributes="0"/>
                                       </Group>
58
59
                                   </Group>
60
                               </Group>
                               <EmptySpace min="-2" pref="34" max="-2" attributes="0"/>
61
                          </Group>
62
                          <Group type="102" attributes="0">
63
                               <Group type="103" groupAlignment="1" max="-2" attributes="0">
64
                                   <Component id="jButtonTitulosGanhos" alignment="0"</pre>
65
       max="32767" attributes="0"/>
66
                                   <Component id="jButtonAdicionarPatrocinadores"</pre>
       alignment="0" max="32767" attributes="0"/>
                                   <Component id="jButtonVitoriasDerrotasAno" max="32767"</pre>
67
       attributes="0"/>
                               </Group>
68
                              <EmptySpace min="0" pref="0" max="32767" attributes="0"/>
69
70
                          </Group>
                      </Group>
71
                  </Group>
72
             </Group>
73
           </DimensionLayout>
74
           <DimensionLayout dim="1">
75
             <Group type="103" groupAlignment="0" attributes="0">
76
                  <Group type="102" alignment="0" attributes="0">
77
                      <EmptySpace min="-2" pref="35" max="-2" attributes="0"/>
78
                      <Group type="103" groupAlignment="3" attributes="0">
79
80
                          <Component id="jLabelPosRankMundial" alignment="3" min="-2"</pre>
       max="-2" attributes="0"/>
                          <Component id="jTextFieldPosRankMundial" alignment="3" min="-2"</pre>
81
       max="-2" attributes="0"/>
82
                      <EmptySpace min="-2" pref="26" max="-2" attributes="0"/>
83
                      <Group type="103" groupAlignment="3" attributes="0">
84
                          <Component id="jLabelFortunaJogos" alignment="3" min="-2"</pre>
85
       max="-2" attributes="0"/>
                          <Component id="jTextFieldFortunaJogos" alignment="3" min="-2"</pre>
86
       max="-2" attributes="0"/>
                      </Group>
87
                      <EmptySpace min="-2" pref="23" max="-2" attributes="0"/>
88
89
                      <Group type="103" groupAlignment="3" attributes="0">
```

```
90
                           <Component id="jLabelFortunaPropagandas" alignment="3" min="-2"</pre>
        max="-2" attributes="0"/>
91
                           <Component id="jTextFieldFortunaPropagandas" alignment="3"</pre>
        min="-2" max="-2" attributes="0"/>
92
                       </Group>
                       <EmptySpace min="-2" pref="23" max="-2" attributes="0"/>
93
                       <Group type="103" groupAlignment="3" attributes="0">
94
                           <Component id="jLabelTipoQuadra" alignment="3" min="-2" max="-2"</pre>
95
        attributes="0"/>
                           <Component id="jComboBoxTipoQuadra" alignment="3" min="-2"</pre>
96
        max="-2" attributes="0"/>
97
                       </Group>
                       <EmptySpace type="separate" max="-2" attributes="0"/>
98
                       <Component id="jButtonVitoriasDerrotasAno" min="-2" max="-2"</pre>
99
        attributes="0"/>
                       <EmptySpace type="separate" max="-2" attributes="0"/>
100
                       <Component id="jButtonTitulosGanhos" min="-2" max="-2"</pre>
101
        attributes="0"/>
                       <EmptySpace type="separate" max="-2" attributes="0"/>
102
                       <Component id="jButtonAdicionarPatrocinadores" min="-2" max="-2"</pre>
103
        attributes="0"/>
                       <Group type="103" groupAlignment="0" attributes="0">
104
105
                           <Group type="102" attributes="0">
                                <EmptySpace max="32767" attributes="0"/>
106
                                <Group type="103" groupAlignment="3" attributes="0">
107
                                    <Component id="jButtonSalvarTenista" alignment="3"</pre>
108
        min="-2" max="-2" attributes="0"/>
                                    <Component id="jButtonCancelar" alignment="3" min="-2"</pre>
109
        max="-2" attributes="0"/>
110
                                </Group>
                                <EmptySpace max="-2" attributes="0"/>
111
                           </Group>
112
                           <Group type="102" alignment="0" attributes="0">
113
                                <EmptySpace type="separate" max="-2" attributes="0"/>
114
                               <Component id="jButtonPesquisarTenista" min="-2" max="-2"</pre>
115
        attributes="0"/>
                                <EmptySpace pref="40" max="32767" attributes="0"/>
116
                           </Group>
117
118
                       </Group>
119
                   </Group>
              </Group>
120
121
            </DimensionLayout>
122
          </Layout>
          <SubComponents>
123
            <Component class="javax.swing.JLabel" name="jLabelPosRankMundial">
124
125
126
                 <Property name="text" type="java.lang.String" value="Posi&#xe7;&#xe3;o no</pre>
        Rank Mundial:"/>
127
              </Properties>
128
            </Component>
            <Component class="javax.swing.JLabel" name="jLabelFortunaJogos">
129
130
              <Properties>
```

```
131
                <Property name="text" type="java.lang.String" value="Fortuna Acumulada em</pre>
        Jogos:"/>
132
              </Properties>
133
            </Component>
134
            <Component class="javax.swing.JLabel" name="jLabelFortunaPropagandas">
135
              <Properties>
                <Property name="text" type="java.lang.String" value="Fortuna Acumulada em</pre>
136
        Propagandas:"/>
137
              </Properties>
138
            </Component>
139
            <Component class="javax.swing.JLabel" name="jLabelTipoQuadra">
140
              <Properties>
                <Property name="text" type="java.lang.String" value="Quadra Preferida: "/>
141
142
              </Properties>
143
            </Component>
144
            <Component class="javax.swing.JTextField" name="jTextFieldPosRankMundial">
145
            </Component>
            <Component class="javax.swing.JTextField" name="jTextFieldFortunaJogos">
146
            </Component>
147
148
            <Component class="javax.swing.JTextField" name="jTextFieldFortunaPropagandas">
149
            </Component>
            <Component class="javax.swing.JComboBox" name="jComboBoxTipoQuadra">
150
151
              <Properties>
                <Property name="model" type="javax.swing.ComboBoxModel"</pre>
152
        editor="org.netbeans.modules.form.editors2.ComboBoxModelEditor">
                  <StringArray count="3">
153
                    <StringItem index="0" value="Hard Court(Piso Duro)"/>
154
                    <StringItem index="1" value="Clay(Saibro)"/>
155
                    <StringItem index="2" value="Grass(Grama)"/>
156
157
                  </StringArray>
158
                </Property>
159
              </Properties>
            </Component>
160
            <Component class="javax.swing.JButton" name="jButtonSalvarTenista">
161
162
              <Properties>
                <Property name="text" type="java.lang.String" value="Salvar"/>
163
              </Properties>
164
              <Events>
165
166
                <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonSalvarTenistaActionPerformed"/>
              </Events>
167
168
            </Component>
            <Component class="javax.swing.JButton" name="jButtonCancelar">
169
170
              <Properties>
                <Property name="text" type="java.lang.String" value="Cancelar"/>
171
172
              </Properties>
173
              <Events>
                <EventHandler event="actionPerformed"</pre>
174
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarActionPerformed"/>
175
              </Events>
```

```
</Component>
176
            <Component class="javax.swing.JButton" name="jButtonAdicionarPatrocinadores">
177
178
              <Properties>
179
                <Property name="text" type="java.lang.String" value="Patrocinadores"/>
180
              </Properties>
181
              <Events>
182
                <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonAdicionarPatrocinadoresActionPerformed"/>
              </Events>
183
184
            </Component>
185
            <Component class="javax.swing.JButton" name="jButtonTitulosGanhos">
186
              <Properties>
187
                <Property name="text" type="java.lang.String" value="T&#xed;tulos Ganhos"/>
              </Properties>
188
189
              <Events>
190
                <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonTitulosGanhosActionPerformed"/>
191
              </Events>
192
            </Component>
            <Component class="javax.swing.JButton" name="jButtonVitoriasDerrotasAno">
193
194
              <Properties>
                <Property name="text" type="java.lang.String" value="Vit&#xf3;rias e</pre>
195
        Derrotas por Ano"/>
196
              </Properties>
197
              < Events>
                <EventHandler event="actionPerformed"</pre>
198
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonVitoriasDerrotasAnoActionPerformed"/>
199
              </Events>
200
            </Component>
            <Component class="javax.swing.JButton" name="jButtonPesquisarTenista">
201
202
203
                <Property name="text" type="java.lang.String" value="Pesquisar"/>
              </Properties>
204
205
              <Events>
                <EventHandler event="actionPerformed"</pre>
206
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonPesquisarTenistaActionPerformed"/>
              </Events>
207
            </Component>
208
          </SubComponents>
209
      + </Form>
210
```

```
+ <Form version="1.3" maxVersion="1.8"
3
       type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
 Δ
         <Properties>
           <Property name="defaultCloseOperation" type="int" value="2"/>
 5
 6
         </Properties>
 7
         <SyntheticProperties>
           <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
8
 9
           <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
10
         </SyntheticProperties>
         <AuxValues>
11
            <AuxValue name="FormSettings autoResourcing" type="java.lang.Integer"</pre>
12
       value="0"/>
           <AuxValue name="FormSettings autoSetComponentName" type="java.lang.Boolean"</pre>
13
       value="false"/>
           <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"</pre>
14
       value="true"/>
           <AuxValue name="FormSettings generateMnemonicsCode" type="java.lang.Boolean"</pre>
15
       value="false"/>
           <AuxValue name="FormSettings i18nAutoMode" type="java.lang.Boolean"</pre>
16
       value="false"/>
           <AuxValue name="FormSettings layoutCodeTarget" type="java.lang.Integer"</pre>
17
       value="1"/>
18
           <AuxValue name="FormSettings listenerGenerationStyle" type="java.lang.Integer"</pre>
       value="0"/>
           <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"</pre>
19
       value="false"/>
           <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"</pre>
20
       value="2"/>
         </AuxValues>
21
22
23
         <Layout>
           <DimensionLayout dim="0">
24
              <Group type="103" groupAlignment="0" attributes="0">
25
                  <Group type="102" alignment="0" attributes="0">
26
                      <EmptySpace min="-2" pref="34" max="-2" attributes="0"/>
27
                      <Group type="103" groupAlignment="0" attributes="0">
28
29
                          <Component id="jLabelQuantidadeTitulo" alignment="0" min="-2"</pre>
       max="-2" attributes="0"/>
30
                          <Component id="jLabelNomeTitulo" alignment="0" min="-2" max="-2"</pre>
       attributes="0"/>
                      </Group>
31
                      <EmptySpace max="-2" attributes="0"/>
32
                      <Group type="103" groupAlignment="1" max="-2" attributes="0">
33
                          <Component id="jTextFieldNomeTitulo" max="32767" attributes="0"/>
34
                          <Group type="102" alignment="1" attributes="0">
35
                               <Component id="jButtonSalvarTitulos" min="-2" pref="89"</pre>
36
       max="-2" attributes="0"/>
                               <EmptySpace pref="75" max="32767" attributes="0"/>
37
                               <Component id="jButtonCancelarTitulos" min="-2" max="-2"</pre>
38
       attributes="0"/>
39
                          </Group>
```

```
40
                          <Component id="jTextFieldQuantidadeTitulo" alignment="0"</pre>
       max="32767" attributes="0"/>
41
                      </Group>
                      <EmptySpace max="-2" attributes="0"/>
42
                  </Group>
43
              </Group>
44
           </DimensionLayout>
45
           <DimensionLayout dim="1">
46
47
              <Group type="103" groupAlignment="0" attributes="0">
                  <Group type="102" alignment="0" attributes="0">
48
                      <Group type="103" groupAlignment="0" attributes="0">
49
                          <Group type="102" attributes="0">
50
                               <EmptySpace min="-2" pref="28" max="-2" attributes="0"/>
51
                               <Component id="jLabelNomeTitulo" min="-2" max="-2"</pre>
52
       attributes="0"/>
                              <EmptySpace min="-2" pref="10" max="-2" attributes="0"/>
53
                          </Group>
54
                          <Group type="102" alignment="1" attributes="0">
55
                               <EmptySpace max="-2" attributes="0"/>
56
                               <Component id="jTextFieldNomeTitulo" min="-2" max="-2"</pre>
57
       attributes="0"/>
58
                          </Group>
59
                      </Group>
                      <EmptySpace min="-2" pref="12" max="-2" attributes="0"/>
60
                      <Group type="103" groupAlignment="3" attributes="0">
61
                          <Component id="jLabelQuantidadeTitulo" alignment="3" min="-2"</pre>
62
       max="-2" attributes="0"/>
                          <Component id="jTextFieldQuantidadeTitulo" alignment="3" min="-2"</pre>
63
       max="-2" attributes="0"/>
                      </Group>
64
                      <EmptySpace max="32767" attributes="0"/>
65
                      <Group type="103" groupAlignment="3" attributes="0">
66
                          <Component id="jButtonSalvarTitulos" alignment="3" min="-2"</pre>
67
       max="-2" attributes="0"/>
                          <Component id="jButtonCancelarTitulos" alignment="3" min="-2"</pre>
68
       max="-2" attributes="0"/>
69
                      <EmptySpace max="-2" attributes="0"/>
70
71
                  </Group>
72
              </Group>
           </DimensionLayout>
73
74
         </Layout>
75
         <SubComponents>
           <Component class="javax.swing.JLabel" name="jLabelNomeTitulo">
76
77
              <Properties>
                <Property name="text" type="java.lang.String" value="Nome:"/>
78
79
              </Properties>
80
           </Component>
81
           <Component class="javax.swing.JLabel" name="jLabelQuantidadeTitulo">
82
              <Properties>
83
                <Property name="text" type="java.lang.String" value="Quantidade:"/>
84
              </Properties>
```

```
</Component>
85
            <Component class="javax.swing.JTextField" name="jTextFieldNomeTitulo">
86
87
            </Component>
            <Component class="javax.swing.JTextField" name="jTextFieldQuantidadeTitulo">
88
89
            </Component>
90
            <Component class="javax.swing.JButton" name="jButtonSalvarTitulos">
              <Properties>
91
92
                <Property name="text" type="java.lang.String" value="Salvar"/>
93
              </Properties>
              <Events>
94
95
                <EventHandler event="actionPerformed"</pre>
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonSalvarTitulosActionPerformed"/>
              </Events>
96
97
            </Component>
            <Component class="javax.swing.JButton" name="jButtonCancelarTitulos">
98
              <Properties>
99
100
                <Property name="text" type="java.lang.String" value="Cancelar"/>
              </Properties>
101
102
              <Events>
103
                <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarTitulosActionPerformed"/>
104
              </Events>
            </Component>
105
106
          </SubComponents>
      + </Form>
107
```

```
120 ControleAtleta/build/classes/controleatleta/CadastroVitoriasDerrotasAno.form
             @@ -0,0 +1,120 @@
     . . .
           + <?xml version="1.0" encoding="UTF-8" ?>
       1
       2
       3
           + <Form version="1.3" maxVersion="1.8"
             type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
               <Properties>
       4
       5
                 <Property name="defaultCloseOperation" type="int" value="2"/>
               </Properties>
       6
       7
               <SyntheticProperties>
       8
                 <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
                 <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
       9
               </SyntheticProperties>
     10
               <AuxValues>
     11
                 <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"</pre>
     12
             value="0"/>
                 <AuxValue name="FormSettings autoSetComponentName" type="java.lang.Boolean"</pre>
     13
             value="false"/>
                 <AuxValue name="FormSettings generateFQN" type="java.lang.Boolean"</pre>
     14
             value="true"/>
                 <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"</pre>
     15
             value="false"/>
```

```
16
            <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"</pre>
       value="false"/>
17
            <AuxValue name="FormSettings layoutCodeTarget" type="java.lang.Integer"</pre>
       value="1"/>
            <AuxValue name="FormSettings listenerGenerationStyle" type="java.lang.Integer"</pre>
18
       value="0"/>
            <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"</pre>
19
       value="false"/>
            <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"</pre>
20
       value="2"/>
         </AuxValues>
21
22
         <Layout>
23
            <DimensionLayout dim="0">
24
              <Group type="103" groupAlignment="0" attributes="0">
25
                  <Group type="102" alignment="0" attributes="0">
26
                      <Group type="103" groupAlignment="1" attributes="0">
27
                           <Group type="102" alignment="1" attributes="0">
28
                               <EmptySpace pref="139" max="32767" attributes="0"/>
29
                               <Component id="jButtonSalvarVitoriasDerrotasAno" min="-2"</pre>
30
       pref="89" max="-2" attributes="0"/>
                               <EmptySpace min="-2" pref="50" max="-2" attributes="0"/>
31
32
                               <Component id="jButtonCancelar" min="-2" pref="92" max="-2"</pre>
       attributes="0"/>
33
                           </Group>
                           <Group type="102" alignment="0" attributes="0">
34
                               <EmptySpace min="-2" pref="28" max="-2" attributes="0"/>
35
                               <Group type="103" groupAlignment="0" attributes="0">
36
                                   <Component id="jLabelNumVitorias" alignment="0" min="-2"</pre>
37
       max="-2" attributes="0"/>
                                   <Component id="jLabelNumDerrotas" alignment="0" min="-2"</pre>
38
       max="-2" attributes="0"/>
                                   <Component id="jLabelAno" alignment="0" min="-2" max="-2"</pre>
39
       attributes="0"/>
                               </Group>
40
                               <EmptySpace type="separate" max="-2" attributes="0"/>
41
                               <Group type="103" groupAlignment="0" max="-2" attributes="0">
42
                                   <Component id="jTextFieldNumVitorias" max="32767"</pre>
43
       attributes="0"/>
                                   <Component id="jTextFieldNumDerrotas" pref="173"</pre>
44
       max="32767" attributes="0"/>
                                   <Component id="jTextFieldAno" max="32767"</pre>
45
       attributes="0"/>
                               </Group>
46
47
                           </Group>
48
                      </Group>
49
                      <EmptySpace pref="16" max="32767" attributes="0"/>
50
                  </Group>
51
              </Group>
            </DimensionLayout>
52
53
            <DimensionLayout dim="1">
54
              <Group type="103" groupAlignment="0" attributes="0">
```

```
<Group type="102" alignment="0" attributes="0">
55
                      <EmptySpace min="-2" pref="29" max="-2" attributes="0"/>
56
                      <Group type="103" groupAlignment="3" attributes="0">
57
                          <Component id="jLabelAno" alignment="3" min="-2" max="-2"</pre>
58
       attributes="0"/>
                          <Component id="jTextFieldAno" alignment="3" min="-2" max="-2"</pre>
59
       attributes="0"/>
                      </Group>
60
                      <EmptySpace min="-2" pref="17" max="-2" attributes="0"/>
61
                      <Group type="103" groupAlignment="3" attributes="0">
62
                          <Component id="jLabelNumVitorias" alignment="3" min="-2" max="-2"</pre>
63
       attributes="0"/>
                          <Component id="jTextFieldNumVitorias" alignment="3" min="-2"</pre>
64
       max="-2" attributes="0"/>
                      </Group>
65
                      <EmptySpace min="-2" pref="19" max="-2" attributes="0"/>
66
                      <Group type="103" groupAlignment="3" attributes="0">
67
                          <Component id="jLabelNumDerrotas" alignment="3" min="-2" max="-2"</pre>
68
       attributes="0"/>
                          <Component id="jTextFieldNumDerrotas" alignment="3" min="-2"</pre>
69
       max="-2" attributes="0"/>
                      </Group>
70
71
                      <EmptySpace min="-2" pref="54" max="-2" attributes="0"/>
                      <Group type="103" groupAlignment="3" attributes="0">
72
                          <Component id="jButtonSalvarVitoriasDerrotasAno" alignment="3"</pre>
73
       min="-2" max="-2" attributes="0"/>
                          <Component id="jButtonCancelar" alignment="3" min="-2" max="-2"</pre>
74
       attributes="0"/>
75
                      </Group>
                      <EmptySpace max="32767" attributes="0"/>
76
77
             </Group>
78
           </DimensionLayout>
79
         </Layout>
80
         <SubComponents>
81
           <Component class="javax.swing.JLabel" name="jLabelAno">
82
83
                <Property name="text" type="java.lang.String" value="Ano:"/>
84
85
             </Properties>
86
           </Component>
           <Component class="javax.swing.JLabel" name="jLabelNumVitorias">
87
              <Properties>
88
                <Property name="text" type="java.lang.String" value="N&#xfa;mero de</pre>
89
       Vitórias:"/>
              </Properties>
90
91
           </Component>
92
           <Component class="javax.swing.JLabel" name="jLabelNumDerrotas">
93
              <Properties>
                <Property name="text" type="java.lang.String" value="N&#xfa;mero de</pre>
94
       Derrotas:"/>
95
              </Properties>
96
           </Component>
     +
```

```
97
            <Component class="javax.swing.JTextField" name="jTextFieldAno">
98
            </Component>
            <Component class="javax.swing.JTextField" name="jTextFieldNumVitorias">
99
100
            </Component>
101
            <Component class="javax.swing.JTextField" name="jTextFieldNumDerrotas">
102
            </Component>
            <Component class="javax.swing.JButton" name="jButtonSalvarVitoriasDerrotasAno">
103
104
              <Properties>
105
                <Property name="text" type="java.lang.String" value="Salvar"/>
106
              </Properties>
107
              <Events>
108
                <EventHandler event="actionPerformed"</pre>
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonSalvarVitoriasDerrotasAnoActionPerformed"/>
              </Events>
109
            </Component>
110
            <Component class="javax.swing.JButton" name="jButtonCancelar">
111
112
              <Properties>
                <Property name="text" type="java.lang.String" value="Cancelar"/>
113
              </Properties>
114
              <Events>
115
                <EventHandler event="actionPerformed"</pre>
116
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarActionPerformed"/>
117
              </Events>
            </Component>
118
119
          </SubComponents>
120
      + </Form>
```

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/ControleAtleta.class □

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/ControleBoxeador.class 📮

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/Endereco.class 
□

Binary file not shown.

∨ BIN +73 Bytes (110%) ControleAtleta/build/classes/controleatleta/Premiacao.class □

Binary file not shown.

ControleAtleta/src/controleatleta/Tenista.java 
public void setDerrotasPorAno(HashMap<Integer, Integer> derrotasPorAno) {

```
55
        55
                           this.derrotasPorAno = derrotasPorAno;
56
        56
                       }
        57
                       public int getTotalVitorias() {
        58
        59
                           // Calcula e retorna o total de vitórias do tenista
                           int total = 0;
        60
                           for (int vitorias : vitoriasPorAno.values()) {
        61
                               total += vitorias;
        62
        63
                           }
                           return total;
        64
        65
                       }
                           public int getTotalDerrotas() {
        66
                           // Calcula e retorna o total de derrotas do tenista
        67
                           int total = 0;
        68
                           for (int derrotas : derrotasPorAno.values()) {
        69
                               total += derrotas;
        70
        71
                           }
        72
                           return total;
        73
                       }
                           public double getTaxaVitorias() {
        74
                           // Calcula e retorna a taxa de vitórias do tenista
        75
                           int totalVitorias = getTotalVitorias();
        76
        77
                           int totalPartidas = getTotalVitorias() + getTotalDerrotas();
                           return totalPartidas > 0 ? (double) totalVitorias / totalPartidas :
        78
               0.0;
        79
                       }
57
       80
                   }
58
        81
       82
                   public class CarreiraTenista {
59
        83
                       private double fortunaAcumuladaJogos;
60
        84
                       private double fortunaAcumuladaPropagandas;
61
```

0 comments on commit 8c70537

Please sign in to comment.