

Commit

 This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

extract method - 3

Browse files

 Rodrigoferx committed on Jun 26

1 parent [dccc289](#) commit [9b8fcb4](#)

Showing 1 changed file with 155 additions and 237 deletions.

Whitespace

Ignore whitespace

Split

Unified

392 src/view/JFCliente.java

```
50      50      @SuppressWarnings("unchecked")
51      51      // <editor-fold defaultstate="collapsed" desc="Generated Code"> // GEN-
      BEGIN: initComponents
52      52      private void initComponents() {
      53      +      initComponentsClientes();
      54      +      initComponentsPesquisa();
      55      +      initComponentsBotoes();
      56      +  }
53      57
54      -      jPanel1 = new javax.swing.JPanel();
55      -      jLabel1 = new javax.swing.JLabel();
56      -      jLabel2 = new javax.swing.JLabel();
57      -      jLabel3 = new javax.swing.JLabel();
58      -      jLabel4 = new javax.swing.JLabel();
59      -      jLabel5 = new javax.swing.JLabel();
60      -      jLabel6 = new javax.swing.JLabel();
61      -      jLabel7 = new javax.swing.JLabel();
62      -      jT1Nome = new javax.swing.JTextField();
63      -      jT2DataAno = new javax.swing.JTextField();
64      -      jT3Sexo = new javax.swing.JTextField();
65      -      jT4Cpf = new javax.swing.JTextField();
66      -      jT5Endereco = new javax.swing.JTextField();
67      -      jT6Fone = new javax.swing.JTextField();
68      -      jT0Id = new javax.swing.JTextField();
69      -      jT2DataDia = new javax.swing.JTextField();
70      -      jT2DataMes = new javax.swing.JTextField();
```

```

71 -        jLabel9 = new javax.swing.JLabel();
72 -        jLabel10 = new javax.swing.JLabel();
73 -        jPanel2 = new javax.swing.JPanel();
74 -        jTPesquisar = new javax.swing.JTextField();
75 -        jBPesquisar = new javax.swing.JButton();
76 -        jScrollPane1 = new javax.swing.JScrollPane();
77 -        jTablePesquisa = new javax.swing.JTable();
78 -        jLabel8 = new javax.swing.JLabel();
79 -        jPanel3 = new javax.swing.JPanel();
80 -        jBExcluir = new javax.swing.JButton();
81 -        jBAlterar = new javax.swing.JButton();
82 -        jBNovo = new javax.swing.JButton();
83 -        jBCadastrar = new javax.swing.JButton();
84 -        jBSair = new javax.swing.JButton();
85 -
86 -        setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
87 -        setTitle("Dados dos Clientes");
88 -        addWindowListener(new java.awt.event.WindowAdapter() {
89 -            public void windowClosed(java.awt.event.WindowEvent evt) {
90 -                formWindowClosed(evt);
91 -            }
92 -        });
93
94 + private void initComponentsClientes() {
95 +     jPanel1 = new javax.swing.JPanel();
96 +     jLabel1 = new javax.swing.JLabel();
97 +     jLabel2 = new javax.swing.JLabel();
98 +     jLabel3 = new javax.swing.JLabel();
99 +     jLabel4 = new javax.swing.JLabel();
100 +     jLabel5 = new javax.swing.JLabel();
101 +     jLabel6 = new javax.swing.JLabel();
102 +     jLabel7 = new javax.swing.JLabel();
103 +     jT1Nome = new javax.swing.JTextField();
104 +     jT2DataAno = new javax.swing.JTextField();
105 +     jT3Sexo = new javax.swing.JTextField();
106 +     jT4Cpf = new javax.swing.JTextField();
107 +     jT5Endereco = new javax.swing.JTextField();
108 +     jT6Fone = new javax.swing.JTextField();
109 +     jT0Id = new javax.swing.JTextField();
110 +     jT2DataDia = new javax.swing.JTextField();
111 +     jT2DataMes = new javax.swing.JTextField();
112 +     jLabel9 = new javax.swing.JLabel();
113 +     jLabel10 = new javax.swing.JLabel();
114
115 -     ____jPanel1.setBorder(javax.swing.BorderFactory.createTitledBorder("Dados
116 - Clientes"));
117
118 +     ____jPanel1.setBorder(javax.swing.BorderFactory.createTitledBorder("Dados
119 + Clientes"));
120
121 -     ____jLabel1.setText("Nome:");
122
123 +     ____jLabel1.setText("Nome:");
124
125 -     ____jLabel2.setText("Data de Nascimento: ");

```

```

83 +   jLabel2.setText("Data de Nascimento: ");
99 84
100 -   ____jLabel3.setText("Sexo: ");
85 +   jLabel3.setText("Sexo: ");
101 86
102 -   ____jLabel4.setText("Cpf: ");
87 +   jLabel4.setText("Cpf: ");
103 88
104 -   ____jLabel5.setText("Endereço: ");
89 +   jLabel5.setText("Endereço: ");
105 90
106 -   ____jLabel6.setText("Fone: ");
91 +   jLabel6.setText("Fone: ");
107 92
108 -   ____jLabel7.setText("ID: ");
93 +   jLabel7.setText("ID: ");
109 94
110 -   ____jLabel9.setText("/");
95 +   jLabel9.setText("/");
111 96
112 -   ____jLabel10.setText("/");
97 +   jLabel10.setText("/");
113 98
114 -   ____javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
115 -   ____jPanel1.setLayout(jPanel1Layout);
116 -   ____jPanel1Layout.setHorizontalGroup(
117 -   ____
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
99 +   GroupLayout jPanel1Layout = new GroupLayout(jPanel1);
100 +   jPanel1.setLayout(jPanel1Layout);
101 +   jPanel1Layout.setHorizontalGroup(
102 +   jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
118 103       .addGroup(jPanel1Layout.createSequentialGroup()
119 104       .addContainerGap()
120 -   .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
105 +   .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
121 106       .addGroup(jPanel1Layout.createSequentialGroup()
122 107       .addComponent(jLabel3)
123 108       .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
124 109       .addComponent(jLabel4)
125 -   .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
110 +   .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
126 111       .addComponent(jLabel2)
127 112       .addComponent(jLabel1)
128 113       .addComponent(jLabel4)

```

```

129      114      .addComponent(jLabel15)
130      115      .addComponent(jLabel16)
131      116      .addComponent(jLabel17))
132      -
      .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
133      -
      .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
117      +      .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
118      +
      .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
134      119      .addComponent(jT5Endereco)
135      120      .addGroup(jPanel1Layout.createSequentialGroup())
136      -
      .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
137      -      .addComponent(jT6Fone,
      javax.swing.GroupLayout.PREFERRED_SIZE, 189,
      javax.swing.GroupLayout.PREFERRED_SIZE)
138      -      .addComponent(jT1Nome,
      javax.swing.GroupLayout.PREFERRED_SIZE, 400,
      javax.swing.GroupLayout.PREFERRED_SIZE)
139      -      .addComponent(jT0Id,
      javax.swing.GroupLayout.PREFERRED_SIZE, 97, javax.swing.GroupLayout.PREFERRED_SIZE)
121      +      .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
122      +      .addComponent(jT6Fone,
      GroupLayout.PREFERRED_SIZE, 189, GroupLayout.PREFERRED_SIZE)
123      +      .addComponent(jT1Nome,
      GroupLayout.PREFERRED_SIZE, 400, GroupLayout.PREFERRED_SIZE)
124      +      .addComponent(jT0Id,
      GroupLayout.PREFERRED_SIZE, 97, GroupLayout.PREFERRED_SIZE)
140      125      .addGroup(jPanel1Layout.createSequentialGroup())
141      -
      .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
142      -      .addComponent(jT3Sexo,
      javax.swing.GroupLayout.PREFERRED_SIZE, 98, javax.swing.GroupLayout.PREFERRED_SIZE)
126      +      .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING, false)
127      +      .addComponent(jT3Sexo,
      GroupLayout.PREFERRED_SIZE, 98, GroupLayout.PREFERRED_SIZE)
143      128      .addGroup(jPanel1Layout.createSequentialGroup())
144      -      .addComponent(jT2DataDia,
      javax.swing.GroupLayout.PREFERRED_SIZE, 37, javax.swing.GroupLayout.PREFERRED_SIZE)
145      -
      .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
146      -      .addComponent(jLabel19,
      javax.swing.GroupLayout.PREFERRED_SIZE, 15, javax.swing.GroupLayout.PREFERRED_SIZE)
147      -
      .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

```

```

148 -                                     .addComponent(jT2DataMes,
      javax.swing.GroupLayout.PREFERRED_SIZE, 37,
      javax.swing.GroupLayout.PREFERRED_SIZE)))
149 -
      .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
150 -                                     .addComponent(jLabel10,
      javax.swing.GroupLayout.PREFERRED_SIZE, 15, javax.swing.GroupLayout.PREFERRED_SIZE)
151 -
      .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
152 -                                     .addComponent(jT2DataAno,
      javax.swing.GroupLayout.PREFERRED_SIZE, 65,
      javax.swing.GroupLayout.PREFERRED_SIZE))
153 -                                     .addComponent(jT4Cpf,
      javax.swing.GroupLayout.PREFERRED_SIZE, 190,
      javax.swing.GroupLayout.PREFERRED_SIZE))
129 +                                     .addComponent(jT2DataDia,
      GroupLayout.PREFERRED_SIZE, 37, GroupLayout.PREFERRED_SIZE)
130 +
      .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
131 +                                     .addComponent(jLabel9,
      GroupLayout.PREFERRED_SIZE, 15, GroupLayout.PREFERRED_SIZE)
132 +
      .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
133 +                                     .addComponent(jT2DataMes,
      GroupLayout.PREFERRED_SIZE, 37, GroupLayout.PREFERRED_SIZE)))
134 +
      .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
135 +                                     .addComponent(jLabel10,
      GroupLayout.PREFERRED_SIZE, 15, GroupLayout.PREFERRED_SIZE)
136 +
      .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
137 +                                     .addComponent(jT2DataAno,
      GroupLayout.PREFERRED_SIZE, 65, GroupLayout.PREFERRED_SIZE))
138 +                                     .addComponent(jT4Cpf,
      GroupLayout.PREFERRED_SIZE, 148, GroupLayout.PREFERRED_SIZE))
154 139                                     .addGap(0, 0, Short.MAX_VALUE))))))
155 140                                     .addContainerGap())
156 -
      );
157 -
158 -     jPanel1Layout.linkSize(javax.swing.SwingConstants.HORIZONTAL, new
      java.awt.Component[] {jT2DataDia, jT2DataMes});
159 -
160 -     jPanel1Layout.setVerticalGroup(
161 -
      jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
162 -                                     .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
      jPanel1Layout.createSequentialGroup())
163 -                                     .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
      Short.MAX_VALUE)
164 -
      .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

```

```

165         .addComponent(jLabel17)
166         .addComponent(jT0Id, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
167         .addGap(18, 18, 18)
168         -
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
141 +     );
142 +     jPanel1Layout.setVerticalGroup(
143 +         jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
144 +             .addGroup(jPanel1Layout.createSequentialGroup())
145 +             .addContainerGap()
146 +
        .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
169 147         .addComponent(jLabel11)
170         .addComponent(jT1Nome, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
171         -
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
172         -
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
148 +             .addComponent(jT1Nome, GroupLayout.PREFERRED_SIZE,
GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
149 +             .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
150 +
        .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
173 151         .addComponent(jLabel12)
174         .addComponent(jT2DataAno,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
175         .addComponent(jT2DataDia,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
176         .addComponent(jT2DataMes,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
152 +             .addComponent(jT2DataAno, GroupLayout.PREFERRED_SIZE,
GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
153 +             .addComponent(jT2DataDia, GroupLayout.PREFERRED_SIZE,
GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
154 +             .addComponent(jT2DataMes, GroupLayout.PREFERRED_SIZE,
GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
177 155         .addComponent(jLabel19)
178 156         .addComponent(jLabel110))
179         -
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
180         -
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
157 +             .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)

```

```

158 +
    .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
181 159         .addComponent(jLabel3)
182 -         .addComponent(jT3Sexo, javax.swing.GroupLayout.PREFERRED_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
183 -
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
184 -
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASEL
    INE)
160 +         .addComponent(jT3Sexo, GroupLayout.PREFERRED_SIZE,
    GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
161 +         .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
162 +
    .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
185 163         .addComponent(jLabel4)
186 -         .addComponent(jT4Cpf, javax.swing.GroupLayout.PREFERRED_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
187 -
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
188 -
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASEL
    INE)
164 +         .addComponent(jT4Cpf, GroupLayout.PREFERRED_SIZE,
    GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
165 +         .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
166 +
    .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
189 167         .addComponent(jLabel5)
190 -         .addComponent(jT5Endereco,
    javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
    javax.swing.GroupLayout.PREFERRED_SIZE))
191 -
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
192 -
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASEL
    INE)
168 +         .addComponent(jT5Endereco, GroupLayout.PREFERRED_SIZE,
    GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
169 +         .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
170 +
    .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
193 171         .addComponent(jLabel6)
194 -         .addComponent(jT6Fone, javax.swing.GroupLayout.PREFERRED_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
195 -         .addContainerGap())
196 -     );
172 +         .addComponent(jT6Fone, GroupLayout.PREFERRED_SIZE,
    GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
173 +         .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
174 +
    .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)

```



```

180
197 - jPanel2.setBorder(javax.swing.BorderFactory.createTitledBorder("Pesquisar
198 Cliente"));
181 + private void initComponentsPesquisa() {
182 +     jPanel2 = new javax.swing.JPanel();
183 +     jLabel8 = new javax.swing.JLabel();
184 +     jT7Pesquisa = new javax.swing.JTextField();
185 +     jButton1 = new javax.swing.JButton();
199
200 186
201 -     jBPesquisar.setText("Pesquisar");
202 -     jBPesquisar.addActionListener(new java.awt.event.ActionListener() {
203 -         public void actionPerformed(java.awt.event.ActionEvent evt) {
204 -             jBPesquisarActionPerformed(evt);
205 -         }
206 -     });
207 187 +     jPanel2.setBorder(javax.swing.BorderFactory.createTitledBorder("Pesquisa de
208 Clientes"));
209
210 188
211 -     jTablePesquisa.setModel(tmCliente);
212 -     jTablePesquisa.addMouseListener(new java.awt.event.MouseAdapter() {
213 -         public void mouseClicked(java.awt.event.MouseEvent evt) {
214 -             jTablePesquisaMouseClicked(evt);
215 -         }
216 -     });
217 -     jScrollPane1.setViewportViewView(jTablePesquisa);
218
219 189 +     jLabel8.setText("Pesquisa:");
220
221 190
222 -     jLabel8.setText("Nome:");
223
224 191 + jButton1.setText("Pesquisar");
225
226 192
227 -     javax.swing.GroupLayout jPanel2Layout = new
228 javax.swing.GroupLayout(jPanel2);
229 -     jPanel2.setLayout(jPanel2Layout);
230 -     jPanel2Layout.setHorizontalGroup(
231
232 jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
233
234 193 + GroupLayout jPanel2Layout = new GroupLayout(jPanel2);
235 194 + jPanel2.setLayout(jPanel2Layout);
236 195 + jPanel2Layout.setHorizontalGroup(
237
238 196 + jPanel2Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
239
240 197 + .addGroup(jPanel2Layout.createSequentialGroup())
241
242 198 + .addContainerGap()
243
244 -
245
246 199 + .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
247
248 200 + .addComponent(jScrollPane1)

```



```

225         .addGroup(jPanel12Layout.createSequentialGroup()
226         .addComponent(jLabel8)
227
228         .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
229         javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
230         .addComponent(jTPesquisar,
231         javax.swing.GroupLayout.PREFERRED_SIZE, 415,
232         javax.swing.GroupLayout.PREFERRED_SIZE)
233         .addGap(49, 49, 49)
234         .addComponent(jBPesquisar,
235         javax.swing.GroupLayout.PREFERRED_SIZE, 126,
236         javax.swing.GroupLayout.PREFERRED_SIZE)))
237         .addContainerGap())
238     );
239     jPanel12Layout.setVerticalGroup(
240
241     jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
242     + .addComponent(jLabel8)
243     + .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
244     + .addComponent(jT7Pesquisa, GroupLayout.PREFERRED_SIZE, 292,
245     GroupLayout.PREFERRED_SIZE)
246     + .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
247     + .addComponent(jButton1)
248     + .addContainerGap(GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
249     );
250     jPanel12Layout.setVerticalGroup(
251     + jPanel12Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
252     + .addGroup(jPanel12Layout.createSequentialGroup()
253
254     .addGroup(jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE
255     INE)
256
257     .addComponent(jBPesquisar,
258     javax.swing.GroupLayout.PREFERRED_SIZE, 44, javax.swing.GroupLayout.PREFERRED_SIZE)
259
260     .addComponent(jTPesquisar,
261     javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
262     javax.swing.GroupLayout.PREFERRED_SIZE)
263
264     .addComponent(jLabel8))
265     .addGap(8, 8, 8)
266     .addComponent(jScrollPane1, javax.swing.GroupLayout.PREFERRED_SIZE,
267     195, javax.swing.GroupLayout.PREFERRED_SIZE)
268     .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
269     Short.MAX_VALUE))
270     );
271
272     jPanel13.setBorder(javax.swing.BorderFactory.createEtchedBorder());
273
274     jBExcluir.setText("Excluir");
275     jBExcluir.addActionListener(new java.awt.event.ActionListener() {
276     public void actionPerformed(java.awt.event.ActionEvent evt) {
277         jBExcluirActionPerformed(evt);
278     }
279     });
280
281     });

```

```

209 +         .addContainerGap()
210 +
211 +         .addGroup(jPanel2Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
212 +         .addComponent(jLabel8)
213 +         .addComponent(jT7Pesquisa, GroupLayout.PREFERRED_SIZE,
214 +         GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
215 +         .addComponent(jButton1))
216 +         .addContainerGap(GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
217 +     );
218 + }
219
220 -         jBAAlterar.setText("Alterar");
221 -         jBAAlterar.addActionListener(new java.awt.event.ActionListener() {
222 -             public void actionPerformed(java.awt.event.ActionEvent evt) {
223 -                 jBAAlterarActionPerformed(evt);
224 -             }
225 -         });
226
227 + private void initComponentsBotoes() {
228 +     JPanel3 = new javax.swing.JPanel();
229 +     JButton2 = new javax.swing.JButton();
230 +     JButton3 = new javax.swing.JButton();
231 +     JButton4 = new javax.swing.JButton();
232 +     JButton5 = new javax.swing.JButton();
233
234 -     jBNovo.setText("Novo");
235 -     jBNovo.addActionListener(new java.awt.event.ActionListener() {
236 -         public void actionPerformed(java.awt.event.ActionEvent evt) {
237 -             jBNovoActionPerformed(evt);
238 -         }
239 -     });
240
241 +     JPanel3.setBorder(javax.swing.BorderFactory.createTitledBorder("Opções"));
242
243 -     jBCadastrar.setText("Cadastrar");
244 -     jBCadastrar.addActionListener(new java.awt.event.ActionListener() {
245 -         public void actionPerformed(java.awt.event.ActionEvent evt) {
246 -             jBCadastrarActionPerformed(evt);
247 -         }
248 -     });
249
250 +     JButton2.setText("Novo");
251
252 -     jBSair.setText("Sair");
253 -     jBSair.addActionListener(new java.awt.event.ActionListener() {
254 -         public void actionPerformed(java.awt.event.ActionEvent evt) {
255 -             jBSairActionPerformed(evt);
256 -         }
257 -     });
258
259 +     JButton3.setText("Salvar");
260
261 -     javax.swing.GroupLayout jPanel3Layout = new
262 -     javax.swing.GroupLayout(jPanel3);
263 -     jPanel3.setLayout(jPanel3Layout);
264 -     jPanel3Layout.setHorizontalGroup(

```

```

285 -
286 - jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
287 -     .addGroup(jPanel3Layout.createSequentialGroup())
288 -     .addContainerGap()
289 -     .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
290 -         .addComponent(jBExcluir, javax.swing.GroupLayout.DEFAULT_SIZE,
291 -             javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
292 -         .addComponent(jBAlterar, javax.swing.GroupLayout.DEFAULT_SIZE,
293 -             javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
294 -         .addComponent(jBNovo, javax.swing.GroupLayout.DEFAULT_SIZE,
295 -             javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
296 -         .addComponent(jBCadastrar,
297 -             javax.swing.GroupLayout.DEFAULT_SIZE, 135, Short.MAX_VALUE)
298 -         .addComponent(jBSair, javax.swing.GroupLayout.DEFAULT_SIZE,
299 -             javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
300 -         .addContainerGap()
301 -     );
302 -     jPanel3Layout.setVerticalGroup(
303 -         jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
304 -         .addGroup(jPanel3Layout.createSequentialGroup())
305 -         .addContainerGap()
306 -         .addComponent(jBExcluir, javax.swing.GroupLayout.PREFERRED_SIZE,
307 -             40, javax.swing.GroupLayout.PREFERRED_SIZE)
308 -         .addGap(18, 18, 18)
309 -         .addComponent(jBAlterar)
310 -         .addGap(18, 18, 18)
311 -         .addComponent(jBNovo)
312 -         .addGap(18, 18, 18)
313 -         .addComponent(jBCadastrar)
314 -         .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 44,
315 -             Short.MAX_VALUE)
316 -         .addComponent(jBSair)
317 -         .addContainerGap()
318 -     );
319 +     jButton4.setText("Editar");
320 +
321 -     jPanel3Layout.linkSize(javax.swing.SwingConstants.VERTICAL, new
322 - java.awt.Component[] {jBAlterar, jBCadastrar, jBExcluir, jBNovo, jBSair});
323 +     jButton5.setText("Excluir");
324 +
325 -     javax.swing.GroupLayout layout = new
326 - javax.swing.GroupLayout(getContentPane());
327 -     getContentPane().setLayout(layout);
328 -     layout.setHorizontalGroup(
329 -         layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
330 -         .addGroup(layout.createSequentialGroup()
331 -             GroupLayout jPanel3Layout = new GroupLayout(jPanel3);
332 +     jPanel3.setLayout(jPanel3Layout);

```

```
237 +     jPanel3Layout.setHorizontalGroup(
238 +         jPanel3Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
239 +         .addGroup(jPanel3Layout.createSequentialGroup())
319 240         .addContainerGap()
320 -
321 -     .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
322 -         .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
323 -             javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
324 -         .addGroup(layout.createSequentialGroup())
325 -         .addComponent(jPanel1,
326 -             javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
327 -             Short.MAX_VALUE)
328 -         .addGap(18, 18, 18)
329 -         .addComponent(jPanel3,
330 -             javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
331 -             javax.swing.GroupLayout.PREFERRED_SIZE)))
332 -     .addContainerGap())
333 - );
334 -     layout.setVerticalGroup(
335 -         layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
336 -         .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
337 -             layout.createSequentialGroup()
338 -                 .addComponent(jButton2)
339 -                 .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
340 -                 .addComponent(jButton3)
341 -                 .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
342 -                 .addComponent(jButton4)
343 -                 .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
344 -                 .addComponent(jButton5)
345 -                 .addContainerGap(GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
346 -         );
347 -     jPanel3Layout.setVerticalGroup(
348 -         jPanel3Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
349 -         .addGroup(jPanel3Layout.createSequentialGroup())
350 -         .addContainerGap()
351 -         .addComponent(jPanel2, javax.swing.GroupLayout.PREFERRED_SIZE,
352 -             javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
353 -         .addGap(22, 22, 22)
354 -         .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
355 -             .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE,
356 -                 javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
357 -             .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
358 -                 javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
359 -         .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
360 -             Short.MAX_VALUE))
361 -     );
362 -
363 -     jPanel1.getAccessibleContext().setAccessibleName("Cadastro de Clientes");
364 -
365 -     pack();
366 -     setLocationRelativeTo(null);
```

```
344 -    }// </editor-fold>//GEN-END:initComponents
    254 +
    255 +         .addGroup(jPanel3Layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
    256 +                 .addComponent(jButton2)
    257 +                 .addComponent(jButton3)
    258 +                 .addComponent(jButton4)
    259 +                 .addComponent(jButton5))
    260 +         .addContainerGap(GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    261 +    };
    262 + }
    263 + // </editor-fold>//GEN-END:initComponents
345 263
346 264     // BOTÃO NOVO - Precionando
347 265     private void jButtonNovoActionPerformed(java.awt.event.ActionEvent evt) {//GEN-
    FIRST:event_jButtonNovoActionPerformed
```

0 comments on commit 9b8fcb4

Please [sign in](#) to comment.