

Commit

 This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

extract method - 1

Browse files

 anaceciliaa committed on Jun 27

1 parent [37b0263](#) commit [7ffe8d7](#)

Showing 1 changed file with 30 additions and 36 deletions.

Whitespace

Ignore whitespace

Split

Unified

66 src/model/FuncionarioWrite.java

```
10      10      public class FuncionarioWrite {
11      11
12      12          public static ArrayList<Funcionario> cadastros = new ArrayList<>();
13      -      public static Funcionario cadastro = new Funcionario();
14      -
15      -      public static void salvar(){
16      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).nome =
Funcionario.v[0];
17      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).cpf =
Funcionario.v[1];
18      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).email =
Funcionario.v[2];
19      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).fone =
Funcionario.v[3];
20      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).idade =
Funcionario.v[4];
21      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).salario =
Funcionario.v[5];
22      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).fonec =
Funcionario.v[6];
23      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).numero =
Funcionario.v[7];
24      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).data =
Funcionario.v[8];
25      -          FuncionarioWrite.cadastros.get(FuncionarioView.index).departamento =
Funcionario.v[9];
```

```

26 - FuncionarioWrite.cadastrados.get(FuncionarioView.index).funcao =
    Funcionario.v[10];
27 - FuncionarioWrite.cadastrados.get(FuncionarioView.index).numero =
    Funcionario.v[11];
28 - FuncionarioWrite.cadastrados.get(FuncionarioView.index).sexo =
    Funcionario.v[12];
29 -
30 - Funcionario.id =
    FuncionarioWrite.cadastrados.get(FuncionarioView.index).cpf;
31 -
32 - cadastro.setNome(Funcionario.v[0]);
33 - cadastro.setCpf(Funcionario.v[1]);
34 - cadastro.setEmail(Funcionario.v[2]);
35 - cadastro.setFone(Funcionario.v[3]);
36 - cadastro.setIdade(Funcionario.v[4]);
37 - cadastro.setSalario(Funcionario.v[5]);
38 - cadastro.setFonec(Funcionario.v[6]);
39 - cadastro.setNumero(Funcionario.v[7]);
40 - cadastro.setData(Funcionario.v[8]);
41 - cadastro.setDepartamento(Funcionario.v[9]);
42 - cadastro.setFuncao(Funcionario.v[10]);
43 - cadastro.setObservacao(Funcionario.v[11]);
44 - cadastro.setSexo(Funcionario.v[12]);
45 -
46 - FuncionarioWrite.cadastrados.set(FuncionarioView.index, cadastro);
47 - Modelo.setValueAt(cadastro, FuncionarioView.index);
48 -
13 + public static Funcionario cadastro = new Funcionario(null);
14 +
15 + public static void salvar() {
16 +     atualizarDadosFuncionario();
17 +     atualizarModelo();
49 18 }
19 +
20 + public static void atualizarDadosFuncionario(){
21 +     Funcionario funcionario =
        FuncionarioWrite.cadastrados.get(FuncionarioView.index);
22 +     String[] dadosFuncionario = Funcionario.v;
23 +
24 +     funcionario.getDadosFuncionario().setNome(dadosFuncionario[0]);
25 +     funcionario.getDadosFuncionario().setCpf(dadosFuncionario[1]);
26 +     funcionario.getDadosFuncionario().setEmail(dadosFuncionario[2]);
27 +     funcionario.getDadosFuncionario().setFone(dadosFuncionario[3]);
28 +     funcionario.getDadosFuncionario().setIdade(dadosFuncionario[4]);
29 +     funcionario.getDadosFuncionario().setSalario(dadosFuncionario[5]);
30 +     funcionario.getDadosFuncionario().setFonec(dadosFuncionario[6]);
31 +     funcionario.getDadosFuncionario().setNumero(dadosFuncionario[7]);
32 +     funcionario.getDadosFuncionario().setData(dadosFuncionario[8]);
33 +
        funcionario.getDadosFuncionario().setDepartamento(dadosFuncionario[9]);
34 +     funcionario.getDadosFuncionario().setFuncao(dadosFuncionario[10]);

```

```
35 +
    funcionario.getDadosFuncionario().setObservacao(dadosFuncionario[11]);
36 +
    funcionario.getDadosFuncionario().setSexo(dadosFuncionario[12]);
37 +
    Funcionario.id = funcionario.getDadosFuncionario().getCpf();
38 + }
39 +
40 +     private static void atualizarModelo() {
41 +         Funcionario funcionario =
            FuncionarioWrite.cadastros.get(FuncionarioView.index);
42 +         Modelo.setValueAt(funcionario, FuncionarioView.index);
43 +     }
50 44
51 45 }
```

0 comments on commit 7ffe8d7

Please [sign in](#) to comment.