☐ jgbritte	os / controleatle	tas Public				
<> Code	! Pull requests	Actions	₩ Wiki	! Security	✓ Insights	

Commit



This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Extract Method - 2, Replace Magic Number with Symbolic Constant- 1 **Browse files** DaviGomesO committed on Jun 22 1 parent 7abbfeb commit 81f4234

Showing 20 changed files with 24 additions and 8 deletions.

Whitespace Ignore whitespace Split Unified

```
∨ 2 ■■■■■ ControleAtleta/build/built-jar.properties 
□
               @@ -1,4 +1,4 @@
. . .
       . . .
             - #Thu, 22 Jun 2023 13:39:21 -0300
 1
             + #Thu, 22 Jun 2023 13:56:05 -0300
         2
 2
 3
         3
         4
               C\:\\Users\\Davi_\\OneDrive\\Arquivos\
               Davi\\Faculdade\\Manuten\u00e7\u00e3o\\Trabalho_Refatora\u00e7\u00e3o\\controleatle
               tas\\ControleAtleta=
```

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$1.class [□]

Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$10.class しり Binary file not shown.

∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$11.class □ Binary file not shown.

▼ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$12.class
□

Binary file not shown.						
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$13.class □						
Binary file not shown.						
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$14.class □						
Binary file not shown.						
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$15.class □						
Binary file not shown.						
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$16.class □						
Binary file not shown.						
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$17.class □						
Binary file not shown.						
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$2.class □						
Binary file not shown.						
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$3.class □						
Binary file not shown.						
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$4.class □						
Binary file not shown.						
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$5.class □						
Binary file not shown.						
∨ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador\$6.class □						
Binary file not shown.						

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador$7.class □

Binary file not shown.
```

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador$8.class □

Binary file not shown.
```

```
→ BIN +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador$9.class □

Binary file not shown.
```

```
→ BIN +324 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador.class □

Binary file not shown.
```

```
30 ControleAtleta/src/controleatleta/CadastroBoxeador.java
       388
                    }
388
389
       389
390
       390
                    private void atualizarCategoriaPeso() {
391
                        char categoria;
       391
                        char categoria = obterCategoriaSelecionada();
       392
                        if (categoria == '\u0000') {
       393
       394
                            return;
       395
                        }
       396
                        double peso = obterPesoInformado();
       397
       398
       399
                        jTextFieldCategoriaPeso.setText(Boxeador.obterCategoriaPesoNome(categoria,
                peso));
                    }
       400
       401
                    private char obterCategoriaSelecionada() {
       402
392
       403
                        switch (jComboBoxCategoria.getSelectedIndex()) {
                            case Boxeador.CATEGORIA AMADOR INDICE:
393
       404
394
                                categoria = Boxeador.CATEGORIA_AMADOR_VALOR;
395
                                break;
       405
                                return Boxeador.CATEGORIA AMADOR VALOR;
396
       406
                            case Boxeador.CATEGORIA_PROFISSIONAL_INDICE:
397
                                categoria = Boxeador.CATEGORIA_PROFISSIONAL_VALOR;
398
                                break;
       407
                                return Boxeador.CATEGORIA_PROFISSIONAL_VALOR;
       408
399
                            default:
400
                                return;
       409
                                return '\u0000'; // Retorna caractere nulo se a categoria não
                estiver selecionada
```

```
410
       411
                    }
       412
       413
                    private double obterPesoInformado() {
       414
                        try {
       415
                            return Double.parseDouble(jTextFieldPeso.getText());
       416
                        } catch (NumberFormatException e) {
                            return 0.0; // Retorna 0.0 caso ocorra um erro de formato no peso
       417
401
       418
                        jTextFieldCategoriaPeso.setText(Boxeador.obterCategoriaPesoNome(categoria,
402
                Double.parseDouble(jTextFieldPeso.getText())));
       419
403
       420
404
                    @SuppressWarnings("unchecked")
405
       421
```

0 comments on commit 81f4234

Please sign in to comment.