	vinicius Abrantes	/ Sistema-A	Academia	Public
ᇦ	VIIIICIUSADIAIILES	/ Sisteilia- <i>F</i>	Acadellila	Public

<> Code Issues !\text{\text{?}} Pull requests Actions Projects 

## Commit



This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

## Extract method#4 **Browse files** MateusAra committed on Jun 21

Showing 4 changed files with 246 additions and 171 deletions.

1 parent ada4142 commit b699739

Whitespace Ignore whitespace Split Unified

✓ BIN +2.22 KB (330%) Academia Master/build/classes/control/MainMethods.class 
☐ Binary file not shown.

```
✓ BIN -1.58 KB (81%) Academia Master/build/classes/control/SistemaAcademia.class [□
Binary file not shown.
```

```
223 Academia Master/src/control/MainMethods.java
115
       115
                       stage.getScene().setRoot(mainLayout);
116
       116
                   }
117
       117
                   public static void TelaAtualizarProduto(){
118
                   public static void TelaAtualizarProduto(Borderpane mainLayout, Stage stage){
       118
                       FXMLLoader telaAtualizarProduto = new FXMLLoader();
119
       119
120
       120
               telaAtualizarProduto.setLocation(SistemaAcademia.class.getResource("/view/TelaAtual
               izarProduto.fxml"));
121
       121
                       try {
165
       165
166
       166
                       stage.getScene().setRoot(mainLayout);
167
       167
                   }
168
                   public static void SaleReportPage(BorderPane mainLayout, Stage stage) {
       168
                       FXMLLoader telaRelatorioVenda = new FXMLLoader();
       169
```

```
170
        telaRelatorioVenda.setLocation(SistemaAcademia.class.getResource("/view/TelaRelator
        ioVenda.fxml"));
171
172
                try {
173
                    mainLayout = telaRelatorioVenda.load();
                } catch (IOException ex) {
174
175
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
176
177
178
                stage.getScene().setRoot(mainLayout);
179
            }
180
181
            public static void ConsultPage(BorderPane mainLayout, Stage stage) {
                FXMLLoader telaConsulta = new FXMLLoader();
182
183
        telaConsulta.setLocation(SistemaAcademia.class.getResource("/view/TelaConsulta.fxml
        "));
184
185
                try {
186
                    mainLayout = telaConsulta.load();
187
                } catch (IOException ex) {
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
188
        null, ex);
189
                }
190
191
                stage.getScene().setRoot(mainLayout);
192
            }
193
            public static void PaymentPage(BorderPane mainLayout, Stage stage) {
194
                FXMLLoader telaPagamento = new FXMLLoader();
195
196
        telaPagamento.setLocation(SistemaAcademia.class.getResource("/view/TelaPagamento.fx
        ml"));
197
198
                try {
199
                    mainLayout = telaPagamento.load();
200
                } catch (IOException ex) {
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
201
        null, ex);
202
203
204
                stage.getScene().setRoot(mainLayout);
205
            }
206
207
            public static void RegisterPageClient(BorderPane mainLayout, Stage stage) {
208
                FXMLLoader telaRelatorioVenda = new FXMLLoader();
209
        telaRelatorioVenda.setLocation(SistemaAcademia.class.getResource("/view/TelaRelator
        ioVenda.fxml"));
210
```

```
211
                try {
212
                    mainLayout = telaRelatorioVenda.load();
213
                } catch (IOException ex) {
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
214
        null, ex);
215
                }
216
217
                stage.getScene().setRoot(mainLayout);
            }
218
219
220
            public static void RegisterPageEmployee(BorderPane mainLayout, Stage stage) {
221
                FXMLLoader telaCadastroFuncionario = new FXMLLoader();
222
        telaCadastroFuncionario.setLocation(SistemaAcademia.class.getResource("/view/TelaCa
        dastroFuncionario.fxml"));
223
224
                try {
225
                    mainLayout = telaCadastroFuncionario.load();
                } catch (IOException ex) {
226
227
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
228
229
230
                stage.getScene().setRoot(mainLayout);
231
            }
232
            public static void RegisterPageSupplier(BorderPane mainLayout, Stage stage) {
233
                FXMLLoader telaCadastroFornecedor = new FXMLLoader();
234
235
        telaCadastroFornecedor.setLocation(SistemaAcademia.class.getResource("/view/TelaCad
        astroFornecedor.fxml"));
236
237
                try {
                    mainLayout = telaCadastroFornecedor.load();
238
239
                } catch (IOException ex) {
240
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
                }
241
242
243
                stage.getScene().setRoot(mainLayout);
244
            }
245
246
            public static void RegisterPageProduct(BorderPane mainLayout, Stage stage) {
                FXMLLoader telaCadastroProduto = new FXMLLoader();
247
248
        telaCadastroProduto.setLocation(SistemaAcademia.class.getResource("/view/TelaCadast
        roProduto.fxml"));
249
250
                try {
251
                    mainLayout = telaCadastroProduto.load();
252
                } catch (IOException ex) {
```

```
253
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
254
                }
255
256
                stage.getScene().setRoot(mainLayout);
257
            }
258
259
            public static void RegisterPageSale(BorderPane mainLayout, Stage stage) {
                FXMLLoader telaCadastroVenda = new FXMLLoader();
260
261
        telaCadastroVenda.setLocation(SistemaAcademia.class.getResource("/view/TelaCadastro
        Venda.fxml"));
262
263
                try {
264
                    mainLayout = telaCadastroVenda.load();
                } catch (IOException ex) {
265
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
266
        null, ex);
267
268
269
                stage.getScene().setRoot(mainLayout);
270
            }
271
272
            public static void Purchase(BorderPane mainLayout, Stage stage) {
273
                FXMLLoader telaPagamentoCompra = new FXMLLoader();
274
        telaPagamentoCompra.setLocation(SistemaAcademia.class.getResource("/view/TelaPagame
        ntoCompra.fxml"));
275
276
                try {
277
                    mainLayout = telaPagamentoCompra.load();
                } catch (IOException ex) {
278
279
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
280
                }
281
282
                stage.getScene().setRoot(mainLayout);
283
            }
284
            public static void RegisterPagePlan(BorderPane mainLayout, Stage stage) {
285
                FXMLLoader telaCadastroPlano = new FXMLLoader();
286
287
        telaCadastroPlano.setLocation(SistemaAcademia.class.getResource("/view/TelaCadastro
        Plano.fxml"));
288
289
                try {
290
                    mainLayout = telaCadastroPlano.load();
291
                } catch (IOException ex) {
292
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
293
                }
294
```

```
295
                stage.getScene().setRoot(mainLayout);
296
            }
297
298
            public static void ConsultPageClient(BorderPane mainLayout, Stage stage) {
299
                FXMLLoader telaConsultaCliente = new FXMLLoader();
300
        telaConsultaCliente.setLocation(SistemaAcademia.class.getResource("/view/TelaConsul
        taCliente.fxml"));
301
302
                try {
                    mainLayout = telaConsultaCliente.load();
303
304
                } catch (IOException ex) {
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
305
        null, ex);
306
                }
307
308
                stage.getScene().setRoot(mainLayout);
            }
309
310
            public static void ConsultPageEmployee(BorderPane mainLayout, Stage stage) {
311
312
                FXMLLoader telaConsultaFuncionario = new FXMLLoader();
313
        telaConsultaFuncionario.setLocation(SistemaAcademia.class.getResource("/view/TelaCo
        nsultaFuncionario.fxml"));
314
315
                try {
                    mainLayout = telaConsultaFuncionario.load();
316
317
                } catch (IOException ex) {
318
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
319
320
321
                stage.getScene().setRoot(mainLayout);
322
            }
323
324
            public static void ConsultPageSupplier(BorderPane mainLayout, Stage stage) {
                FXMLLoader telaConsultaFornecedor = new FXMLLoader();
325
326
        telaConsultaFornecedor.setLocation(SistemaAcademia.class.getResource("/view/TelaCon
        sultaFornecedor.fxml"));
327
328
                try {
329
                    mainLayout = telaConsultaFornecedor.load();
                } catch (IOException ex) {
330
331
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
        null, ex);
332
                }
333
334
                stage.getScene().setRoot(mainLayout);
335
            }
336
337
            public static void ConsultPageProduct(BorderPane mainLayout, Stage stage) {
```

```
338
                FXMLLoader telaConsultaProduto = new FXMLLoader();
339
        telaConsultaProduto.setLocation(SistemaAcademia.class.getResource("/view/TelaConsul
        taProduto.fxml"));
340
341
                try {
                    mainLayout = telaConsultaProduto.load();
342
343
                } catch (IOException ex) {
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
344
        null, ex);
345
                }
346
347
                stage.getScene().setRoot(mainLayout);
348
            }
349
            public static void ConsultPagePlan(BorderPane mainLayout, Stage stage) {
350
                FXMLLoader telaConsultaPlano = new FXMLLoader();
351
352
        telaConsultaPlano.setLocation(SistemaAcademia.class.getResource("/view/TelaConsulta
        Plano.fxml"));
353
354
                try {
355
                    mainLayout = telaConsultaPlano.load();
                } catch (IOException ex) {
356
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
357
        null, ex);
358
                }
359
360
                stage.getScene().setRoot(mainLayout);
            }
361
362
            public static void ConsultPageSale(BorderPane mainLayout, Stage stage) {
363
                FXMLLoader telaConsultaVenda = new FXMLLoader();
364
365
        telaConsultaVenda.setLocation(SistemaAcademia.class.getResource("/view/TelaConsulta
        Venda.fxml"));
366
367
                try {
368
                    mainLayout = telaConsultaVenda.load();
369
                } catch (IOException ex) {
                    Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
370
        null, ex);
371
372
373
                stage.getScene().setRoot(mainLayout);
374
            }
375
376
            public static void UpdateClientPage(BorderPane mainLayout, Stage stage) {
377
                FXMLLoader telaAtualizarCliente = new FXMLLoader();
378
        telaAtualizarCliente.setLocation(SistemaAcademia.class.getResource("/view/TelaAtual
        izarCliente.fxml"));
```

```
379
        380
                        try {
        381
                             mainLayout = telaAtualizarCliente.load();
                        } catch (IOException ex) {
        382
        383
                             Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE,
                null, ex);
        384
                        }
        385
        386
                        stage.getScene().setRoot(mainLayout);
        387
                    }
169
        388
                }
170
        389
```

```
194 Academia Master/src/control/SistemaAcademia.java
70
       70
                               break;
       71
71
72
       72
                           case "TelaConsulta" :
                               FXMLLoader telaConsulta = new FXMLLoader();
73
74
               telaConsulta.setLocation(SistemaAcademia.class.getResource("/view/TelaConsulta.fxml
               "));
75
76
                               try {
77
                                   mainLayout = telaConsulta.load();
                               } catch (IOException ex) {
78
79
               Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
80
81
82
                               stage.getScene().setRoot(mainLayout);
       73
                               MainMethods.ConsultPage(mainLayout, stage);
       74
83
                               break;
84
       75
85
       76
                           case "TelaPagamento" :
                               FXMLLoader telaPagamento = new FXMLLoader();
86
87
               telaPagamento.setLocation(SistemaAcademia.class.getResource("/view/TelaPagamento.fx
               ml"));
88
89
                               try {
                                   mainLayout = telaPagamento.load();
90
91
                               } catch (IOException ex) {
92
               Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
93
                               }
94
95
                               stage.getScene().setRoot(mainLayout);
       77
                               MainMethods.PaymentPage(mainLayout, stage);
96
       78
                               break:
97
       79
98
        80
                           case "TelaCadastroCliente" :
```

```
99
                                FXMLLoader telaCadastroCliente = new FXMLLoader();
100
                telaCadastroCliente.setLocation(SistemaAcademia.class.getResource("/view/TelaCadast
                roCliente.fxml"));
101
102
                                    mainLayout = telaCadastroCliente.load();
103
                                } catch (IOException ex) {
104
105
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
106
                                }
107
108
                                stage.getScene().setRoot(mainLayout);
                                MainMethods.RegisterPageClient(mainLayout, stage);
        81
        82
109
                                break;
110
        83
                            case "TelaCadastroFuncionario" :
111
        84
                                FXMLLoader telaCadastroFuncionario = new FXMLLoader();
112
113
                telaCadastroFuncionario.setLocation(SistemaAcademia.class.getResource("/view/TelaCa
                dastroFuncionario.fxml"));
114
115
                                try {
                                    mainLayout = telaCadastroFuncionario.load();
116
117
                                } catch (IOException ex) {
118
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
119
120
121
                                stage.getScene().setRoot(mainLayout);
                                MainMethods.RegisterPageEmployee(mainLayout, stage);
        85
                                break:
122
        86
123
        87
                            case "TelaCadastroFornecedor" :
124
        88
                                FXMLLoader telaCadastroFornecedor = new FXMLLoader();
125
126
                telaCadastroFornecedor.setLocation(SistemaAcademia.class.getResource("/view/TelaCad
                astroFornecedor.fxml"));
127
                                try {
128
129
                                    mainLayout = telaCadastroFornecedor.load();
130
                                } catch (IOException ex) {
131
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
132
                                }
133
                                stage.getScene().setRoot(mainLayout);
134
        89
                                MainMethods.RegisterPageEmployee(mainLayout, stage);
135
        90
                                break;
136
        91
137
         92
                            case "TelaCadastroProduto" :
138
                                FXMLLoader telaCadastroProduto = new FXMLLoader();
```

```
139
                telaCadastroProduto.setLocation(SistemaAcademia.class.getResource("/view/TelaCadast
                roProduto.fxml"));
140
141
                                try {
142
                                     mainLayout = telaCadastroProduto.load();
                                } catch (IOException ex) {
143
144
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
145
146
147
                                stage.getScene().setRoot(mainLayout);
                                MainMethods.RegisterPageProduct(mainLayout, stage);
        93
                                break;
148
        94
149
        95
                            case "TelaCadastroVenda" :
150
        96
                                FXMLLoader telaCadastroVenda = new FXMLLoader();
151
152
                telaCadastroVenda.setLocation(SistemaAcademia.class.getResource("/view/TelaCadastro
                Venda.fxml"));
153
154
                                try {
155
                                     mainLayout = telaCadastroVenda.load();
                                } catch (IOException ex) {
156
157
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
                                }
158
159
                                stage.getScene().setRoot(mainLayout);
160
        97
                                MainMethods.RegisterPageSale(mainLayout, stage);
161
        98
                                break;
        99
162
                            case "TelaPagamentoCompra" :
163
        100
                                FXMLLoader telaPagamentoCompra = new FXMLLoader();
164
165
                telaPagamentoCompra.setLocation(SistemaAcademia.class.getResource("/view/TelaPagame
                ntoCompra.fxml"));
166
167
                                try {
                                     mainLayout = telaPagamentoCompra.load();
168
                                } catch (IOException ex) {
169
170
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
                                }
171
172
173
                                stage.getScene().setRoot(mainLayout);
        101
                                MainMethods.Purchase(mainLayout, stage);
174
        102
                                break;
175
        103
        104
                            case "TelaCadastroPlano" :
176
177
                                FXMLLoader telaCadastroPlano = new FXMLLoader();
```

```
178
                telaCadastroPlano.setLocation(SistemaAcademia.class.getResource("/view/TelaCadastro
                Plano.fxml"));
179
180
                                try {
181
                                    mainLayout = telaCadastroPlano.load();
                                } catch (IOException ex) {
182
183
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
184
185
                                stage.getScene().setRoot(mainLayout);
186
       105
                                MainMethods.RegisterPagePlan(mainLayout, stage);
       106
                                break;
187
       107
188
                            case "TelaConsultaCliente" :
189
       108
                                FXMLLoader telaConsultaCliente = new FXMLLoader();
190
191
                telaConsultaCliente.setLocation(SistemaAcademia.class.getResource("/view/TelaConsul
                taCliente.fxml"));
192
193
                                try {
194
                                    mainLayout = telaConsultaCliente.load();
195
                                } catch (IOException ex) {
196
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
197
                                }
198
                                stage.getScene().setRoot(mainLayout);
199
       109
                                MainMethods.ConsultPageClient(mainLayout, stage);
       110
200
                                break;
201
       111
       112
                            case "TelaConsultaFuncionario" :
202
                                FXMLLoader telaConsultaFuncionario = new FXMLLoader();
203
204
                telaConsultaFuncionario.setLocation(SistemaAcademia.class.getResource("/view/TelaCo
                nsultaFuncionario.fxml"));
205
206
                                    mainLayout = telaConsultaFuncionario.load();
207
                                } catch (IOException ex) {
208
209
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
                                }
210
211
212
                                stage.getScene().setRoot(mainLayout);
       113
                                MainMethods.ConsultPageEmployee(mainLayout, stage);
213
       114
                                break;
214
       115
                            case "TelaConsultaFornecedor" :
215
       116
216
                                FXMLLoader telaConsultaFornecedor = new FXMLLoader();
```

```
217
                                     telaConsultaFornecedor.setLocation(SistemaAcademia.class.getResource("/view/TelaCon
                                      sultaFornecedor.fxml"));
218
219
                                                                           try {
220
                                                                                     mainLayout = telaConsultaFornecedor.load();
                                                                           } catch (IOException ex) {
221
222
                                      Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
223
224
                                                                           stage.getScene().setRoot(mainLayout);
225
                                                                           MainMethods.ConsultPageSupplier(mainLayout, stage);
                  117
                  118
                                                                            break;
226
                  119
227
                                                                  case "TelaConsultaProduto" :
228
                  120
229
                                                                            FXMLLoader telaConsultaProduto = new FXMLLoader();
230
                                     telaConsultaProduto.setLocation(SistemaAcademia.class.getResource("/view/TelaConsul
                                      taProduto.fxml"));
231
232
                                                                           try {
233
                                                                                     mainLayout = telaConsultaProduto.load();
234
                                                                           } catch (IOException ex) {
235
                                      Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
                                                                           }
236
237
238
                                                                            stage.getScene().setRoot(mainLayout);
                                                                           MainMethods.ConsultPageProduct(mainLayout, stage);
                  121
                  122
239
                                                                            break;
240
                  123
                  124
                                                                  case "TelaConsultaPlano" :
241
                                                                            FXMLLoader telaConsultaPlano = new FXMLLoader();
242
243
                                     tela Consulta Plano. set Location (Sistema Academia. {\tt class.getResource("/view/TelaConsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultantelaconsultan
                                     Plano.fxml"));
244
245
                                                                           try {
                                                                                     mainLayout = telaConsultaPlano.load();
246
                                                                           } catch (IOException ex) {
247
248
                                      Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
249
                                                                           }
250
251
                                                                           stage.getScene().setRoot(mainLayout);
                  125
                                                                           MainMethods.ConsultPagePlan(mainLayout, stage);
252
                  126
                                                                           break;
253
                  127
                                                                  case "TelaConsultaVenda" :
254
                  128
255
                                                                            FXMLLoader telaConsultaVenda = new FXMLLoader();
```

```
256
                telaConsultaVenda.setLocation(SistemaAcademia.class.getResource("/view/TelaConsulta
                Venda.fxml"));
257
258
                                try {
259
                                     mainLayout = telaConsultaVenda.load();
                                 } catch (IOException ex) {
260
261
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
262
263
                                stage.getScene().setRoot(mainLayout);
264
        129
                                MainMethods.ConsultPageSale(mainLayout, stage);
        130
                                 break;
265
        131
266
        132
267
                            case "TelaAtualizarCliente" :
                                 FXMLLoader telaAtualizarCliente = new FXMLLoader();
268
269
                telaAtualizarCliente.setLocation(SistemaAcademia.class.getResource("/view/TelaAtual
                izarCliente.fxml"));
270
271
                                try {
272
                                     mainLayout = telaAtualizarCliente.load();
                                } catch (IOException ex) {
273
274
                Logger.getLogger(SistemaAcademia.class.getName()).log(Level.SEVERE, null, ex);
                                }
275
276
                                 stage.getScene().setRoot(mainLayout);
277
                                MainMethods.UpdateClientPage(mainLayout, stage);
        133
        134
                                break;
278
        135
279
        136
                            case "TelaAtualizarFuncionario" :
280
                                MainMethods.TelaAtualizarFuncionario();
281
                                MainMethods.TelaAtualizarFuncionario(mainLayout, stage);
        137
282
        138
                                break;
        139
283
        140
                             case "TelaAtualizarFornecedor" :
284
                                MainMethods.TelaAtualizarFornecedor();
285
        141
                                MainMethods.TelaAtualizarFornecedor(mainLayout, stage);
        142
                                break;
286
287
        143
                            case "TelaAtualizarProduto" :
288
        144
                                MainMethods.TelaAtualizarProduto();
289
        145
                                MainMethods.TelaAtualizarProduto(mainLayout, stage);
290
        146
                                break;
291
        147
                            case "TelaAtualizarPlano" :
292
        148
293
                                MainMethods.TelaAtualizarPlano();
                                MainMethods.TelaAtualizarPlano(mainLayout, stage);
        149
294
        150
                                break;
295
        151
```

```
296
       152
                             case "TelaRelatorio" :
297
                                 MainMethods.TelaRelatorio();
                                 MainMethods.TelaRelatorio(mainLayout, stage);
        153
       154
298
                                 break;
299
        155
        156
                             case "TelaRelatorioUltimoAcesso" :
300
                                 MainMethods.TelaRelatorioUltimoAcesso();
301
       157
                                 MainMethods.TelaRelatorioUltimoAcesso(mainLayout, stage);
       158
302
                                 break;
        159
303
304
        160
                             case "TelaRelatorioRecebimento" :
                                 MainMethods.TelaRelatorioRecebimento();
305
                                 MainMethods.TelaRelatorioRecebimento(mainLayout, stage);
       161
306
        162
                                 break;
307
        163
                             case "TelaRelatorioVenda" :
        164
308
309
                                 MainMethods.SaleReport();
       165
                                 MainMethods.SaleReport(mainLayout, stage);
        166
                                 break;
310
311
        167
312
       168
                             case "TelaFormaPagamento" :
313
                                 MainMethods.PaymentPage();
        169
                                 MainMethods.PaymentPage(mainLayout, stage);
314
       170
                                 break;
315
        171
                        }
316
        172
                    }
```

**0 comments on commit** b699739

Please sign in to comment.