☐ tst-labs / esocial Public

<> Code • Issues 18 **!** Pull requests Actions ✓ Insi

Commit



This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Ecapsulamento - 4

Browse files



67

70

vinicius537 committed on Jun 27

1 parent 1927613 commit 1a32139

Showing 1 changed file with 64 additions and 6 deletions.

Whitespace

Ignore whitespace

Split

Unified

```
...acao/src/main/java/br/jus/esocialjt/comunicacao/eventos/retorno/evento/SignatureType.java
          52
                     "object"
  52
  53
          53
                 })
                 public class SignatureType {
  54
          54
  55
                     @XmlElement(name = "SignedInfo", required = true)
  56
          55
  57
                     protected SignedInfoType signedInfo;
                     private SignedInfoType signedInfo;
          56
          57
                     @XmlElement(name = "SignatureValue", required = true)
  58
          58
  59
                     protected SignatureValueType signatureValue;
          59
                     private SignatureValueType signatureValue;
          60
                     @XmlElement(name = "KeyInfo")
  61
                     protected KeyInfoType keyInfo;
                     private KeyInfoType keyInfo;
          62
          63
          64
                     @XmlElement(name = "Object")
  62
  63
                     protected List<ObjectType> object;
                     private List<ObjectType> objects;
          65
          66
                     @XmlAttribute(name = "Id")
  64
          67
  65
          68
                     @XmlJavaTypeAdapter(CollapsedStringAdapter.class)
  66
          69
                     @XmlID
```

@XmlSchemaType(name = "ID")

```
68
                   protected String id;
        71
                   private String id;
        72
        73
                   // Construtores, getters e setters
        74
        75
                   public SignatureType() {
                       // Construtor padrão
        76
        77
                   }
       78
                   public SignatureType(SignedInfoType signedInfo, SignatureValueType
        79
               signatureValue, KeyInfoType keyInfo,
                                         List<ObjectType> objects, String id) {
        80
                       this.signedInfo = signedInfo;
        81
                       this.signatureValue = signatureValue;
        82
                       this.keyInfo = keyInfo;
        83
                       this.objects = objects;
        84
                       this.id = id;
        85
                   }
        86
        87
                   public SignedInfoType getSignedInfo() {
        88
                       return signedInfo;
        89
        90
        91
                   public void setSignedInfo(SignedInfoType signedInfo) {
        92
                       this.signedInfo = signedInfo;
        93
        94
                   }
       95
                   public SignatureValueType getSignatureValue() {
        96
        97
                       return signatureValue;
        98
                   }
        99
                   public void setSignatureValue(SignatureValueType signatureValue) {
       100
                       this.signatureValue = signatureValue;
       101
       102
                   }
       103
       104
                   public KeyInfoType getKeyInfo() {
                       return keyInfo;
       105
       106
                   }
       107
                   public void setKeyInfo(KeyInfoType keyInfo) {
       108
       109
                       this.keyInfo = keyInfo;
       110
       111
                   public List<ObjectType> getObjects() {
       112
       113
                       return objects;
      114
                   }
       115
                   public void setObjects(List<ObjectType> objects) {
       116
                       this.objects = objects;
       117
       118
                   }
       119
       120
                   public String getId() {
            +
```

```
121
                       return id;
      122
                  }
      123
                  public void setId(String id) {
      124
      125
                       this.id = id;
      126
                  }
69
      127
70
                  /**
      128
71
      129
                    * Obtém o valor da propriedade signedInfo.
```

0 comments on commit 1a32139

Please sign in to comment.