☐ Otavio15 / SISTEMA-JAVA Public

<> Code Issues **!** Pull requests Actions Security Insights

Commit



This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

```
extract method - 1
                                                                                      Browse files
   anaceciliaa committed on Jun 27
1 parent 6452685 commit 6b888fc
```

Showing 1 changed file with 18 additions and 14 deletions.

Whitespace Ignore whitespace Split Unified

```
32 src/view/ClienteView.java
       799
                    }//GEN-LAST:event_jTabelaMouseReleased
799
       800
800
       801
801
                    public void eventTable(){
802
                        if(BackGround != Color.ORANGE && BackGround != Color.CYAN){
803
       802
                        if (BackGround != Color.ORANGE && BackGround != Color.CYAN) {
804
       803
                            jTabela.setSelectionBackground(BackGround);
805
                        }else{
                        }_else_{
       804
       805
                            BackGround = jTabela.getSelectionBackground();
806
807
                        }
808
                            int aux = jTabela.getSelectedRow();
809
810
                            if (aux >= 0 && aux < Modelo.getRowCount()) {</pre>
811
812
                                Cliente D = Modelo.getFuncionario(aux);
       806
                        }
       807
                        int aux = jTabela.getSelectedRow();
       808
                         if (aux >= 0 && aux < Modelo.getRowCount()) {</pre>
       809
                            Cliente cliente = Modelo.getFuncionario(aux);
       810
       811
       812
                            setClienteData(cliente);
       813
                            setSelectedGender(cliente);
       814
       815
                            modoDep = "Selecao";
```

```
816
                            ManipulaInterfaceDep();
       817
                        }
        818
813
                             private void setClienteData(Cliente cliente) {
       819
       820
                                 jNome.setText(D.nome);
814
815
       821
                                 jCpf.setText(D.cpf);
816
       822
                                 jFone.setText(D.fone);
823
       829
                                 jBairro.setText(D.bairro);
       830
                                 jNumero.setText(D.numero);
824
       831
                                 jRua.setText(D.rua);
825
       832
                            }
826
       833
       834
                             private void setSelectedGender(Cliente cliente) {
                                final String MASCULINO = "Masculino";
827
        835
                                final String FEMININO = "Feminino";
828
       836
       837
829
                                if (MASCULINO.equals(D.sexo)) {
830
       838
                                 jrMasculino.setSelected(true);
831
       839
832
       840
                                } else if (FEMININO.equals(D.sexo)) {
                                 jrFeminino.setSelected(true);
833
        841
       842
                                }
        843
834
                             }
835
836
                                 modoDep = "Selecao";
837
                                 ManipulaInterfaceDep();
838
                            }
839
840
        844
                    }
841
        845
842
        846
                     * @param args the command line arguments
```

0 comments on commit | 6b888fc

Please sign in to comment.