🗐 **johnrego** / **Sistema-de-Gestao-Hospitalar**   (Public)

<> **Code**   ⊙ Issues   ⑂ Pull requests   ▶ Actions   ▦ Projects **1**   ⚠ Security   📈 Insights

Commit

> ⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Code Smell	Browse files

👤 **hannaranielly** committed on Jun 26

1 parent 3731f69   commit 9a394de

Showing **1 changed file** with **164 additions** and **152 deletions**.

Whitespace	Ignore whitespace	Split	Unified

∨ ⬍ **316** ▮▮▮▮▯

Sistema-de-Gestao-Consultas/src/br/edu/ufersa/controlConsult/gui/RegFrequencia.java ⧉

```
45    45            */
46    46          @SuppressWarnings("unchecked")
47    47          // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
                   BEGIN:initComponents
48        -     private void initComponents() {
49        -         java.awt.GridBagConstraints gridBagConstraints;
50        -
51        -         jPanel2 = new javax.swing.JPanel();
52        -         cpf_jLabel = new javax.swing.JLabel();
53        -         cpf_formattedField = new javax.swing.JFormattedTextField();
54        -         buscar_jButton = new javax.swing.JButton();
55        -         jPanel3 = new javax.swing.JPanel();
56        -         nome_jLabel = new javax.swing.JLabel();
57        -         nome_jTextField = new javax.swing.JTextField();
58        -         lastEntrada_jLabel = new javax.swing.JLabel();
59        -         lastEntrada_jTextField = new javax.swing.JTextField();
60        -         lastSaida_jLabel = new javax.swing.JLabel();
61        -         lastSaida_jTextField = new javax.swing.JTextField();
62        -         jPanel1 = new javax.swing.JPanel();
63        -         mostrarFrequencia_jButton = new javax.swing.JButton();
64        -         entrada_jButton = new javax.swing.JButton();
65        -         saida_jButton = new javax.swing.JButton();
66        -
67        -         setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
```

```
68   -          setTitle("Gerenciar Frequência");
69   -          getContentPane().setLayout(new javax.swing.BoxLayout(getContentPane(),
        javax.swing.BoxLayout.Y_AXIS));
70   -
71   -          setupPanel2();
72   -          setupPanel3();
73   -          setupPanel1();
74   -
75   -          pack();
76   - }// </editor-fold>//GEN-END:initComponents
77   -
78   - private void setupPanel1() {
79   -          jPanel2.setLayout(new java.awt.GridBagLayout());
80   -
81   -          cpf_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14)); // NOI18N
82   -          cpf_jLabel.setText("CPF:");
83   -          gridBagConstraints = new java.awt.GridBagConstraints();
84   -          gridBagConstraints.insets = new java.awt.Insets(0, 10, 0, 10);
85   -          jPanel2.add(cpf_jLabel, gridBagConstraints);
86   -
87   -          cpf_formattedField.setColumns(20);
88   -          try {
89   -              cpf_formattedField.setFormatterFactory(new
        javax.swing.text.DefaultFormatterFactory(new
        javax.swing.text.MaskFormatter("###.###.###-##")));
90   -          } catch (java.text.ParseException ex) {
91   -              ex.printStackTrace();
     48  +
     49  +
     50  +     private static final int CPF_LABEL_WIDTH = 14;
     51  +     private static final int CPF_FIELD_COLUMNS = 20;
     52  +     private static final int BUSCAR_BUTTON_MARGIN = 10;
     53  +     private static final int NOME_LABEL_WIDTH = 14;
     54  +     private static final int NOME_FIELD_COLUMNS = 25;
     55  +     private static final int LAST_ENTRADA_LABEL_WIDTH = 14;
     56  +     private static final int LAST_ENTRADA_FIELD_COLUMNS = 15;
     57  +     private static final int LAST_SAIDA_LABEL_WIDTH = 14;
     58  +     private static final int LAST_SAIDA_FIELD_COLUMNS = 15;
     59  +
     60  +     private void initComponents() {
     61  +          java.awt.GridBagConstraints gridBagConstraints;
     62  +
     63  +          jPanel2 = new javax.swing.JPanel();
     64  +          cpf_jLabel = new javax.swing.JLabel();
     65  +          cpf_formattedField = new javax.swing.JFormattedTextField();
     66  +          buscar_jButton = new javax.swing.JButton();
     67  +          jPanel3 = new javax.swing.JPanel();
     68  +          nome_jLabel = new javax.swing.JLabel();
     69  +          nome_jTextField = new javax.swing.JTextField();
     70  +          lastEntrada_jLabel = new javax.swing.JLabel();
     71  +          lastEntrada_jTextField = new javax.swing.JTextField();
     72  +          lastSaida_jLabel = new javax.swing.JLabel();
```

```
 73  +          lastSaida_jTextField = new javax.swing.JTextField();
 74  +          jPanel1 = new javax.swing.JPanel();
 75  +          mostrarFrequencia_jButton = new javax.swing.JButton();
 76  +          entrada_jButton = new javax.swing.JButton();
 77  +          saida_jButton = new javax.swing.JButton();
 78  +
 79  +          setDefaultCloseOperation(javax.swing.WindowConstants.DISPOSE_ON_CLOSE);
 80  +          setTitle("Gerenciar Frequência");
 81  +          getContentPane().setLayout(new javax.swing.BoxLayout(getContentPane(),
        javax.swing.BoxLayout.Y_AXIS));
 82  +
 83  +          setupPanel2();
 84  +          setupPanel3();
 85  +          setupPanel1();
 86  +
 87  +          pack();
 92      88      }
 93      -      cpf_formattedField.addActionListener(new java.awt.event.ActionListener() {
 94      -          public void actionPerformed(java.awt.event.ActionEvent evt) {
 95      -              cpf_formattedFieldActionPerformed(evt);
 96      -          }
 97      -      });
 98      -      cpf_formattedField.addKeyListener(new java.awt.event.KeyAdapter() {
 99      -          public void keyTyped(java.awt.event.KeyEvent evt) {
100      -              cpf_formattedFieldKeyTyped(evt);
101      -          }
102      -      });
103      -      jPanel2.add(cpf_formattedField, new java.awt.GridBagConstraints());
104  89
105      -      buscar_jButton.setText("Selecionar");
106      -      buscar_jButton.addActionListener(new java.awt.event.ActionListener() {
107      -          public void actionPerformed(java.awt.event.ActionEvent evt) {
108      -              buscar_jButtonActionPerformed(evt);
     90  +  private void setupPanel1() {
     91  +      jPanel2.setLayout(new java.awt.GridBagLayout());
     92  +
     93  +      cpf_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14));
     94  +      cpf_jLabel.setText("CPF:");
     95  +      gridBagConstraints = new java.awt.GridBagConstraints();
     96  +      gridBagConstraints.insets = new java.awt.Insets(0, CPF_LABEL_WIDTH, 0,
        CPF_LABEL_WIDTH);
     97  +      jPanel2.add(cpf_jLabel, gridBagConstraints);
     98  +
     99  +      cpf_formattedField.setColumns(CPF_FIELD_COLUMNS);
    100  +      try {
    101  +          cpf_formattedField.setFormatterFactory(new
        javax.swing.text.DefaultFormatterFactory(new
        javax.swing.text.MaskFormatter("###.###.###-##")));
    102  +      } catch (java.text.ParseException ex) {
    103  +          ex.printStackTrace();
109     104      }
110      -      });
```

```
111          -        gridBagConstraints = new java.awt.GridBagConstraints();
112          -        gridBagConstraints.insets = new java.awt.Insets(0, 10, 0, 10);
113          -        jPanel2.add(buscar_jButton, gridBagConstraints);
        105  +        cpf_formattedField.addActionListener(new java.awt.event.ActionListener() {
        106  +            public void actionPerformed(java.awt.event.ActionEvent evt) {
        107  +                cpf_formattedFieldActionPerformed(evt);
        108  +            }
        109  +        });
        110  +        cpf_formattedField.addKeyListener(new java.awt.event.KeyAdapter() {
        111  +            public void keyTyped(java.awt.event.KeyEvent evt) {
        112  +                cpf_formattedFieldKeyTyped(evt);
        113  +            }
        114  +        });
        115  +        jPanel2.add(cpf_formattedField, new java.awt.GridBagConstraints());
114     116
115          -        getContentPane().add(jPanel2);
116          - }
        117  +        buscar_jButton.setText("Selecionar");
        118  +        buscar_jButton.addActionListener(new java.awt.event.ActionListener() {
        119  +            public void actionPerformed(java.awt.event.ActionEvent evt) {
        120  +                buscar_jButtonActionPerformed(evt);
        121  +            }
        122  +        });
        123  +        gridBagConstraints = new java.awt.GridBagConstraints();
        124  +        gridBagConstraints.insets = new java.awt.Insets(0, BUSCAR_BUTTON_MARGIN, 0,
             BUSCAR_BUTTON_MARGIN);
        125  +        jPanel2.add(buscar_jButton, gridBagConstraints);
117     126
118          - private void setupPanel2() {
119          -        jPanel3.setLayout(new java.awt.GridBagLayout());
120          -
121          -        nome_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14)); // NOI18N
122          -        nome_jLabel.setText("Nome:");
123          -        gridBagConstraints = new java.awt.GridBagConstraints();
124          -        gridBagConstraints.gridy = 0;
125          -        gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
126          -        gridBagConstraints.anchor = java.awt.GridBagConstraints.EAST;
127          -        gridBagConstraints.insets = new java.awt.Insets(0, 5, 0, 5);
128          -        jPanel3.add(nome_jLabel, gridBagConstraints);
129          -
130          -        nome_jTextField.setEditable(false);
131          -        nome_jTextField.setColumns(25);
132          -        gridBagConstraints = new java.awt.GridBagConstraints();
133          -        gridBagConstraints.gridy = 0;
134          -        gridBagConstraints.gridwidth = 3;
135          -        gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
136          -        gridBagConstraints.insets = new java.awt.Insets(5, 0, 5, 0);
137          -        jPanel3.add(nome_jTextField, gridBagConstraints);
138          -
139          -        lastEntrada_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14)); //
             NOI18N
140          -        lastEntrada_jLabel.setText("Última entrada: ");
```

```
141    -        gridBagConstraints = new java.awt.GridBagConstraints();
142    -        gridBagConstraints.gridy = 1;
143    -        gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
144    -        gridBagConstraints.anchor = java.awt.GridBagConstraints.EAST;
145    -        gridBagConstraints.insets = new java.awt.Insets(0, 5, 0, 5);
146    -        jPanel3.add(lastEntrada_jLabel, gridBagConstraints);
147    -
148    -        lastEntrada_jTextField.setEditable(false);
149    -        lastEntrada_jTextField.setColumns(15);
150    -        gridBagConstraints = new java.awt.GridBagConstraints();
151    -        gridBagConstraints.gridy = 1;
152    -        gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
153    -        gridBagConstraints.insets = new java.awt.Insets(5, 0, 5, 0);
154    -        jPanel3.add(lastEntrada_jTextField, gridBagConstraints);
155    -
156    -        lastSaida_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14)); //
         NOI18N
157    -        lastSaida_jLabel.setText("Última saída: ");
158    -        gridBagConstraints = new java.awt.GridBagConstraints();
159    -        gridBagConstraints.gridy = 1;
160    -        gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
161    -        gridBagConstraints.anchor = java.awt.GridBagConstraints.EAST;
162    -        gridBagConstraints.insets = new java.awt.Insets(0, 5, 0, 5);
163    -        jPanel3.add(lastSaida_jLabel, gridBagConstraints);
164    -
165    -        lastSaida_jTextField.setEditable(false);
166    -        lastSaida_jTextField.setColumns(15);
167    -        gridBagConstraints = new java.awt.GridBagConstraints();
168    -        gridBagConstraints.gridy = 1;
169    -        gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
170    -        gridBagConstraints.insets = new java.awt.Insets(5, 0, 5, 0);
171    -        jPanel3.add(lastSaida_jTextField, gridBagConstraints);
172    -
173    -        getContentPane().add(jPanel3);
174    -    }
    127 +        getContentPane().add(jPanel2);
    128 +    }
175 129
176    - private void setupPanel3() {
177    -     jPanel1.setLayout(new javax.swing.BoxLayout(jPanel1,
         javax.swing.BoxLayout.LINE_AXIS));
    130 + private void setupPanel2() {
    131 +     jPanel3.setLayout(new java.awt.GridBagLayout());
    132 +
    133 +     nome_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14));
    134 +     nome_jLabel.setText("Nome:");
    135 +     gridBagConstraints = new java.awt.GridBagConstraints();
    136 +     gridBagConstraints.gridy = 0;
    137 +     gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
    138 +     gridBagConstraints.anchor = java.awt.GridBagConstraints.EAST;
    139 +     gridBagConstraints.insets = new java.awt.Insets(0, NOME_LABEL_WIDTH, 0,
         NOME_LABEL_WIDTH);
```

```java
140  +              jPanel3.add(nome_jLabel, gridBagConstraints);
141  +
142  +          nome_jTextField.setEditable(false);
143  +          nome_jTextField.setColumns(NOME_FIELD_COLUMNS);
144  +          gridBagConstraints = new java.awt.GridBagConstraints();
145  +          gridBagConstraints.gridy = 0;
146  +          gridBagConstraints.gridwidth = 3;
147  +          gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
148  +          gridBagConstraints.insets = new java.awt.Insets(5, 0, 5, 0);
149  +          jPanel3.add(nome_jTextField, gridBagConstraints);
150  +
151  +          lastEntrada_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14));
152  +          lastEntrada_jLabel.setText("Última entrada: ");
153  +          gridBagConstraints = new java.awt.GridBagConstraints();
154  +          gridBagConstraints.gridy = 1;
155  +          gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
156  +          gridBagConstraints.anchor = java.awt.GridBagConstraints.EAST;
157  +          gridBagConstraints.insets = new java.awt.Insets(0,
        LAST_ENTRADA_LABEL_WIDTH, 0, LAST_ENTRADA_LABEL_WIDTH);
158  +          jPanel3.add(lastEntrada_jLabel, gridBagConstraints);
159  +
160  +          lastEntrada_jTextField.setEditable(false);
161  +          lastEntrada_jTextField.setColumns(LAST_ENTRADA_FIELD_COLUMNS);
162  +          gridBagConstraints = new java.awt.GridBagConstraints();
163  +          gridBagConstraints.gridy = 1;
164  +          gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
165  +          gridBagConstraints.insets = new java.awt.Insets(5, 0, 5, 0);
166  +          jPanel3.add(lastEntrada_jTextField, gridBagConstraints);
167  +
168  +          lastSaida_jLabel.setFont(new java.awt.Font("Times New Roman", 1, 14));
169  +          lastSaida_jLabel.setText("Última saída: ");
170  +          gridBagConstraints = new java.awt.GridBagConstraints();
171  +          gridBagConstraints.gridy = 1;
172  +          gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
173  +          gridBagConstraints.anchor = java.awt.GridBagConstraints.EAST;
174  +          gridBagConstraints.insets = new java.awt.Insets(0, LAST_SAIDA_LABEL_WIDTH,
        0, LAST_SAIDA_LABEL_WIDTH);
175  +          jPanel3.add(lastSaida_jLabel, gridBagConstraints);
176  +
177  +          lastSaida_jTextField.setEditable(false);
178  +          lastSaida_jTextField.setColumns(LAST_SAIDA_FIELD_COLUMNS);
179  +          gridBagConstraints = new java.awt.GridBagConstraints();
180  +          gridBagConstraints.gridy = 1;
181  +          gridBagConstraints.fill = java.awt.GridBagConstraints.HORIZONTAL;
182  +          gridBagConstraints.insets = new java.awt.Insets(5, 0, 5, 0);
183  +          jPanel3.add(lastSaida_jTextField, gridBagConstraints);
184  +
185  +          getContentPane().add(jPanel3);
186  +      }
187
      -      mostrarFrequencia_jButton.setText("Mostrar Frequência");
      -      mostrarFrequencia_jButton.setEnabled(false);
```

```
181   -          mostrarFrequencia_jButton.addActionListener(new java.awt.event.ActionListener()
                 {
182   -              public void actionPerformed(java.awt.event.ActionEvent evt) {
183   -                  mostrarFrequencia_jButtonActionPerformed(evt);
184   -              }
185   -          });
186              jPanel1.add(mostrarFrequencia_jButton);
187   -
188   -          entrada_jButton.setText("Registrar Entrada");
189   -          entrada_jButton.setEnabled(false);
190   -          entrada_jButton.addActionListener(new java.awt.event.ActionListener() {
191   -              public void actionPerformed(java.awt.event.ActionEvent evt) {
192   -                  entrada_jButtonActionPerformed(evt);
193   -              }
194   -          });
195   -          jPanel1.add(entrada_jButton);
196   -
197   -          saída_jButton.setText("Registrar Saída");
198   -          saída_jButton.setEnabled(false);
199   -          saída_jButton.addActionListener(new java.awt.event.ActionListener() {
200   -              public void actionPerformed(java.awt.event.ActionEvent evt) {
201   -                  saida_jButtonActionPerformed(evt);
202   -              }
203   -          });
204   -          jPanel1.add(saida_jButton);
      188  +      private void setupPanel3() {
      189  +          jPanel1.setLayout(new javax.swing.BoxLayout(jPanel1,
                 javax.swing.BoxLayout.LINE_AXIS));
205   190
206   -          getContentPane().add(jPanel1);
207   -      }
      191  +          mostrarFrequencia_jButton.setText("Mostrar Frequência");
      192  +          mostrarFrequencia_jButton.setEnabled(false);
      193  +          mostrarFrequencia_jButton.addActionListener(new
                 java.awt.event.ActionListener() {
      194  +              public void actionPerformed(java.awt.event.ActionEvent evt) {
      195  +                  mostrarFrequencia_jButtonActionPerformed(evt);
      196  +              }
      197  +          });
      198  +          jPanel1.add(mostrarFrequencia_jButton);
      199  +
      200  +          entrada_jButton.setText("Registrar Entrada");
      201  +          entrada_jButton.setEnabled(false);
      202  +          entrada_jButton.addActionListener(new java.awt.event.ActionListener() {
      203  +              public void actionPerformed(java.awt.event.ActionEvent evt) {
      204  +                  entrada_jButtonActionPerformed(evt);
      205  +              }
      206  +          });
      207  +          jPanel1.add(entrada_jButton);
      208  +
      209  +          saída_jButton.setText("Registrar Saída");
      210  +          saída_jButton.setEnabled(false);
```

```java
211  +            saida_jButton.addActionListener(new java.awt.event.ActionListener() {
212  +                public void actionPerformed(java.awt.event.ActionEvent evt) {
213  +                    saida_jButtonActionPerformed(evt);
214  +                }
215  +            });
216  +            jPanel1.add(saida_jButton);
217  +
218  +            getContentPane().add(jPanel1);
219  +        }
208  220
209  221        private void buscar_jButtonActionPerformed(java.awt.event.ActionEvent evt)
          {//GEN-FIRST:event_buscar_jButtonActionPerformed
210  222            buscarPessoa();
```

0 comments on commit   9a394de

Please **sign in** to comment.