

prof-lucas-faria / gerenciadoravaliacoes Public

<> Code Issues 3 Pull requests Actions Projects 1 Security Insights

Commit

⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Correção Long Method 15

[Browse files](#) isacmaximo committed on Jun 21

1 parent 5ab9715 commit cdbb7f3

Showing 2 changed files with 65 additions and 22 deletions.

Whitespace

Ignore whitespace

Split

Unified

▼ 48 ■■■■■ siaproDesktop/src/siapro/gui/JlabelCategoria.java

```
...      @@ -0,0 +1,48 @@
1      + package siapro.gui;
2      +
3      + import java.awt.Font;
4      +
5      + import javax.swing.JLabel;
6      + import javax.swing.JPanel;
7      +
8      + public class JlabelCategoria {
9      +     public void lblCat(JPanel contentPane){
10     +         JLabel lblCat = new JLabel("CATEGORIA");
11     +         lblCat.setBounds(165, 12, 110, 14);
12     +         contentPane.add(lblCat);
13     +     }
14     +
15     +     public void lblNewLabel(JPanel contentPane){
16     +         JLabel lblNewLabel = new JLabel("Nome da Categoria:");
17     +         lblNewLabel.setBounds(12, 38, 159, 14);
18     +         contentPane.add(lblNewLabel);
19     +     }
20     +
21     +
22     +     public void lblNewLabel_1(JPanel contentPane){
23     +         JLabel lblNewLabel_1 = new JLabel("Quantidade de Avaliadores:");
24     +         lblNewLabel_1.setFont(new Font("Dialog", Font.PLAIN, 12));
```

```

25 + lblNewLabel_1.setBounds(12, 86, 263, 14);
26 + contentPane.add(lblNewLabel_1);
27 + }
28 +
29 +
30 + public void lblNewLabel_2(JPanel contentPane){
31 +     JLabel lblNewLabel_2 = new JLabel("Quantidade Mínima");
32 +     lblNewLabel_2.setFont(new Font("Dialog", Font.PLAIN, 12));
33 +     lblNewLabel_2.setBounds(12, 112, 159, 14);
34 +     contentPane.add(lblNewLabel_2);
35 + }
36 +
37 +
38 + public void lblNotamxima(JPanel contentPane){
39 +     JLabel lblNotamxima = new JLabel("Quantidade Máxima");
40 +     lblNotamxima.setFont(new Font("Dialog", Font.PLAIN, 12));
41 +     lblNotamxima.setBounds(235, 112, 159, 14);
42 +     contentPane.add(lblNotamxima);
43 + }
44 +
45 +
46 +
47 +
48 + }

```

▼ ↕ 39 ■■■■ siaproDesktop/src/siapro/gui/TelaCategoria.java 📄

```

13 13 import javax.swing.border.EmptyBorder;
14 14
15 15 import siapro.controller.CategoriaController;
16 16 + import siapro.model.Categoria;
17 17
18 18 public class TelaCategoria extends JFrame {
19 19
26 27 // cat.setNome(tfNomeCategoria.getText());
27 28 //
    cat.setQntMaxAvalProjeto(Integer.parseInt(tfQuantidadeMaxima.getText()));
28 29 //
    cat.setQntMinAvalProjeto(Integer.parseInt(tfQuantidadeMinima.getText()));
29 - new
    CategoriaController().salvarCategoria(tfNomeCategoria.getText(),
    tfQuantidadeMaxima.getText(), tfQuantidadeMinima.getText());
30 + Categoria categoriaSalvar = new Categoria();
31 + categoriaSalvar.setNome(tfNomeCategoria.getText());
32 +
    categoriaSalvar.setQntMaxAvalProjeto(Integer.parseInt(tfQuantidadeMaxima.getText())
    );
33 +
    categoriaSalvar.setQntMinAvalProjeto(Integer.parseInt(tfQuantidadeMinima.getText())
    );
34 + new CategoriaController().salvarCategoria(categoriaSalvar);
30 35 }

```

```

31 36
32 37 /**
54 59 contentPane.setBorder(new EmptyBorder(5, 5, 5, 5));
55 60 setContentPane(contentPane);
56 61 contentPane.setLayout(null);
62 +
63 + JLabelCategoria jLabelCategoria = new JLabelCategoria();
64 +
65 + jLabelCategoria.lblCat(contentPane);
57 66
58 - JLabel lblCat = new JLabel("CATEGORIA");
59 - lblCat.setBounds(165, 12, 110, 14);
60 - contentPane.add(lblCat);
61 -
62 - JLabel lblNewLabel = new JLabel("Nome da Categoria:");
63 - lblNewLabel.setBounds(12, 38, 159, 14);
64 - contentPane.add(lblNewLabel);
67 + jLabelCategoria.lblNewLabel(contentPane);
68 +
65 69
66 70 tfNomeCategoria = new JTextField();
67 71 tfNomeCategoria.setBounds(12, 54, 159, 20);
68 72 contentPane.add(tfNomeCategoria);
69 73 tfNomeCategoria.setColumns(10);
74 +
75 + jLabelCategoria.lblNewLabel_1(contentPane);
70 76
71 - JLabel lblNewLabel_1 = new JLabel("Quantidade de Avaliadores:");
72 - lblNewLabel_1.setFont(new Font("Dialog", Font.PLAIN, 12));
73 - lblNewLabel_1.setBounds(12, 86, 263, 14);
74 - contentPane.add(lblNewLabel_1);
75 -
76 - JLabel lblNewLabel_2 = new JLabel("Quantidade Mínima");
77 - lblNewLabel_2.setFont(new Font("Dialog", Font.PLAIN, 12));
78 - lblNewLabel_2.setBounds(12, 112, 159, 14);
79 - contentPane.add(lblNewLabel_2);
77 + jLabelCategoria.lblNewLabel_2(contentPane);
80 78
81 79 tfQuantidadeMinima = new JTextField();
82 80 tfQuantidadeMinima.setColumns(10);
83 81 tfQuantidadeMinima.setBounds(12, 134, 68, 20);
84 82 contentPane.add(tfQuantidadeMinima);
85 -
86 - JLabel lblNotamxima = new JLabel("Quantidade Máxima");
87 - lblNotamxima.setFont(new Font("Dialog", Font.PLAIN, 12));
88 - lblNotamxima.setBounds(235, 112, 159, 14);
89 - contentPane.add(lblNotamxima);
83 +
84 + jLabelCategoria.lblNotamxima(contentPane);
90 85
91 86 JButton salvaCategoria = new JButton("Salvar Categoria");
92 87 salvaCategoria.addActionListener(new ActionListener() {

```

0 comments on commit `cdbb7f3`

Please [sign in](#) to comment.