🔲 **jgbrittos** / **controleatletas**   Public

<> **Code**   ⑂ **Pull requests**   ▷ **Actions**   ⊞ **Projects**   📖 **Wiki**   ⊘ **Security**   ⩙ **Insights**

Commit

⚠ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Extract Class - 1   **Browse files**

🟩 **Arthurlevicoelho** committed on Jun 21

1 parent fe5b65c   commit 50b156a

Showing **51 changed files** with **1,674 additions** and **57**   **Whitespace**   Ignore whitespace   Split   **Unified**
deletions.

˅ 0 ⬛⬛⬛⬛⬛ ControleAtleta/build/classes/.netbeans_automatic_build 🗌

Empty file.

˅ 0 ⬛⬛⬛⬛⬛ ControleAtleta/build/classes/.netbeans_update_resources 🗌

Empty file.

˅ **BIN** -1.96 KB (34%) ControleAtleta/build/classes/controleatleta/Atleta.class 🗌

Binary file not shown.

˅ **BIN** -829 Bytes (84%) ControleAtleta/build/classes/controleatleta/Boxeador.class 🗌

Binary file not shown.

˅ **BIN** +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador$1.class 🗌

Binary file not shown.

˅ **BIN** +0 Bytes (100%) ControleAtleta/build/classes/controleatleta/CadastroBoxeador$10.class 🗌

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$11.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$12.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$13.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$14.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$15.class

Binary file not shown.

> **BIN +80 Bytes (110%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$16.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$17.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$2.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$3.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$4.class

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$5.class

Binary file not shown.

⌄ **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$6.class 🗖

Binary file not shown.

⌄ **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$7.class 🗖

Binary file not shown.

⌄ **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$8.class 🗖

Binary file not shown.

⌄ **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$9.class 🗖

Binary file not shown.

⌄ **BIN +736 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador.class 🗖

Binary file not shown.

⌄ **887** ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroBoxeador.form 🗖

Load diff

Large diffs are not rendered by default.

⌄ **85** ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroPatrocinadores.form 🗖

```
...      ...        @@ -0,0 +1,85 @@
          1      + <?xml version="1.0" encoding="UTF-8" ?>
          2      +
          3      + <Form version="1.3" maxVersion="1.8"
                   type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
          4      +   <Properties>
          5      +     <Property name="defaultCloseOperation" type="int" value="2"/>
          6      +   </Properties>
          7      +   <SyntheticProperties>
          8      +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
          9      +     <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
         10      +   </SyntheticProperties>
         11      +   <AuxValues>
         12      +     <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
                     value="0"/>
```

```xml
13  +        <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
       value="false"/>
14  +        <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
       value="true"/>
15  +        <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
       value="false"/>
16  +        <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
       value="false"/>
17  +        <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
       value="1"/>
18  +        <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
       value="0"/>
19  +        <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
       value="false"/>
20  +        <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
       value="2"/>
21  +    </AuxValues>
22  +
23  +    <Layout>
24  +      <DimensionLayout dim="0">
25  +        <Group type="103" groupAlignment="0" attributes="0">
26  +            <Group type="102" alignment="0" attributes="0">
27  +                <EmptySpace max="-2" attributes="0"/>
28  +                <Component id="jLabel1" min="-2" max="-2" attributes="0"/>
29  +                <EmptySpace min="-2" pref="31" max="-2" attributes="0"/>
30  +                <Group type="103" groupAlignment="0" attributes="0">
31  +                    <Group type="102" attributes="0">
32  +                        <Component id="jButtonAdicionarPatrocinador" min="-2"
       pref="103" max="-2" attributes="0"/>
33  +                        <EmptySpace pref="56" max="32767" attributes="0"/>
34  +                        <Component id="jButtonCancelarPatrocinador" min="-2"
       pref="87" max="-2" attributes="0"/>
35  +                    </Group>
36  +                    <Component id="jTextFieldNomePatrocinador" max="32767"
       attributes="0"/>
37  +                </Group>
38  +                <EmptySpace max="-2" attributes="0"/>
39  +            </Group>
40  +        </Group>
41  +      </DimensionLayout>
42  +      <DimensionLayout dim="1">
43  +        <Group type="103" groupAlignment="0" attributes="0">
44  +            <Group type="102" alignment="0" attributes="0">
45  +                <EmptySpace max="-2" attributes="0"/>
46  +                <Group type="103" groupAlignment="3" attributes="0">
47  +                    <Component id="jLabel1" alignment="3" min="-2" max="-2"
       attributes="0"/>
48  +                    <Component id="jTextFieldNomePatrocinador" alignment="3" min="-2"
       max="-2" attributes="0"/>
49  +                </Group>
50  +                <EmptySpace max="32767" attributes="0"/>
51  +                <Group type="103" groupAlignment="3" attributes="0">
```

```
52  +                    <Component id="jButtonAdicionarPatrocinador" alignment="3"
       min="-2" max="-2" attributes="0"/>
53  +                    <Component id="jButtonCancelarPatrocinador" alignment="3"
       min="-2" max="-2" attributes="0"/>
54  +                 </Group>
55  +                 <EmptySpace max="-2" attributes="0"/>
56  +              </Group>
57  +           </Group>
58  +        </DimensionLayout>
59  +     </Layout>
60  +     <SubComponents>
61  +        <Component class="javax.swing.JLabel" name="jLabel1">
62  +           <Properties>
63  +              <Property name="text" type="java.lang.String" value="Nome do
       Patrocinador:"/>
64  +           </Properties>
65  +        </Component>
66  +        <Component class="javax.swing.JTextField" name="jTextFieldNomePatrocinador">
67  +        </Component>
68  +        <Component class="javax.swing.JButton" name="jButtonAdicionarPatrocinador">
69  +           <Properties>
70  +              <Property name="text" type="java.lang.String" value="Adicionar"/>
71  +           </Properties>
72  +           <Events>
73  +              <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonAdicionarPatrocinadorActionPerformed"/>
74  +           </Events>
75  +        </Component>
76  +        <Component class="javax.swing.JButton" name="jButtonCancelarPatrocinador">
77  +           <Properties>
78  +              <Property name="text" type="java.lang.String" value="Cancelar"/>
79  +           </Properties>
80  +           <Events>
81  +              <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonCancelarPatrocinadorActionPerformed"/>
82  +           </Events>
83  +        </Component>
84  +     </SubComponents>
85  + </Form>
```

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroPremiacao$1.class ⧉

Binary file not shown.

> **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroPremiacao$2.class ⧉

Binary file not shown.

∨ **BIN** **+73 Bytes (110%)**

ControleAtleta/build/classes/controleatleta/CadastroPremiacao$3$1.class 🗐

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroPremiacao$3.class 🗐

Binary file not shown.

∨ **BIN** **+109 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroPremiacao.class 🗐

Binary file not shown.

∨ **105** ▰▰▰▰▰ ControleAtleta/build/classes/controleatleta/CadastroPremiacao.form 🗐

```
...     ...        @@ -0,0 +1,105 @@
          1    +   <?xml version="1.1" encoding="UTF-8" ?>
          2    +
          3    +   <Form version="1.3" maxVersion="1.7"
                     type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
          4    +     <SyntheticProperties>
          5    +       <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
          6    +     </SyntheticProperties>
          7    +     <AuxValues>
          8    +       <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
                       value="0"/>
          9    +       <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
                       value="false"/>
         10    +       <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
                       value="true"/>
         11    +       <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
                       value="false"/>
         12    +       <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
                       value="false"/>
         13    +       <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
                       value="1"/>
         14    +       <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
                       value="0"/>
         15    +       <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
                       value="false"/>
         16    +       <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
                       value="2"/>
         17    +     </AuxValues>
         18    +
         19    +     <Layout>
         20    +       <DimensionLayout dim="0">
         21    +         <Group type="103" groupAlignment="0" attributes="0">
         22    +           <Group type="102" alignment="0" attributes="0">
```

```
23  +                    <EmptySpace max="-2" attributes="0"/>
24  +                <Group type="103" groupAlignment="0" attributes="0">
25  +                    <Group type="102" alignment="0" attributes="0">
26  +                        <Group type="103" groupAlignment="0" attributes="0">
27  +                            <Component id="jLabelTitulo" alignment="0" min="-2"
        max="-2" attributes="0"/>
28  +                            <Component id="jLabelAno" alignment="0" min="-2" max="-2"
        attributes="0"/>
29  +                        </Group>
30  +                        <EmptySpace max="-2" attributes="0"/>
31  +                        <Group type="103" groupAlignment="0" attributes="0">
32  +                            <Component id="jTextFieldAno" alignment="0" min="-2"
        pref="84" max="-2" attributes="0"/>
33  +                            <Component id="jTextFieldTitulo" alignment="0" pref="346"
        max="32767" attributes="0"/>
34  +                        </Group>
35  +                    </Group>
36  +                    <Group type="102" alignment="1" attributes="0">
37  +                        <Component id="jButtonAdicionar" min="-2" max="-2"
        attributes="0"/>
38  +                        <EmptySpace type="unrelated" max="-2" attributes="0"/>
39  +                        <Component id="jButtonCancelar" min="-2" max="-2"
        attributes="0"/>
40  +                    </Group>
41  +                </Group>
42  +                <EmptySpace max="-2" attributes="0"/>
43  +            </Group>
44  +        </Group>
45  +    </DimensionLayout>
46  +    <DimensionLayout dim="1">
47  +      <Group type="103" groupAlignment="0" attributes="0">
48  +          <Group type="102" alignment="0" attributes="0">
49  +              <EmptySpace min="-2" pref="8" max="-2" attributes="0"/>
50  +              <Group type="103" groupAlignment="3" attributes="0">
51  +                  <Component id="jLabelTitulo" alignment="3" min="-2" max="-2"
        attributes="0"/>
52  +                  <Component id="jTextFieldTitulo" alignment="3" min="-2" max="-2"
        attributes="0"/>
53  +              </Group>
54  +              <EmptySpace max="-2" attributes="0"/>
55  +              <Group type="103" groupAlignment="1" attributes="0">
56  +                  <Group type="102" alignment="1" attributes="0">
57  +                      <Group type="103" groupAlignment="3" attributes="0">
58  +                          <Component id="jLabelAno" alignment="3" min="-2" max="-2"
        attributes="0"/>
59  +                          <Component id="jTextFieldAno" alignment="3" min="-2"
        max="-2" attributes="0"/>
60  +                      </Group>
61  +                      <EmptySpace min="-2" pref="32" max="-2" attributes="0"/>
62  +                  </Group>
63  +                  <Group type="103" alignment="1" groupAlignment="3"
        attributes="0">
```

```
64   +                        <Component id="jButtonAdicionar" alignment="3" min="-2"
         max="-2" attributes="0"/>
65   +                        <Component id="jButtonCancelar" alignment="3" min="-2"
         max="-2" attributes="0"/>
66   +                      </Group>
67   +                    </Group>
68   +                    <EmptySpace max="32767" attributes="0"/>
69   +                  </Group>
70   +              </Group>
71   +          </DimensionLayout>
72   +      </Layout>
73   +      <SubComponents>
74   +        <Component class="javax.swing.JButton" name="jButtonCancelar">
75   +          <Properties>
76   +            <Property name="text" type="java.lang.String" value="Cancelar"/>
77   +          </Properties>
78   +          <Events>
79   +            <EventHandler event="actionPerformed"
         listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
         handler="jButtonCancelarActionPerformed"/>
80   +          </Events>
81   +        </Component>
82   +        <Component class="javax.swing.JButton" name="jButtonAdicionar">
83   +          <Properties>
84   +            <Property name="text" type="java.lang.String" value="Adicionar"/>
85   +          </Properties>
86   +          <Events>
87   +            <EventHandler event="actionPerformed"
         listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
         handler="jButtonAdicionarActionPerformed"/>
88   +          </Events>
89   +        </Component>
90   +        <Component class="javax.swing.JLabel" name="jLabelTitulo">
91   +          <Properties>
92   +            <Property name="text" type="java.lang.String" value="Titulo:"/>
93   +          </Properties>
94   +        </Component>
95   +        <Component class="javax.swing.JTextField" name="jTextFieldTitulo">
96   +        </Component>
97   +        <Component class="javax.swing.JLabel" name="jLabelAno">
98   +          <Properties>
99   +            <Property name="text" type="java.lang.String" value="Ano:"/>
100  +          </Properties>
101  +        </Component>
102  +        <Component class="javax.swing.JTextField" name="jTextFieldAno">
103  +        </Component>
104  +      </SubComponents>
105  + </Form>
```

▽ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroTelefone$1.class ⎘

Binary file not shown.

> **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroTelefone$2.class 📋

Binary file not shown.

> **BIN** **+73 Bytes (110%)** ControleAtleta/build/classes/controleatleta/CadastroTelefone$3$1.class 📋

Binary file not shown.

> **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroTelefone$3.class 📋

Binary file not shown.

> **BIN** **+109 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroTelefone.class 📋

Binary file not shown.

> **88** ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroTelefone.form 📋

```
...   ...         @@ -0,0 +1,88 @@
        1    +  <?xml version="1.1" encoding="UTF-8" ?>
        2    +
        3    +  <Form version="1.3" maxVersion="1.7"
               type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
        4    +    <Properties>
        5    +      <Property name="defaultCloseOperation" type="int" value="2"/>
        6    +    </Properties>
        7    +    <SyntheticProperties>
        8    +      <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
        9    +    </SyntheticProperties>
       10    +    <AuxValues>
       11    +      <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
               value="0"/>
       12    +      <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
               value="false"/>
       13    +      <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
               value="true"/>
       14    +      <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
               value="false"/>
       15    +      <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
               value="false"/>
       16    +      <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
               value="1"/>
       17    +      <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
               value="0"/>
       18    +      <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
               value="false"/>
```

```
19  +          <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
       value="2"/>
20  +      </AuxValues>
21  +
22  +    <Layout>
23  +      <DimensionLayout dim="0">
24  +        <Group type="103" groupAlignment="0" attributes="0">
25  +            <EmptySpace min="0" pref="400" max="32767" attributes="0"/>
26  +            <Group type="102" alignment="0" attributes="0">
27  +                <EmptySpace max="-2" attributes="0"/>
28  +                <Group type="103" groupAlignment="0" attributes="0">
29  +                    <Group type="102" alignment="0" attributes="0">
30  +                        <Component id="jLabelTelefone" min="-2" max="-2"
       attributes="0"/>
31  +                        <EmptySpace max="-2" attributes="0"/>
32  +                        <Component id="jTextFieldTelefone" pref="330" max="32767"
       attributes="0"/>
33  +                    </Group>
34  +                    <Group type="102" alignment="1" attributes="0">
35  +                        <Component id="jButtonAdicionar" min="-2" max="-2"
       attributes="0"/>
36  +                        <EmptySpace type="unrelated" max="-2" attributes="0"/>
37  +                        <Component id="jButtonCancelar" min="-2" max="-2"
       attributes="0"/>
38  +                    </Group>
39  +                </Group>
40  +                <EmptySpace max="-2" attributes="0"/>
41  +            </Group>
42  +        </Group>
43  +      </DimensionLayout>
44  +      <DimensionLayout dim="1">
45  +        <Group type="103" groupAlignment="0" attributes="0">
46  +            <EmptySpace min="0" pref="68" max="32767" attributes="0"/>
47  +            <Group type="102" alignment="0" attributes="0">
48  +                <EmptySpace min="-2" pref="8" max="-2" attributes="0"/>
49  +                <Group type="103" groupAlignment="3" attributes="0">
50  +                    <Component id="jLabelTelefone" alignment="3" min="-2" max="-2"
       attributes="0"/>
51  +                    <Component id="jTextFieldTelefone" alignment="3" min="-2"
       max="-2" attributes="0"/>
52  +                </Group>
53  +                <EmptySpace max="-2" attributes="0"/>
54  +                <Group type="103" groupAlignment="3" attributes="0">
55  +                    <Component id="jButtonCancelar" alignment="3" min="-2" max="-2"
       attributes="0"/>
56  +                    <Component id="jButtonAdicionar" alignment="3" min="-2" max="-2"
       attributes="0"/>
57  +                </Group>
58  +                <EmptySpace max="32767" attributes="0"/>
59  +            </Group>
60  +        </Group>
61  +      </DimensionLayout>
```

```
62  +      </Layout>
63  +      <SubComponents>
64  +        <Component class="javax.swing.JLabel" name="jLabelTelefone">
65  +          <Properties>
66  +            <Property name="text" type="java.lang.String" value="Telefone:"/>
67  +          </Properties>
68  +        </Component>
69  +        <Component class="javax.swing.JTextField" name="jTextFieldTelefone">
70  +        </Component>
71  +        <Component class="javax.swing.JButton" name="jButtonCancelar">
72  +          <Properties>
73  +            <Property name="text" type="java.lang.String" value="Cancelar"/>
74  +          </Properties>
75  +          <Events>
76  +            <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarActionPerformed"/>
77  +          </Events>
78  +        </Component>
79  +        <Component class="javax.swing.JButton" name="jButtonAdicionar">
80  +          <Properties>
81  +            <Property name="text" type="java.lang.String" value="Adicionar"/>
82  +          </Properties>
83  +          <Events>
84  +            <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonAdicionarActionPerformed"/>
85  +          </Events>
86  +        </Component>
87  +      </SubComponents>
88  +  </Form>
```

▼ 210 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroTenista.form 🗖

```
...  ...      @@ -0,0 +1,210 @@
     1   + <?xml version="1.0" encoding="UTF-8" ?>
     2   +
     3   + <Form version="1.3" maxVersion="1.8"
            type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
     4   +   <Properties>
     5   +     <Property name="defaultCloseOperation" type="int" value="2"/>
     6   +   </Properties>
     7   +   <SyntheticProperties>
     8   +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
     9   +     <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
    10   +   </SyntheticProperties>
    11   +   <AuxValues>
    12   +     <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
            value="0"/>
    13   +     <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
            value="false"/>
```

```
14  +      <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
         value="true"/>
15  +      <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
         value="false"/>
16  +      <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
         value="false"/>
17  +      <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
         value="1"/>
18  +      <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
         value="0"/>
19  +      <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
         value="false"/>
20  +      <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
         value="2"/>
21  +    </AuxValues>
22  +
23  +    <Layout>
24  +      <DimensionLayout dim="0">
25  +        <Group type="103" groupAlignment="0" attributes="0">
26  +          <Group type="102" attributes="0">
27  +            <EmptySpace min="-2" pref="32" max="-2" attributes="0"/>
28  +            <Group type="103" groupAlignment="0" attributes="0">
29  +              <Group type="102" attributes="0">
30  +                <Group type="103" groupAlignment="1" attributes="0">
31  +                  <Group type="102" attributes="0">
32  +                    <Component id="jButtonPesquisarTenista" max="32767"
         attributes="0"/>
33  +                    <EmptySpace min="-2" pref="173" max="-2"
         attributes="0"/>
34  +                    <Component id="jButtonSalvarTenista" min="-2"
         pref="90" max="-2" attributes="0"/>
35  +                    <EmptySpace min="-2" pref="50" max="-2"
         attributes="0"/>
36  +                    <Component id="jButtonCancelar" min="-2" pref="90"
         max="-2" attributes="0"/>
37  +                  </Group>
38  +                  <Group type="102" attributes="0">
39  +                    <Group type="103" groupAlignment="0" attributes="0">
40  +                      <Component id="jLabelPosRankMundial" min="-2"
         max="-2" attributes="0"/>
41  +                      <Component id="jLabelFortunaJogos" alignment="0"
         min="-2" max="-2" attributes="0"/>
42  +                    </Group>
43  +                    <EmptySpace max="32767" attributes="0"/>
44  +                    <Group type="103" groupAlignment="0" max="-2"
         attributes="0">
45  +                      <Component id="jTextFieldFortunaJogos" pref="290"
         max="32767" attributes="0"/>
46  +                      <Component id="jTextFieldPosRankMundial"
         max="32767" attributes="0"/>
47  +                    </Group>
48  +                  </Group>
```

```
49  +                            <Group type="102" attributes="0">
50  +                                <Group type="103" groupAlignment="0" attributes="0">
51  +                                    <Component id="jLabelFortunaPropagandas"
       alignment="0" min="-2" max="-2" attributes="0"/>
52  +                                    <Component id="jLabelTipoQuadra" alignment="0"
       min="-2" max="-2" attributes="0"/>
53  +                                </Group>
54  +                                <EmptySpace pref="52" max="32767" attributes="0"/>
55  +                                <Group type="103" groupAlignment="0" attributes="0">
56  +                                    <Component id="jTextFieldFortunaPropagandas"
       max="32767" attributes="0"/>
57  +                                    <Component id="jComboBoxTipoQuadra" pref="290"
       max="32767" attributes="0"/>
58  +                                </Group>
59  +                            </Group>
60  +                        </Group>
61  +                        <EmptySpace min="-2" pref="34" max="-2" attributes="0"/>
62  +                    </Group>
63  +                    <Group type="102" attributes="0">
64  +                        <Group type="103" groupAlignment="1" max="-2" attributes="0">
65  +                            <Component id="jButtonTitulosGanhos" alignment="0"
       max="32767" attributes="0"/>
66  +                            <Component id="jButtonAdicionarPatrocinadores"
       alignment="0" max="32767" attributes="0"/>
67  +                            <Component id="jButtonVitoriasDerrotasAno" max="32767"
       attributes="0"/>
68  +                        </Group>
69  +                        <EmptySpace min="0" pref="0" max="32767" attributes="0"/>
70  +                    </Group>
71  +                </Group>
72  +            </Group>
73  +        </Group>
74  +    </DimensionLayout>
75  +    <DimensionLayout dim="1">
76  +      <Group type="103" groupAlignment="0" attributes="0">
77  +          <Group type="102" alignment="0" attributes="0">
78  +              <EmptySpace min="-2" pref="35" max="-2" attributes="0"/>
79  +              <Group type="103" groupAlignment="3" attributes="0">
80  +                  <Component id="jLabelPosRankMundial" alignment="3" min="-2"
       max="-2" attributes="0"/>
81  +                  <Component id="jTextFieldPosRankMundial" alignment="3" min="-2"
       max="-2" attributes="0"/>
82  +              </Group>
83  +              <EmptySpace min="-2" pref="26" max="-2" attributes="0"/>
84  +              <Group type="103" groupAlignment="3" attributes="0">
85  +                  <Component id="jLabelFortunaJogos" alignment="3" min="-2"
       max="-2" attributes="0"/>
86  +                  <Component id="jTextFieldFortunaJogos" alignment="3" min="-2"
       max="-2" attributes="0"/>
87  +              </Group>
88  +              <EmptySpace min="-2" pref="23" max="-2" attributes="0"/>
89  +              <Group type="103" groupAlignment="3" attributes="0">
```

```
 90  +                    <Component id="jLabelFortunaPropagandas" alignment="3" min="-2"
        max="-2" attributes="0"/>
 91  +                        <Component id="jTextFieldFortunaPropagandas" alignment="3"
        min="-2" max="-2" attributes="0"/>
 92  +                    </Group>
 93  +                    <EmptySpace min="-2" pref="23" max="-2" attributes="0"/>
 94  +                    <Group type="103" groupAlignment="3" attributes="0">
 95  +                        <Component id="jLabelTipoQuadra" alignment="3" min="-2" max="-2"
        attributes="0"/>
 96  +                        <Component id="jComboBoxTipoQuadra" alignment="3" min="-2"
        max="-2" attributes="0"/>
 97  +                    </Group>
 98  +                    <EmptySpace type="separate" max="-2" attributes="0"/>
 99  +                    <Component id="jButtonVitoriasDerrotasAno" min="-2" max="-2"
        attributes="0"/>
100  +                    <EmptySpace type="separate" max="-2" attributes="0"/>
101  +                    <Component id="jButtonTitulosGanhos" min="-2" max="-2"
        attributes="0"/>
102  +                    <EmptySpace type="separate" max="-2" attributes="0"/>
103  +                    <Component id="jButtonAdicionarPatrocinadores" min="-2" max="-2"
        attributes="0"/>
104  +                    <Group type="103" groupAlignment="0" attributes="0">
105  +                        <Group type="102" attributes="0">
106  +                            <EmptySpace max="32767" attributes="0"/>
107  +                            <Group type="103" groupAlignment="3" attributes="0">
108  +                                <Component id="jButtonSalvarTenista" alignment="3"
        min="-2" max="-2" attributes="0"/>
109  +                                <Component id="jButtonCancelar" alignment="3" min="-2"
        max="-2" attributes="0"/>
110  +                            </Group>
111  +                            <EmptySpace max="-2" attributes="0"/>
112  +                        </Group>
113  +                        <Group type="102" alignment="0" attributes="0">
114  +                            <EmptySpace type="separate" max="-2" attributes="0"/>
115  +                            <Component id="jButtonPesquisarTenista" min="-2" max="-2"
        attributes="0"/>
116  +                            <EmptySpace pref="40" max="32767" attributes="0"/>
117  +                        </Group>
118  +                    </Group>
119  +                </Group>
120  +            </Group>
121  +        </DimensionLayout>
122  +    </Layout>
123  +    <SubComponents>
124  +        <Component class="javax.swing.JLabel" name="jLabelPosRankMundial">
125  +            <Properties>
126  +                <Property name="text" type="java.lang.String" value="Posi&#xe7;&#xe3;o no
        Rank Mundial:"/>
127  +            </Properties>
128  +        </Component>
129  +        <Component class="javax.swing.JLabel" name="jLabelFortunaJogos">
130  +            <Properties>
```

```
131  +              <Property name="text" type="java.lang.String" value="Fortuna Acumulada em
         Jogos:"/>
132  +            </Properties>
133  +          </Component>
134  +          <Component class="javax.swing.JLabel" name="jLabelFortunaPropagandas">
135  +            <Properties>
136  +              <Property name="text" type="java.lang.String" value="Fortuna Acumulada em
         Propagandas:"/>
137  +            </Properties>
138  +          </Component>
139  +          <Component class="javax.swing.JLabel" name="jLabelTipoQuadra">
140  +            <Properties>
141  +              <Property name="text" type="java.lang.String" value="Quadra Preferida: "/>
142  +            </Properties>
143  +          </Component>
144  +          <Component class="javax.swing.JTextField" name="jTextFieldPosRankMundial">
145  +          </Component>
146  +          <Component class="javax.swing.JTextField" name="jTextFieldFortunaJogos">
147  +          </Component>
148  +          <Component class="javax.swing.JTextField" name="jTextFieldFortunaPropagandas">
149  +          </Component>
150  +          <Component class="javax.swing.JComboBox" name="jComboBoxTipoQuadra">
151  +            <Properties>
152  +              <Property name="model" type="javax.swing.ComboBoxModel"
         editor="org.netbeans.modules.form.editors2.ComboBoxModelEditor">
153  +                <StringArray count="3">
154  +                  <StringItem index="0" value="Hard Court(Piso Duro)"/>
155  +                  <StringItem index="1" value="Clay(Saibro)"/>
156  +                  <StringItem index="2" value="Grass(Grama)"/>
157  +                </StringArray>
158  +              </Property>
159  +            </Properties>
160  +          </Component>
161  +          <Component class="javax.swing.JButton" name="jButtonSalvarTenista">
162  +            <Properties>
163  +              <Property name="text" type="java.lang.String" value="Salvar"/>
164  +            </Properties>
165  +            <Events>
166  +              <EventHandler event="actionPerformed"
         listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
         handler="jButtonSalvarTenistaActionPerformed"/>
167  +            </Events>
168  +          </Component>
169  +          <Component class="javax.swing.JButton" name="jButtonCancelar">
170  +            <Properties>
171  +              <Property name="text" type="java.lang.String" value="Cancelar"/>
172  +            </Properties>
173  +            <Events>
174  +              <EventHandler event="actionPerformed"
         listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
         handler="jButtonCancelarActionPerformed"/>
175  +            </Events>
```

```
176   +         </Component>
177   +         <Component class="javax.swing.JButton" name="jButtonAdicionarPatrocinadores">
178   +           <Properties>
179   +             <Property name="text" type="java.lang.String" value="Patrocinadores"/>
180   +           </Properties>
181   +           <Events>
182   +             <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonAdicionarPatrocinadoresActionPerformed"/>
183   +           </Events>
184   +         </Component>
185   +         <Component class="javax.swing.JButton" name="jButtonTitulosGanhos">
186   +           <Properties>
187   +             <Property name="text" type="java.lang.String" value="T&#xed;tulos Ganhos"/>
188   +           </Properties>
189   +           <Events>
190   +             <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonTitulosGanhosActionPerformed"/>
191   +           </Events>
192   +         </Component>
193   +         <Component class="javax.swing.JButton" name="jButtonVitoriasDerrotasAno">
194   +           <Properties>
195   +             <Property name="text" type="java.lang.String" value="Vit&#xf3;rias e
        Derrotas por Ano"/>
196   +           </Properties>
197   +           <Events>
198   +             <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonVitoriasDerrotasAnoActionPerformed"/>
199   +           </Events>
200   +         </Component>
201   +         <Component class="javax.swing.JButton" name="jButtonPesquisarTenista">
202   +           <Properties>
203   +             <Property name="text" type="java.lang.String" value="Pesquisar"/>
204   +           </Properties>
205   +           <Events>
206   +             <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonPesquisarTenistaActionPerformed"/>
207   +           </Events>
208   +         </Component>
209   +       </SubComponents>
210   + </Form>
```

107 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroTitulosGanhos.form

```
...   ...   @@ -0,0 +1,107 @@
      1   + <?xml version="1.0" encoding="UTF-8" ?>
      2   +
```

```
 3  +  <Form version="1.3" maxVersion="1.8"
        type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
 4  +    <Properties>
 5  +      <Property name="defaultCloseOperation" type="int" value="2"/>
 6  +    </Properties>
 7  +    <SyntheticProperties>
 8  +      <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
 9  +      <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
10  +    </SyntheticProperties>
11  +    <AuxValues>
12  +      <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
        value="0"/>
13  +      <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
        value="false"/>
14  +      <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
        value="true"/>
15  +      <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
        value="false"/>
16  +      <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
        value="false"/>
17  +      <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
        value="1"/>
18  +      <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
        value="0"/>
19  +      <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
        value="false"/>
20  +      <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
        value="2"/>
21  +    </AuxValues>
22  +
23  +    <Layout>
24  +      <DimensionLayout dim="0">
25  +        <Group type="103" groupAlignment="0" attributes="0">
26  +          <Group type="102" alignment="0" attributes="0">
27  +            <EmptySpace min="-2" pref="34" max="-2" attributes="0"/>
28  +            <Group type="103" groupAlignment="0" attributes="0">
29  +              <Component id="jLabelQuantidadeTitulo" alignment="0" min="-2"
        max="-2" attributes="0"/>
30  +              <Component id="jLabelNomeTitulo" alignment="0" min="-2" max="-2"
        attributes="0"/>
31  +            </Group>
32  +            <EmptySpace max="-2" attributes="0"/>
33  +            <Group type="103" groupAlignment="1" max="-2" attributes="0">
34  +              <Component id="jTextFieldNomeTitulo" max="32767" attributes="0"/>
35  +              <Group type="102" alignment="1" attributes="0">
36  +                <Component id="jButtonSalvarTitulos" min="-2" pref="89"
        max="-2" attributes="0"/>
37  +                <EmptySpace pref="75" max="32767" attributes="0"/>
38  +                <Component id="jButtonCancelarTitulos" min="-2" max="-2"
        attributes="0"/>
39  +              </Group>
```

```
40  +                   <Component id="jTextFieldQuantidadeTitulo" alignment="0"
      max="32767" attributes="0"/>
41  +                 </Group>
42  +                 <EmptySpace max="-2" attributes="0"/>
43  +               </Group>
44  +             </Group>
45  +         </DimensionLayout>
46  +         <DimensionLayout dim="1">
47  +           <Group type="103" groupAlignment="0" attributes="0">
48  +               <Group type="102" alignment="0" attributes="0">
49  +                 <Group type="103" groupAlignment="0" attributes="0">
50  +                     <Group type="102" attributes="0">
51  +                         <EmptySpace min="-2" pref="28" max="-2" attributes="0"/>
52  +                         <Component id="jLabelNomeTitulo" min="-2" max="-2"
      attributes="0"/>
53  +                         <EmptySpace min="-2" pref="10" max="-2" attributes="0"/>
54  +                     </Group>
55  +                     <Group type="102" alignment="1" attributes="0">
56  +                         <EmptySpace max="-2" attributes="0"/>
57  +                         <Component id="jTextFieldNomeTitulo" min="-2" max="-2"
      attributes="0"/>
58  +                     </Group>
59  +                 </Group>
60  +                 <EmptySpace min="-2" pref="12" max="-2" attributes="0"/>
61  +                 <Group type="103" groupAlignment="3" attributes="0">
62  +                     <Component id="jLabelQuantidadeTitulo" alignment="3" min="-2"
      max="-2" attributes="0"/>
63  +                     <Component id="jTextFieldQuantidadeTitulo" alignment="3" min="-2"
      max="-2" attributes="0"/>
64  +                 </Group>
65  +                 <EmptySpace max="32767" attributes="0"/>
66  +                 <Group type="103" groupAlignment="3" attributes="0">
67  +                     <Component id="jButtonSalvarTitulos" alignment="3" min="-2"
      max="-2" attributes="0"/>
68  +                     <Component id="jButtonCancelarTitulos" alignment="3" min="-2"
      max="-2" attributes="0"/>
69  +                 </Group>
70  +                 <EmptySpace max="-2" attributes="0"/>
71  +               </Group>
72  +             </Group>
73  +         </DimensionLayout>
74  +       </Layout>
75  +       <SubComponents>
76  +         <Component class="javax.swing.JLabel" name="jLabelNomeTitulo">
77  +           <Properties>
78  +             <Property name="text" type="java.lang.String" value="Nome:"/>
79  +           </Properties>
80  +         </Component>
81  +         <Component class="javax.swing.JLabel" name="jLabelQuantidadeTitulo">
82  +           <Properties>
83  +             <Property name="text" type="java.lang.String" value="Quantidade:"/>
84  +           </Properties>
```

```
 85  +        </Component>
 86  +        <Component class="javax.swing.JTextField" name="jTextFieldNomeTitulo">
 87  +        </Component>
 88  +        <Component class="javax.swing.JTextField" name="jTextFieldQuantidadeTitulo">
 89  +        </Component>
 90  +        <Component class="javax.swing.JButton" name="jButtonSalvarTitulos">
 91  +          <Properties>
 92  +            <Property name="text" type="java.lang.String" value="Salvar"/>
 93  +          </Properties>
 94  +          <Events>
 95  +            <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonSalvarTitulosActionPerformed"/>
 96  +          </Events>
 97  +        </Component>
 98  +        <Component class="javax.swing.JButton" name="jButtonCancelarTitulos">
 99  +          <Properties>
100  +            <Property name="text" type="java.lang.String" value="Cancelar"/>
101  +          </Properties>
102  +          <Events>
103  +            <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarTitulosActionPerformed"/>
104  +          </Events>
105  +        </Component>
106  +      </SubComponents>
107  +  </Form>
```

120 ▮▮▮▮▮ ControleAtleta/build/classes/controleatleta/CadastroVitoriasDerrotasAno.form ⧉

```
...  ...    @@ -0,0 +1,120 @@
  1  +  <?xml version="1.0" encoding="UTF-8" ?>
  2  +
  3  +  <Form version="1.3" maxVersion="1.8"
        type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
  4  +    <Properties>
  5  +      <Property name="defaultCloseOperation" type="int" value="2"/>
  6  +    </Properties>
  7  +    <SyntheticProperties>
  8  +      <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
  9  +      <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
 10  +    </SyntheticProperties>
 11  +    <AuxValues>
 12  +      <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
        value="0"/>
 13  +      <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
        value="false"/>
 14  +      <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
        value="true"/>
 15  +      <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
        value="false"/>
```

```
16   +       <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
       value="false"/>
17   +       <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
       value="1"/>
18   +       <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
       value="0"/>
19   +       <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
       value="false"/>
20   +       <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
       value="2"/>
21   +     </AuxValues>
22   +
23   +   <Layout>
24   +     <DimensionLayout dim="0">
25   +       <Group type="103" groupAlignment="0" attributes="0">
26   +         <Group type="102" alignment="0" attributes="0">
27   +           <Group type="103" groupAlignment="1" attributes="0">
28   +             <Group type="102" alignment="1" attributes="0">
29   +               <EmptySpace pref="139" max="32767" attributes="0"/>
30   +               <Component id="jButtonSalvarVitoriasDerrotasAno" min="-2"
       pref="89" max="-2" attributes="0"/>
31   +               <EmptySpace min="-2" pref="50" max="-2" attributes="0"/>
32   +               <Component id="jButtonCancelar" min="-2" pref="92" max="-2"
       attributes="0"/>
33   +             </Group>
34   +             <Group type="102" alignment="0" attributes="0">
35   +               <EmptySpace min="-2" pref="28" max="-2" attributes="0"/>
36   +               <Group type="103" groupAlignment="0" attributes="0">
37   +                 <Component id="jLabelNumVitorias" alignment="0" min="-2"
       max="-2" attributes="0"/>
38   +                 <Component id="jLabelNumDerrotas" alignment="0" min="-2"
       max="-2" attributes="0"/>
39   +                 <Component id="jLabelAno" alignment="0" min="-2" max="-2"
       attributes="0"/>
40   +               </Group>
41   +               <EmptySpace type="separate" max="-2" attributes="0"/>
42   +               <Group type="103" groupAlignment="0" max="-2" attributes="0">
43   +                 <Component id="jTextFieldNumVitorias" max="32767"
       attributes="0"/>
44   +                 <Component id="jTextFieldNumDerrotas" pref="173"
       max="32767" attributes="0"/>
45   +                 <Component id="jTextFieldAno" max="32767"
       attributes="0"/>
46   +               </Group>
47   +             </Group>
48   +           </Group>
49   +           <EmptySpace pref="16" max="32767" attributes="0"/>
50   +         </Group>
51   +       </Group>
52   +     </DimensionLayout>
53   +     <DimensionLayout dim="1">
54   +       <Group type="103" groupAlignment="0" attributes="0">
```

```
55  +              <Group type="102" alignment="0" attributes="0">
56  +                  <EmptySpace min="-2" pref="29" max="-2" attributes="0"/>
57  +                  <Group type="103" groupAlignment="3" attributes="0">
58  +                      <Component id="jLabelAno" alignment="3" min="-2" max="-2"
       attributes="0"/>
59  +                      <Component id="jTextFieldAno" alignment="3" min="-2" max="-2"
       attributes="0"/>
60  +                  </Group>
61  +                  <EmptySpace min="-2" pref="17" max="-2" attributes="0"/>
62  +                  <Group type="103" groupAlignment="3" attributes="0">
63  +                      <Component id="jLabelNumVitorias" alignment="3" min="-2" max="-2"
       attributes="0"/>
64  +                      <Component id="jTextFieldNumVitorias" alignment="3" min="-2"
       max="-2" attributes="0"/>
65  +                  </Group>
66  +                  <EmptySpace min="-2" pref="19" max="-2" attributes="0"/>
67  +                  <Group type="103" groupAlignment="3" attributes="0">
68  +                      <Component id="jLabelNumDerrotas" alignment="3" min="-2" max="-2"
       attributes="0"/>
69  +                      <Component id="jTextFieldNumDerrotas" alignment="3" min="-2"
       max="-2" attributes="0"/>
70  +                  </Group>
71  +                  <EmptySpace min="-2" pref="54" max="-2" attributes="0"/>
72  +                  <Group type="103" groupAlignment="3" attributes="0">
73  +                      <Component id="jButtonSalvarVitoriasDerrotasAno" alignment="3"
       min="-2" max="-2" attributes="0"/>
74  +                      <Component id="jButtonCancelar" alignment="3" min="-2" max="-2"
       attributes="0"/>
75  +                  </Group>
76  +                  <EmptySpace max="32767" attributes="0"/>
77  +              </Group>
78  +          </Group>
79  +      </DimensionLayout>
80  +    </Layout>
81  +    <SubComponents>
82  +      <Component class="javax.swing.JLabel" name="jLabelAno">
83  +        <Properties>
84  +          <Property name="text" type="java.lang.String" value="Ano:"/>
85  +        </Properties>
86  +      </Component>
87  +      <Component class="javax.swing.JLabel" name="jLabelNumVitorias">
88  +        <Properties>
89  +          <Property name="text" type="java.lang.String" value="N&#xfa;mero de
       Vit&#xf3;rias:"/>
90  +        </Properties>
91  +      </Component>
92  +      <Component class="javax.swing.JLabel" name="jLabelNumDerrotas">
93  +        <Properties>
94  +          <Property name="text" type="java.lang.String" value="N&#xfa;mero de
       Derrotas:"/>
95  +        </Properties>
96  +      </Component>
```

```
 97  +          <Component class="javax.swing.JTextField" name="jTextFieldAno">
 98  +          </Component>
 99  +          <Component class="javax.swing.JTextField" name="jTextFieldNumVitorias">
100  +          </Component>
101  +          <Component class="javax.swing.JTextField" name="jTextFieldNumDerrotas">
102  +          </Component>
103  +          <Component class="javax.swing.JButton" name="jButtonSalvarVitoriasDerrotasAno">
104  +            <Properties>
105  +              <Property name="text" type="java.lang.String" value="Salvar"/>
106  +            </Properties>
107  +            <Events>
108  +              <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonSalvarVitoriasDerrotasAnoActionPerformed"/>
109  +            </Events>
110  +          </Component>
111  +          <Component class="javax.swing.JButton" name="jButtonCancelar">
112  +            <Properties>
113  +              <Property name="text" type="java.lang.String" value="Cancelar"/>
114  +            </Properties>
115  +            <Events>
116  +              <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarActionPerformed"/>
117  +            </Events>
118  +          </Component>
119  +        </SubComponents>
120  +  </Form>
```

∨ **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/ControleAtleta.class 🗖

Binary file not shown.

∨ **BIN +213 Bytes (110%)** ControleAtleta/build/classes/controleatleta/ControleBoxeador.class 🗖

Binary file not shown.

∨ **BIN +0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/Endereco.class 🗖

Binary file not shown.

∨ **BIN +73 Bytes (110%)** ControleAtleta/build/classes/controleatleta/Premiacao.class 🗖

Binary file not shown.

∨ ✥ **4** ■■■■□ ControleAtleta/nbproject/build-impl.xml 🗖

```
 46       46            <property file="${user.properties.file}"/>
```

```
47    47          <!-- The two properties below are usually overridden -->
48    48          <!-- by the active platform. Just a fallback. -->
49        -       <property name="default.javac.source" value="1.6"/>
50        -       <property name="default.javac.target" value="1.6"/>
      49  +         <property name="default.javac.source" value="1.8"/>
      50  +         <property name="default.javac.target" value="1.8"/>
51    51      </target>
52    52      <target depends="-pre-init,-init-private,-init-user" name="-init-project">
53    53          <property file="nbproject/configs/${config}.properties"/>
```

∨ ⊕ 4 ■■■■□ ControleAtleta/nbproject/genfiles.properties ⧉

```
 4     4    # This file is used by a NetBeans-based IDE to track changes in generated files
            such as build-impl.xml.
 5     5    # Do not edit this file. You may delete it but then the IDE will never regenerate
            such files for you.
 6     6    nbproject/build-impl.xml.data.CRC32=ea671792
 7         -  nbproject/build-impl.xml.script.CRC32=90c7d42c
 8         -  nbproject/build-impl.xml.stylesheet.CRC32=d549e5cc@1.98.0.48
       7  +  nbproject/build-impl.xml.script.CRC32=9da314e5
       8  +  nbproject/build-impl.xml.stylesheet.CRC32=12e0a6c2@1.107.0.48
```

∨ 2 ■■□□□ ControleAtleta/nbproject/private/private.properties ⧉

```
...   ...    @@ -1,2 +1,2 @@
 1     1    compile.on.save=true
 2         -  user.properties.file=C:\\Users\\Davi_\\AppData\\Roaming\\NetBeans\\12.3\\build.prop
            erties
       2  +  user.properties.file=C:\\Users\\Adriano\\AppData\\Roaming\\NetBeans\\18\\build.prop
            erties
```

∨ ⊕ 93 ■■■■□ ControleAtleta/src/controleatleta/Boxeador.java ⧉

```
21    21        private char estilo; // O=Ortodoxo(destro) S=Southpaw(canhoto)
22    22        private ArrayList<Premiacao> premiacoes;
23    23        private Double envergadura; // Em cm
24        -     private int totalLutas;
25        -     private int totalVitorias;
26        -     private int totalVitoriasNocaute;
27        -     private int totalEmpates;
28        -     private int totalDerrotas;
29        -     private int totalDesistencias;
30        -
      24  +     private EstatisticaBoxeador estatisticas;
      25  +
      26  +
31    27        public Boxeador(String nome) {
32    28            super(nome);
      29  +         estatisticas = new EstatisticaBoxeador();
33    30        }
```

```
34    31
35    32              public char getCategoria() {
39    36              public void setCategoria(char categoria) {
40    37                  this.categoria = categoria;
41    38              }
42          -
43          -         public int getTotalDerrotas() {
44          -             return totalDerrotas;
45          -         }
46          -
47          -         public void setTotalDerrotas(int derrotas) {
48          -             this.totalDerrotas = derrotas;
49          -         }
50          -
51          -         public int getTotalDesistencias() {
52          -             return totalDesistencias;
53          -         }
54          -
55          -         public void setTotalDesistencias(int desistencias) {
56          -             this.totalDesistencias = desistencias;
57          -         }
58          -
59          -         public int getTotalEmpates() {
60          -             return totalEmpates;
61          -         }
62          -
63          -         public void setTotalEmpates(int empates) {
64          -             this.totalEmpates = empates;
65          -         }
66          -
      39    +
67    40              public Double getEnvergadura() {
68    41                  return envergadura;
69    42              }
80    53                  this.estilo = estilo;
81    54              }
82    55
83          -         public int getTotalLutas() {
84          -             return totalLutas;
85          -         }
86          -
87          -         public void setTotalLutas(int numLutas) {
88          -             this.totalLutas = numLutas;
89          -         }
      56    +
90    57
91    58              public ArrayList<Premiacao> getPremiacoes() {
92    59                  return premiacoes;
95    62              public void setPremiacoes(ArrayList<Premiacao> premiacoes) {
96    63                  this.premiacoes = premiacoes;
97    64              }
      65    +
```

```
  66  +        public EstatisticaBoxeador getEstatisticaBoxeador(){
  67  +            return estatisticas;
  68  +        }
  69  +
  70  + public class EstatisticaBoxeador{
  71  +
  72  +        private int totalLutas;
  73  +        private int totalVitorias;
  74  +        private int totalVitoriasNocaute;
  75  +        private int totalEmpates;
  76  +        private int totalDerrotas;
  77  +        private int totalDesistencias;
  78  +
  79  +        public int getTotalLutas() {
  80  +            return totalLutas;
  81  +        }
98  82
  83  +        public void setTotalLutas(int numLutas) {
  84  +            this.totalLutas = numLutas;
  85  +        }
  86  +
99  87         public int getTotalVitorias() {
100  88             return totalVitorias;
101  89         }
102  90
103  91         public void setTotalVitorias(int vitorias) {
104  92             this.totalVitorias = vitorias;
105  93         }
106       -
     94  +
107  95         public int getTotalVitoriasNocaute() {
108  96             return totalVitoriasNocaute;
109  97         }
110  98
111  99         public void setTotalVitoriasNocaute(int vitoriasNocaute) {
112  100            this.totalVitoriasNocaute = vitoriasNocaute;
113  101        }
     102 +
     103 +        public int getTotalEmpates() {
     104 +            return totalEmpates;
     105 +        }
     106 +
     107 +        public void setTotalEmpates(int empates) {
     108 +            this.totalEmpates = empates;
     109 +        }
     110 +        public int getTotalDerrotas() {
     111 +            return totalDerrotas;
     112 +        }
     113 +
     114 +        public void setTotalDerrotas(int derrotas) {
     115 +            this.totalDerrotas = derrotas;
     116 +        }
```

```
117  +
118  +     public int getTotalDesistencias() {
119  +         return totalDesistencias;
120  +     }
121  +
122  +     public void setTotalDesistencias(int desistencias) {
123  +         this.totalDesistencias = desistencias;
124  +     }
125  +
126  + }
114  127
115  128     public String obterCategoriaPesoNome() {
116  129         return obterCategoriaPesoNome(this.getCategoria(),
                 this.getInformacoesPessoais().getPeso());
```

∨ ✛ 24 ■■■■□ ControleAtleta/src/controleatleta/CadastroBoxeador.java ⧉

```
91   91
             jTextFieldPais.setText(umBoxeador.getInformacoesPessoais().getEndereco().getAtribut
             o("pais"));
92   92
             jTextFieldPeso.setText(Double.toString(umBoxeador.getInformacoesPessoais().getPeso(
             )));
93   93          jTextFieldRg.setText(umBoxeador.getInformacoesPessoais().getRg());
94       -
             jTextFieldTotalDerrotas.setText(Integer.toString(umBoxeador.getTotalDerrotas()));
95       -
             jTextFieldTotalDesistencias.setText(Integer.toString(umBoxeador.getTotalDesistencia
             s()));
96       -
             jTextFieldTotalEmpates.setText(Integer.toString(umBoxeador.getTotalEmpates()));
97       -        jTextFieldTotalLutas.setText(Integer.toString(umBoxeador.getTotalLutas()));
98       -
             jTextFieldTotalNocaute.setText(Integer.toString(umBoxeador.getTotalVitoriasNocaute(
             )));
99       -
             jTextFieldTotalVitorias.setText(Integer.toString(umBoxeador.getTotalVitorias()));
     94  +
             jTextFieldTotalDerrotas.setText(Integer.toString(umBoxeador.getEstatisticaBoxeador(
             ).getTotalDerrotas()));
     95  +
             jTextFieldTotalDesistencias.setText(Integer.toString(umBoxeador.getEstatisticaBoxea
             dor().getTotalDesistencias()));
     96  +
             jTextFieldTotalEmpates.setText(Integer.toString(umBoxeador.getEstatisticaBoxeador()
             .getTotalEmpates()));
     97  +
             jTextFieldTotalLutas.setText(Integer.toString(umBoxeador.getEstatisticaBoxeador().g
             etTotalLutas()));
     98  +
             jTextFieldTotalNocaute.setText(Integer.toString(umBoxeador.getEstatisticaBoxeador()
             .getTotalVitoriasNocaute()));
```

```
  99  +
          jTextFieldTotalVitorias.setText(Integer.toString(umBoxeador.getEstatisticaBoxeador(
          ).getTotalVitorias()));

 100  100
 101  101          telefonesListModel.clear();
 102  102          telefones = umBoxeador.getContato().getTelefones();
 330  330          umBoxeador.getInformacoesPessoais().setCpf(jTextFieldCpf.getText());
 331  331          umBoxeador.getInformacoesPessoais().setRg(jTextFieldRg.getText());
 332  332

          umBoxeador.setEnvergadura(Double.parseDouble(jTextFieldEnvergadura.getText()));
 333      -
          umBoxeador.setTotalDerrotas(Integer.parseInt(jTextFieldTotalDerrotas.getText()));
 334      -
          umBoxeador.setTotalDesistencias(Integer.parseInt(jTextFieldTotalDesistencias.getTex
          t()));
 335      -
          umBoxeador.setTotalEmpates(Integer.parseInt(jTextFieldTotalEmpates.getText()));
 336      -      umBoxeador.setTotalLutas(Integer.parseInt(jTextFieldTotalLutas.getText()));
 337      -
          umBoxeador.setTotalVitoriasNocaute(Integer.parseInt(jTextFieldTotalNocaute.getText(
          )));
 338      -
          umBoxeador.setTotalVitorias(Integer.parseInt(jTextFieldTotalVitorias.getText()));
      333  +
          umBoxeador.getEstatisticaBoxeador().setTotalDerrotas(Integer.parseInt(jTextFieldTot
          alDerrotas.getText()));
      334  +
          umBoxeador.getEstatisticaBoxeador().setTotalDesistencias(Integer.parseInt(jTextFiel
          dTotalDesistencias.getText()));
      335  +
          umBoxeador.getEstatisticaBoxeador().setTotalEmpates(Integer.parseInt(jTextFieldTota
          lEmpates.getText()));
      336  +
          umBoxeador.getEstatisticaBoxeador().setTotalLutas(Integer.parseInt(jTextFieldTotalL
          utas.getText()));
      337  +
          umBoxeador.getEstatisticaBoxeador().setTotalVitoriasNocaute(Integer.parseInt(jTextF
          ieldTotalNocaute.getText()));
      338  +
          umBoxeador.getEstatisticaBoxeador().setTotalVitorias(Integer.parseInt(jTextFieldTot
          alVitorias.getText()));
 339  339
 340  340          switch (jComboBoxSexo.getSelectedIndex()) {
 341  341              case Boxeador.SEXO_MASCULINO_INDICE:
```

BIN +8.3 MB TreinamentoCodeSmell/DesigniteJava.jar

Binary file not shown.

1 ■□□□□ TreinamentoCodeSmell/controleatletas

➡️ Submodule controleatletas added at f205ba

∨ **1** ■□□□□ controleatletas ⧉

➡️ Submodule controleatletas added at f205ba

0 comments on commit `50b156a`

Please sign in to comment.