_			
	nrof-lucas-faria	gerenciadora valiaco es	Dublic
「一	pioi-iucas-ialia /	gerenciadoravanacoes	Fublic

<> Code • Issues 3 **!** Pull requests Actions ✓ Insic

Commit



This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Correções Long Method 14

Browse files



isacmaximo committed on Jun 21

1 parent a8f8170 commit 5ab9715

Showing 3 changed files with 136 additions and 63 deletions.

Whitespace Ignore whitespace Split

Unified

```
@@ -1,13 +1,9 @@
       . . .
. . .
        1
              package siapro.gui;
 1
 2
 3
             - import java.awt.BorderLayout;
 4
             - import java.awt.EventQueue;
 5
        3
              import javax.swing.JFrame;
 6
               import javax.swing.JPanel;
 7
         4
         5
               import javax.swing.border.EmptyBorder;
 8
 9
         6
10
            - import siapro.controller.AreaController;
               import siapro.controller.EventoController;
11
         7
12
        8
              import siapro.model.Evento;
              import siapro.model.EventoData;
13
         9
              import javax.swing.JOptionPane;
16
        12
        13
17
18
        14
               import java.awt.Color;
19
             - import java.awt.Component;
              import java.awt.Container;
20
21
22
       15
               import javax.swing.JTextField;
23
            - import javax.swing.JComboBox;
24
        16
               import javax.swing.JFileChooser;
25
        17
               import javax.swing.JTextArea;
               import javax.swing.ImageIcon;
26
        18
```

```
48
                                contentPane.setBorder(new EmptyBorder(5, 5, 5, 5));
        40
49
        41
                                setContentPane(contentPane);
 50
                                contentPane.setLayout(null);
        42
        43
                                JlabelInformacoes jlabelInformacoes = new JlabelInformacoes();
        44
                                JbuttonInformacoes jbuttonInformacoes = new JbuttonInformacoes();
        45
        46
        47
                                jlabelInformacoes.lblInformaes(contentPane);
51
        48
                                JLabel lblInformaes = new JLabel("Informações");
 52
                                lblInformaes.setBackground(Color.MAGENTA);
 53
                                lblInformaes.setForeground(Color.RED);
 54
                                lblInformaes.setBounds(22, 0, 131, 15);
 55
                                contentPane.add(lblInformaes);
 56
 57
 58
                                JLabel lblNome = new JLabel("Nome:");
 59
                                lblNome.setBounds(22, 30, 66, 15);
                                contentPane.add(lblNome);
 60
        49
        50
                                jlabelInformacoes.lblNome(contentPane);
        51
61
 62
        52
                                textFieldNome = new JTextField();
63
        53
                                textFieldNome.setBounds(78, 27, 334, 19);
                                contentPane.add(textFieldNome);
64
        54
 65
        55
                                textFieldNome.setColumns(10);
        56
                                textFieldNome.setText(evento.getNome());
66
        57
67
 68
                                JLabel lblLocal = new JLabel("Local:");
69
                                lblLocal.setBounds(22, 57, 73, 15);
70
                                contentPane.add(lblLocal);
                                jlabelInformacoes.lblLocal(contentPane);
        58
71
        59
 72
        60
                                textFieldLocal = new JTextField();
                                textFieldLocal.setEditable(false);
73
        61
76
                                textFieldLocal.setColumns(10);
        64
                                textFieldLocal.setText("IF Goiano - Campus Ceres");
 77
        65
78
        66
                                JButton btnLiberar = jbuttonInformacoes.btnLiberar(contentPane);
        67
 79
        68
                                JButton btnLiberar = new JButton("Liberar");
80
                                btnLiberar.setBounds(78, 136, 89, 23);
 81
 82
                                contentPane.add(btnLiberar);
83
 84
                                JButton btnBloquear = new JButton("Bloquear");
                                btnBloquear.setBounds(201, 136, 89, 23);
 85
                                contentPane.add(btnBloquear);
86
                                JButton btnBloquear = jbuttonInformacoes.btnBloquear(contentPane);
        69
 87
        70
88
        71
                                btnLiberar.addActionListener(new ActionListener() {
                                         public void actionPerformed(ActionEvent e) {
89
        72
102
        85
                                                 btnBloquear.setEnabled(false);
103
        86
                                         }
```

```
104
        87
                                });
105
106
                                JLabel lblEstado = new JLabel("Estado:");
107
                                lblEstado.setBounds(22, 103, 66, 15);
108
                                contentPane.add(lblEstado);
        88
                                jlabelInformacoes.lblEstado(contentPane);
        89
109
        90
                                textFieldEstado = new JTextField();
110
        91
        92
                                textFieldEstado.setBounds(78, 100, 207, 20);
111
       100
                                         btnBloquear.setEnabled(false);
119
       101
                                }
120
       102
121
                                JLabel lblLogotipo = new JLabel("Logotipo do Evento:");
122
                                lblLogotipo.setBounds(22, 229, 131, 14);
123
                                contentPane.add(lblLogotipo);
124
125
                                JLabel lblLogo = new JLabel();
126
                                lblLogo.setBounds(300, 88, 401, 217);
127
                                contentPane.add(lblLogo);
128
       103
                                jlabelInformacoes.lblLogotipo(contentPane);
129
       104
       105
                                JLabel lblLogo = jlabelInformacoes.lblLogo(contentPane);
       106
130
       107
                                JButton btnEscolherArquivo = new JButton("Enviar Arquivo");
131
       108
                                btnEscolherArquivo.addActionListener(new ActionListener() {
132
       109
                                         public void actionPerformed(ActionEvent e) {
146
       123
147
       124
                                btnEscolherArquivo.setBounds(145, 225, 133, 23);
       125
                                contentPane.add(btnEscolherArquivo);
148
                                JLabel lblInformaesSobreO = new JLabel("Informações sobre o
149
                Evento");
                                lblInformaesSobreO.setForeground(Color.BLUE);
150
                                lblInformaesSobreO.setBounds(22, 297, 224, 15);
151
                                contentPane.add(lblInformaesSobre0);
152
       126
                                jlabelInformacoes.lblInformaesSobreO(contentPane);
       127
       128
153
       129
                                JTextArea textAreaInformacoes = new JTextArea();
154
       130
       131
                                textAreaInformacoes.setBounds(22, 324, 390, 69);
155
                                contentPane.add(textAreaInformacoes);
156
       132
157
       133
                                textAreaInformacoes.setText(evento.getInformacoes());
       134
158
159
                                JButton btnSalvar = new JButton("Salvar Alterações");
                                btnSalvar.addActionListener(new ActionListener() {
160
                                         private long idEvento;
161
162
                                         public void actionPerformed(ActionEvent e) {
163
                                                 this.idEvento = evento.getId();
                                                 if(textFieldNome.getText().isEmpty() ||
164
                textAreaInformacoes.getText().isEmpty()){
```

```
165
                                                         JOptionPane.showMessageDialog(null, "Não é
                possivel salvar com campos vazios");
166
                                                 else {
167
168
                                                         EventoData eventoData = new EventoData();
169
                eventoData.setNome(textFieldNome.getText());
170
                eventoData.setInformacoes(textAreaInformacoes.getText());
171
                eventoData.setSituacao(evento.getLiberado());
                                                         eventoData.setLogotipo(caminho.toString());
172
                                                         eventoData.setIdEvento(idEvento);
173
174
                EventoController().editarEvento(eventoData);
175
176
                JOptionPane.showMessageDialog(null, "Alteração salva com sucesso");
177
178
179
                                });
                                JButton btnSalvar = jbuttonInformacoes.btnSalvar(evento,
       135
                textFieldNome, textAreaInformacoes, caminho);
       136
180
       137
                                btnSalvar.setForeground(Color.BLUE);
181
       138
182
       139
                                btnSalvar.setBounds(313, 404, 176, 25);
```

```
60 ■■■■ siaproDesktop/src/siapro/gui/JbuttonInformacoes.java 「□
             @@ -0,0 +1,60 @@
     . . .
           + package siapro.gui;
      1
       2
       3
           + import javax.swing.JButton;
           + import javax.swing.JFrame;
       4
           + import javax.swing.JOptionPane;
       5
           + import javax.swing.JPanel;
       6
           + import javax.swing.JTextArea;
           + import javax.swing.JTextField;
       8
       9
           + import siapro.controller.EventoController;
     10
           + import siapro.model.Evento;
     11
           + import siapro.model.EventoData;
     12
           + import java.awt.event.ActionEvent;
     13
           + import java.awt.event.ActionListener;
     14
     15
           + import java.nio.file.Path;
     16
     17
           + public class JbuttonInformacoes extends JFrame{
                 public JButton btnLiberar(JPanel contentPane){
     18
                     JButton btnLiberar = new JButton("Liberar");
     19
      20
                             btnLiberar.setBounds(78, 136, 89, 23);
```

```
contentPane.add(btnLiberar);
21
22
               return btnLiberar;
23
24
           }
25
           public JButton btnBloquear(JPanel contentPane){
26
               JButton btnBloquear = new JButton("Bloquear");
27
                        btnBloquear.setBounds(201, 136, 89, 23);
28
                        contentPane.add(btnBloquear);
29
               return btnBloquear;
30
31
           }
32
           public JButton btnSalvar(Evento evento, JTextField textFieldNome, JTextArea
33
       textAreaInformacoes, Path caminho){
               JButton btnSalvar = new JButton("Salvar Alterações");
34
                        btnSalvar.addActionListener(new ActionListener() {
35
                                private long idEvento;
36
37
                                public void actionPerformed(ActionEvent e) {
                                        this.idEvento = evento.getId();
38
                                        if(textFieldNome.getText().isEmpty() ||
39
       textAreaInformacoes.getText().isEmpty()){
                                                 JOptionPane.showMessageDialog(null, "Não é
40
       possivel salvar com campos vazios");
41
                                        }
42
                                        else {
43
                                                 EventoData eventoData = new EventoData();
44
       eventoData.setNome(textFieldNome.getText());
45
       eventoData.setInformacoes(textAreaInformacoes.getText());
46
       eventoData.setSituacao(evento.getLiberado());
                                                 eventoData.setLogotipo(caminho.toString());
47
                                                 eventoData.setIdEvento(idEvento);
48
49
                                                 new
       EventoController().editarEvento(eventoData);
50
51
       JOptionPane.showMessageDialog(null, "Alteração salva com sucesso");
52
53
                                }
54
                        });
55
56
               return btnSalvar;
57
58
59
60
     + }
```

```
y 56 ■■■■■ siaproDesktop/src/siapro/gui/JlabelInformacoes.java □
```

```
. . .
                @@ -0,0 +1,56 @@
         1
             + package siapro.gui;
         2
         3
             + import java.awt.Color;
             + import javax.swing.JLabel;
         4
             + import javax.swing.JPanel;
         5
         6
         7
             + public class JlabelInformacoes {
                    public void lblInformaes(JPanel contentPane){
         8
                        JLabel lblInformaes = new JLabel("Informações");
         9
        10
                                lblInformaes.setBackground(Color.MAGENTA);
                                lblInformaes.setForeground(Color.RED);
        11
                                lblInformaes.setBounds(22, 0, 131, 15);
        12
        13
                                contentPane.add(lblInformaes);
                    }
        14
        15
                    public void lblNome(JPanel contentPane){
        16
        17
                        JLabel lblNome = new JLabel("Nome:");
        18
                                lblNome.setBounds(22, 30, 66, 15);
        19
                                contentPane.add(lblNome);
                    }
        20
        21
                    public void lblLocal(JPanel contentPane){
        22
                        JLabel lblLocal = new JLabel("Local:");
        23
                                lblLocal.setBounds(22, 57, 73, 15);
        24
                                contentPane.add(lblLocal);
        25
                    }
        26
        27
                    public void lblLogotipo(JPanel contentPane){
        28
                        JLabel lblLogotipo = new JLabel("Logotipo do Evento:");
        29
                                lblLogotipo.setBounds(22, 229, 131, 14);
        30
                                contentPane.add(lblLogotipo);
        31
        32
                    }
        33
                    public JLabel lblLogo(JPanel contentPane){
        34
        35
                        JLabel lblLogo = new JLabel();
                                lblLogo.setBounds(300, 88, 401, 217);
        36
                                contentPane.add(lblLogo);
        37
        38
        39
                        return lblLogo;
                    }
        40
        41
                    public void lblInformaesSobreO(JPanel contentPane){
        42
                        JLabel lblInformaesSobreO = new JLabel("Informações sobre o Evento");
        43
                                lblInformaesSobreO.setForeground(Color.BLUE);
        44
                                lblInformaesSobreO.setBounds(22, 297, 224, 15);
        45
                                contentPane.add(lblInformaesSobre0);
        46
        47
                    }
        48
                    public void lblEstado(JPanel contentPane){
        49
        50
                        JLabel lblEstado = new JLabel("Estado:");
             +
        51
                                lblEstado.setBounds(22, 103, 66, 15);
```

```
52 + contentPane.add(lblEstado);
53 + }
54 +
55 +
56 + }
```

0 comments on commit 5ab9715

Please sign in to comment.

04/12/2023, 13:58