jgbrittos / controleatletas   Public

<> Code   Pull requests   Actions   Projects   Wiki   Security   Insights

Commit

⚠️ This commit does not belong to any branch on this repository, and may belong to a fork outside of the repository.

Replace Magic Number with Symbolic Constant -5   Browse files

Arthurlevicoelho committed on Jun 22

1 parent 81f4234   commit e5970b4

Showing **28 changed files** with **1,716 additions** and **108 deletions**.

Whitespace   Ignore whitespace   Split   Unified

∨ 0 ▣▣▣▣▣ ControleAtleta/build/classes/.netbeans_automatic_build ⧉

Empty file.

∨ 0 ▣▣▣▣▣ ControleAtleta/build/classes/.netbeans_update_resources ⧉

Empty file.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$1.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$10.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$11.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$12.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$13.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$14.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$15.class ⧉

Binary file not shown.

∨ **BIN** **+80 Bytes (110%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$16.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$17.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$2.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$3.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$4.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$5.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$6.class ⧉

Binary file not shown.

∨ **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$7.class ⧉

Binary file not shown.

∨   **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$8.class ⧉

Binary file not shown.

∨   **BIN** **+0 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador$9.class ⧉

Binary file not shown.

∨   **BIN** **+139 Bytes (100%)** ControleAtleta/build/classes/controleatleta/CadastroBoxeador.class ⧉

Binary file not shown.

∨   **887** ▪▪▪▪▪ ControleAtleta/build/classes/controleatleta/CadastroBoxeador.form ⧉

Load diff

Large diffs are not rendered by default.

∨   **85** ▪▪▪▪▪ ControleAtleta/build/classes/controleatleta/CadastroPatrocinadores.form ⧉

```
...    ...        @@ -0,0 +1,85 @@
         1    +  <?xml version="1.0" encoding="UTF-8" ?>
         2    +
         3    +  <Form version="1.3" maxVersion="1.8"
                 type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
         4    +    <Properties>
         5    +      <Property name="defaultCloseOperation" type="int" value="2"/>
         6    +    </Properties>
         7    +    <SyntheticProperties>
         8    +      <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
         9    +      <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
        10    +    </SyntheticProperties>
        11    +    <AuxValues>
        12    +      <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
                 value="0"/>
        13    +      <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
                 value="false"/>
        14    +      <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
                 value="true"/>
        15    +      <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
                 value="false"/>
        16    +      <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
                 value="false"/>
```

```
17  +        <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
           value="1"/>
18  +        <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
           value="0"/>
19  +        <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
           value="false"/>
20  +        <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
           value="2"/>
21  +     </AuxValues>
22  +
23  +    <Layout>
24  +      <DimensionLayout dim="0">
25  +        <Group type="103" groupAlignment="0" attributes="0">
26  +          <Group type="102" alignment="0" attributes="0">
27  +            <EmptySpace max="-2" attributes="0"/>
28  +            <Component id="jLabel1" min="-2" max="-2" attributes="0"/>
29  +            <EmptySpace min="-2" pref="31" max="-2" attributes="0"/>
30  +            <Group type="103" groupAlignment="0" attributes="0">
31  +              <Group type="102" attributes="0">
32  +                <Component id="jButtonAdicionarPatrocinador" min="-2"
           pref="103" max="-2" attributes="0"/>
33  +                <EmptySpace pref="56" max="32767" attributes="0"/>
34  +                <Component id="jButtonCancelarPatrocinador" min="-2"
           pref="87" max="-2" attributes="0"/>
35  +              </Group>
36  +              <Component id="jTextFieldNomePatrocinador" max="32767"
           attributes="0"/>
37  +            </Group>
38  +            <EmptySpace max="-2" attributes="0"/>
39  +          </Group>
40  +        </Group>
41  +      </DimensionLayout>
42  +      <DimensionLayout dim="1">
43  +        <Group type="103" groupAlignment="0" attributes="0">
44  +          <Group type="102" alignment="0" attributes="0">
45  +            <EmptySpace max="-2" attributes="0"/>
46  +            <Group type="103" groupAlignment="3" attributes="0">
47  +              <Component id="jLabel1" alignment="3" min="-2" max="-2"
           attributes="0"/>
48  +              <Component id="jTextFieldNomePatrocinador" alignment="3" min="-2"
           max="-2" attributes="0"/>
49  +            </Group>
50  +            <EmptySpace max="32767" attributes="0"/>
51  +            <Group type="103" groupAlignment="3" attributes="0">
52  +              <Component id="jButtonAdicionarPatrocinador" alignment="3"
           min="-2" max="-2" attributes="0"/>
53  +              <Component id="jButtonCancelarPatrocinador" alignment="3"
           min="-2" max="-2" attributes="0"/>
54  +            </Group>
55  +            <EmptySpace max="-2" attributes="0"/>
56  +          </Group>
57  +        </Group>
```

```xml
58  +        </DimensionLayout>
59  +      </Layout>
60  +      <SubComponents>
61  +        <Component class="javax.swing.JLabel" name="jLabel1">
62  +          <Properties>
63  +            <Property name="text" type="java.lang.String" value="Nome do
       Patrocinador:"/>
64  +          </Properties>
65  +        </Component>
66  +        <Component class="javax.swing.JTextField" name="jTextFieldNomePatrocinador">
67  +        </Component>
68  +        <Component class="javax.swing.JButton" name="jButtonAdicionarPatrocinador">
69  +          <Properties>
70  +            <Property name="text" type="java.lang.String" value="Adicionar"/>
71  +          </Properties>
72  +          <Events>
73  +            <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonAdicionarPatrocinadorActionPerformed"/>
74  +          </Events>
75  +        </Component>
76  +        <Component class="javax.swing.JButton" name="jButtonCancelarPatrocinador">
77  +          <Properties>
78  +            <Property name="text" type="java.lang.String" value="Cancelar"/>
79  +          </Properties>
80  +          <Events>
81  +            <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonCancelarPatrocinadorActionPerformed"/>
82  +          </Events>
83  +        </Component>
84  +      </SubComponents>
85  + </Form>
```

∨ **105** ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroPremiacao.form ⧉

```xml
...  ...        @@ -0,0 +1,105 @@
1    + <?xml version="1.1" encoding="UTF-8" ?>
2    +
3    + <Form version="1.3" maxVersion="1.7"
       type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
4    +   <SyntheticProperties>
5    +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
6    +   </SyntheticProperties>
7    +   <AuxValues>
8    +     <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
       value="0"/>
9    +     <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
       value="false"/>
10   +     <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
       value="true"/>
```

```
11  +        <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
            value="false"/>
12  +        <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
            value="false"/>
13  +        <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
            value="1"/>
14  +        <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
            value="0"/>
15  +        <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
            value="false"/>
16  +        <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
            value="2"/>
17  +    </AuxValues>
18  +
19  +    <Layout>
20  +      <DimensionLayout dim="0">
21  +        <Group type="103" groupAlignment="0" attributes="0">
22  +          <Group type="102" alignment="0" attributes="0">
23  +            <EmptySpace max="-2" attributes="0"/>
24  +            <Group type="103" groupAlignment="0" attributes="0">
25  +              <Group type="102" alignment="0" attributes="0">
26  +                <Group type="103" groupAlignment="0" attributes="0">
27  +                  <Component id="jLabelTitulo" alignment="0" min="-2"
            max="-2" attributes="0"/>
28  +                  <Component id="jLabelAno" alignment="0" min="-2" max="-2"
            attributes="0"/>
29  +                </Group>
30  +                <EmptySpace max="-2" attributes="0"/>
31  +                <Group type="103" groupAlignment="0" attributes="0">
32  +                  <Component id="jTextFieldAno" alignment="0" min="-2"
            pref="84" max="-2" attributes="0"/>
33  +                  <Component id="jTextFieldTitulo" alignment="0" pref="346"
            max="32767" attributes="0"/>
34  +                </Group>
35  +              </Group>
36  +              <Group type="102" alignment="1" attributes="0">
37  +                <Component id="jButtonAdicionar" min="-2" max="-2"
            attributes="0"/>
38  +                <EmptySpace type="unrelated" max="-2" attributes="0"/>
39  +                <Component id="jButtonCancelar" min="-2" max="-2"
            attributes="0"/>
40  +              </Group>
41  +            </Group>
42  +            <EmptySpace max="-2" attributes="0"/>
43  +          </Group>
44  +        </Group>
45  +      </DimensionLayout>
46  +      <DimensionLayout dim="1">
47  +        <Group type="103" groupAlignment="0" attributes="0">
48  +          <Group type="102" alignment="0" attributes="0">
49  +            <EmptySpace min="-2" pref="8" max="-2" attributes="0"/>
50  +            <Group type="103" groupAlignment="3" attributes="0">
```

```
51  +                        <Component id="jLabelTitulo" alignment="3" min="-2" max="-2"
          attributes="0"/>
52  +                        <Component id="jTextFieldTitulo" alignment="3" min="-2" max="-2"
          attributes="0"/>
53  +                    </Group>
54  +                    <EmptySpace max="-2" attributes="0"/>
55  +                    <Group type="103" groupAlignment="1" attributes="0">
56  +                        <Group type="102" alignment="1" attributes="0">
57  +                            <Group type="103" groupAlignment="3" attributes="0">
58  +                                <Component id="jLabelAno" alignment="3" min="-2" max="-2"
          attributes="0"/>
59  +                                <Component id="jTextFieldAno" alignment="3" min="-2"
          max="-2" attributes="0"/>
60  +                            </Group>
61  +                            <EmptySpace min="-2" pref="32" max="-2" attributes="0"/>
62  +                        </Group>
63  +                        <Group type="103" alignment="1" groupAlignment="3"
          attributes="0">
64  +                            <Component id="jButtonAdicionar" alignment="3" min="-2"
          max="-2" attributes="0"/>
65  +                            <Component id="jButtonCancelar" alignment="3" min="-2"
          max="-2" attributes="0"/>
66  +                        </Group>
67  +                    </Group>
68  +                    <EmptySpace max="32767" attributes="0"/>
69  +                </Group>
70  +            </Group>
71  +        </DimensionLayout>
72  +    </Layout>
73  +    <SubComponents>
74  +      <Component class="javax.swing.JButton" name="jButtonCancelar">
75  +        <Properties>
76  +          <Property name="text" type="java.lang.String" value="Cancelar"/>
77  +        </Properties>
78  +        <Events>
79  +          <EventHandler event="actionPerformed"
          listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
          handler="jButtonCancelarActionPerformed"/>
80  +        </Events>
81  +      </Component>
82  +      <Component class="javax.swing.JButton" name="jButtonAdicionar">
83  +        <Properties>
84  +          <Property name="text" type="java.lang.String" value="Adicionar"/>
85  +        </Properties>
86  +        <Events>
87  +          <EventHandler event="actionPerformed"
          listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
          handler="jButtonAdicionarActionPerformed"/>
88  +        </Events>
89  +      </Component>
90  +      <Component class="javax.swing.JLabel" name="jLabelTitulo">
91  +        <Properties>
```

```
 92   +         <Property name="text" type="java.lang.String" value="Titulo:"/>
 93   +       </Properties>
 94   +     </Component>
 95   +     <Component class="javax.swing.JTextField" name="jTextFieldTitulo">
 96   +     </Component>
 97   +     <Component class="javax.swing.JLabel" name="jLabelAno">
 98   +       <Properties>
 99   +         <Property name="text" type="java.lang.String" value="Ano:"/>
100   +       </Properties>
101   +     </Component>
102   +     <Component class="javax.swing.JTextField" name="jTextFieldAno">
103   +     </Component>
104   +   </SubComponents>
105   + </Form>
```

88 ■■■■■ ControleAtleta/build/classes/controleatleta/CadastroTelefone.form ⧉

```
...   ...       @@ -0,0 +1,88 @@
  1   + <?xml version="1.1" encoding="UTF-8" ?>
  2   +
  3   + <Form version="1.3" maxVersion="1.7"
        type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
  4   +   <Properties>
  5   +     <Property name="defaultCloseOperation" type="int" value="2"/>
  6   +   </Properties>
  7   +   <SyntheticProperties>
  8   +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
  9   +   </SyntheticProperties>
 10   +   <AuxValues>
 11   +     <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
        value="0"/>
 12   +     <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
        value="false"/>
 13   +     <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
        value="true"/>
 14   +     <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
        value="false"/>
 15   +     <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
        value="false"/>
 16   +     <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
        value="1"/>
 17   +     <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
        value="0"/>
 18   +     <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
        value="false"/>
 19   +     <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
        value="2"/>
 20   +   </AuxValues>
 21   +
 22   +   <Layout>
 23   +     <DimensionLayout dim="0">
```

```
24  +          <Group type="103" groupAlignment="0" attributes="0">
25  +              <EmptySpace min="0" pref="400" max="32767" attributes="0"/>
26  +              <Group type="102" alignment="0" attributes="0">
27  +                  <EmptySpace max="-2" attributes="0"/>
28  +                  <Group type="103" groupAlignment="0" attributes="0">
29  +                      <Group type="102" alignment="0" attributes="0">
30  +                          <Component id="jLabelTelefone" min="-2" max="-2"
        attributes="0"/>
31  +                          <EmptySpace max="-2" attributes="0"/>
32  +                          <Component id="jTextFieldTelefone" pref="330" max="32767"
        attributes="0"/>
33  +                      </Group>
34  +                      <Group type="102" alignment="1" attributes="0">
35  +                          <Component id="jButtonAdicionar" min="-2" max="-2"
        attributes="0"/>
36  +                          <EmptySpace type="unrelated" max="-2" attributes="0"/>
37  +                          <Component id="jButtonCancelar" min="-2" max="-2"
        attributes="0"/>
38  +                      </Group>
39  +                  </Group>
40  +                  <EmptySpace max="-2" attributes="0"/>
41  +              </Group>
42  +          </Group>
43  +      </DimensionLayout>
44  +      <DimensionLayout dim="1">
45  +          <Group type="103" groupAlignment="0" attributes="0">
46  +              <EmptySpace min="0" pref="68" max="32767" attributes="0"/>
47  +              <Group type="102" alignment="0" attributes="0">
48  +                  <EmptySpace min="-2" pref="8" max="-2" attributes="0"/>
49  +                  <Group type="103" groupAlignment="3" attributes="0">
50  +                      <Component id="jLabelTelefone" alignment="3" min="-2" max="-2"
        attributes="0"/>
51  +                      <Component id="jTextFieldTelefone" alignment="3" min="-2"
        max="-2" attributes="0"/>
52  +                  </Group>
53  +                  <EmptySpace max="-2" attributes="0"/>
54  +                  <Group type="103" groupAlignment="3" attributes="0">
55  +                      <Component id="jButtonCancelar" alignment="3" min="-2" max="-2"
        attributes="0"/>
56  +                      <Component id="jButtonAdicionar" alignment="3" min="-2" max="-2"
        attributes="0"/>
57  +                  </Group>
58  +                  <EmptySpace max="32767" attributes="0"/>
59  +              </Group>
60  +          </Group>
61  +      </DimensionLayout>
62  +  </Layout>
63  +  <SubComponents>
64  +    <Component class="javax.swing.JLabel" name="jLabelTelefone">
65  +      <Properties>
66  +        <Property name="text" type="java.lang.String" value="Telefone:"/>
67  +      </Properties>
```

```
68  +        </Component>
69  +        <Component class="javax.swing.JTextField" name="jTextFieldTelefone">
70  +        </Component>
71  +        <Component class="javax.swing.JButton" name="jButtonCancelar">
72  +          <Properties>
73  +            <Property name="text" type="java.lang.String" value="Cancelar"/>
74  +          </Properties>
75  +          <Events>
76  +            <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonCancelarActionPerformed"/>
77  +          </Events>
78  +        </Component>
79  +        <Component class="javax.swing.JButton" name="jButtonAdicionar">
80  +          <Properties>
81  +            <Property name="text" type="java.lang.String" value="Adicionar"/>
82  +          </Properties>
83  +          <Events>
84  +            <EventHandler event="actionPerformed"
       listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
       handler="jButtonAdicionarActionPerformed"/>
85  +          </Events>
86  +        </Component>
87  +      </SubComponents>
88  +  </Form>
```

∨ **210** ◼◼◼◼◼ ControleAtleta/build/classes/controleatleta/CadastroTenista.form ⧉

```
...    ...        @@ -0,0 +1,210 @@
        1   + <?xml version="1.0" encoding="UTF-8" ?>
        2   +
        3   + <Form version="1.3" maxVersion="1.8"
              type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
        4   +   <Properties>
        5   +     <Property name="defaultCloseOperation" type="int" value="2"/>
        6   +   </Properties>
        7   +   <SyntheticProperties>
        8   +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
        9   +     <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
        10  +   </SyntheticProperties>
        11  +   <AuxValues>
        12  +     <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
              value="0"/>
        13  +     <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
              value="false"/>
        14  +     <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
              value="true"/>
        15  +     <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
              value="false"/>
        16  +     <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
              value="false"/>
```

```
17  +        <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
       value="1"/>
18  +        <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
       value="0"/>
19  +        <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
       value="false"/>
20  +        <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
       value="2"/>
21  +    </AuxValues>
22  +
23  +    <Layout>
24  +      <DimensionLayout dim="0">
25  +        <Group type="103" groupAlignment="0" attributes="0">
26  +          <Group type="102" attributes="0">
27  +            <EmptySpace min="-2" pref="32" max="-2" attributes="0"/>
28  +            <Group type="103" groupAlignment="0" attributes="0">
29  +              <Group type="102" attributes="0">
30  +                <Group type="103" groupAlignment="1" attributes="0">
31  +                  <Group type="102" attributes="0">
32  +                    <Component id="jButtonPesquisarTenista" max="32767"
       attributes="0"/>
33  +                    <EmptySpace min="-2" pref="173" max="-2"
       attributes="0"/>
34  +                    <Component id="jButtonSalvarTenista" min="-2"
       pref="90" max="-2" attributes="0"/>
35  +                    <EmptySpace min="-2" pref="50" max="-2"
       attributes="0"/>
36  +                    <Component id="jButtonCancelar" min="-2" pref="90"
       max="-2" attributes="0"/>
37  +                  </Group>
38  +                  <Group type="102" attributes="0">
39  +                    <Group type="103" groupAlignment="0" attributes="0">
40  +                      <Component id="jLabelPosRankMundial" min="-2"
       max="-2" attributes="0"/>
41  +                      <Component id="jLabelFortunaJogos" alignment="0"
       min="-2" max="-2" attributes="0"/>
42  +                    </Group>
43  +                    <EmptySpace max="32767" attributes="0"/>
44  +                    <Group type="103" groupAlignment="0" max="-2"
       attributes="0">
45  +                      <Component id="jTextFieldFortunaJogos" pref="290"
       max="32767" attributes="0"/>
46  +                      <Component id="jTextFieldPosRankMundial"
       max="32767" attributes="0"/>
47  +                    </Group>
48  +                  </Group>
49  +                  <Group type="102" attributes="0">
50  +                    <Group type="103" groupAlignment="0" attributes="0">
51  +                      <Component id="jLabelFortunaPropagandas"
       alignment="0" min="-2" max="-2" attributes="0"/>
52  +                      <Component id="jLabelTipoQuadra" alignment="0"
       min="-2" max="-2" attributes="0"/>
```

```
53   +                                    </Group>
54   +                                    <EmptySpace pref="52" max="32767" attributes="0"/>
55   +                                    <Group type="103" groupAlignment="0" attributes="0">
56   +                                        <Component id="jTextFieldFortunaPropagandas"
       max="32767" attributes="0"/>
57   +                                        <Component id="jComboBoxTipoQuadra" pref="290"
       max="32767" attributes="0"/>
58   +                                    </Group>
59   +                                </Group>
60   +                            </Group>
61   +                            <EmptySpace min="-2" pref="34" max="-2" attributes="0"/>
62   +                        </Group>
63   +                        <Group type="102" attributes="0">
64   +                            <Group type="103" groupAlignment="1" max="-2" attributes="0">
65   +                                <Component id="jButtonTitulosGanhos" alignment="0"
       max="32767" attributes="0"/>
66   +                                <Component id="jButtonAdicionarPatrocinadores"
       alignment="0" max="32767" attributes="0"/>
67   +                                <Component id="jButtonVitoriasDerrotasAno" max="32767"
       attributes="0"/>
68   +                            </Group>
69   +                            <EmptySpace min="0" pref="0" max="32767" attributes="0"/>
70   +                        </Group>
71   +                    </Group>
72   +                </Group>
73   +            </Group>
74   +        </DimensionLayout>
75   +        <DimensionLayout dim="1">
76   +            <Group type="103" groupAlignment="0" attributes="0">
77   +                <Group type="102" alignment="0" attributes="0">
78   +                    <EmptySpace min="-2" pref="35" max="-2" attributes="0"/>
79   +                    <Group type="103" groupAlignment="3" attributes="0">
80   +                        <Component id="jLabelPosRankMundial" alignment="3" min="-2"
       max="-2" attributes="0"/>
81   +                        <Component id="jTextFieldPosRankMundial" alignment="3" min="-2"
       max="-2" attributes="0"/>
82   +                    </Group>
83   +                    <EmptySpace min="-2" pref="26" max="-2" attributes="0"/>
84   +                    <Group type="103" groupAlignment="3" attributes="0">
85   +                        <Component id="jLabelFortunaJogos" alignment="3" min="-2"
       max="-2" attributes="0"/>
86   +                        <Component id="jTextFieldFortunaJogos" alignment="3" min="-2"
       max="-2" attributes="0"/>
87   +                    </Group>
88   +                    <EmptySpace min="-2" pref="23" max="-2" attributes="0"/>
89   +                    <Group type="103" groupAlignment="3" attributes="0">
90   +                        <Component id="jLabelFortunaPropagandas" alignment="3" min="-2"
       max="-2" attributes="0"/>
91   +                        <Component id="jTextFieldFortunaPropagandas" alignment="3"
       min="-2" max="-2" attributes="0"/>
92   +                    </Group>
93   +                    <EmptySpace min="-2" pref="23" max="-2" attributes="0"/>
```

```
 94  +                <Group type="103" groupAlignment="3" attributes="0">
 95  +                    <Component id="jLabelTipoQuadra" alignment="3" min="-2" max="-2"
        attributes="0"/>
 96  +                    <Component id="jComboBoxTipoQuadra" alignment="3" min="-2"
        max="-2" attributes="0"/>
 97  +                </Group>
 98  +                <EmptySpace type="separate" max="-2" attributes="0"/>
 99  +                <Component id="jButtonVitoriasDerrotasAno" min="-2" max="-2"
        attributes="0"/>
100  +                <EmptySpace type="separate" max="-2" attributes="0"/>
101  +                <Component id="jButtonTitulosGanhos" min="-2" max="-2"
        attributes="0"/>
102  +                <EmptySpace type="separate" max="-2" attributes="0"/>
103  +                <Component id="jButtonAdicionarPatrocinadores" min="-2" max="-2"
        attributes="0"/>
104  +                <Group type="103" groupAlignment="0" attributes="0">
105  +                    <Group type="102" attributes="0">
106  +                        <EmptySpace max="32767" attributes="0"/>
107  +                        <Group type="103" groupAlignment="3" attributes="0">
108  +                            <Component id="jButtonSalvarTenista" alignment="3"
        min="-2" max="-2" attributes="0"/>
109  +                            <Component id="jButtonCancelar" alignment="3" min="-2"
        max="-2" attributes="0"/>
110  +                        </Group>
111  +                        <EmptySpace max="-2" attributes="0"/>
112  +                    </Group>
113  +                    <Group type="102" alignment="0" attributes="0">
114  +                        <EmptySpace type="separate" max="-2" attributes="0"/>
115  +                        <Component id="jButtonPesquisarTenista" min="-2" max="-2"
        attributes="0"/>
116  +                        <EmptySpace pref="40" max="32767" attributes="0"/>
117  +                    </Group>
118  +                </Group>
119  +            </Group>
120  +        </Group>
121  +    </DimensionLayout>
122  +  </Layout>
123  +  <SubComponents>
124  +    <Component class="javax.swing.JLabel" name="jLabelPosRankMundial">
125  +      <Properties>
126  +        <Property name="text" type="java.lang.String" value="Posi&#xe7;&#xe3;o no
        Rank Mundial:"/>
127  +      </Properties>
128  +    </Component>
129  +    <Component class="javax.swing.JLabel" name="jLabelFortunaJogos">
130  +      <Properties>
131  +        <Property name="text" type="java.lang.String" value="Fortuna Acumulada em
        Jogos:"/>
132  +      </Properties>
133  +    </Component>
134  +    <Component class="javax.swing.JLabel" name="jLabelFortunaPropagandas">
135  +      <Properties>
```

```
136  +          <Property name="text" type="java.lang.String" value="Fortuna Acumulada em
                 Propagandas:"/>
137  +        </Properties>
138  +      </Component>
139  +      <Component class="javax.swing.JLabel" name="jLabelTipoQuadra">
140  +        <Properties>
141  +          <Property name="text" type="java.lang.String" value="Quadra Preferida: "/>
142  +        </Properties>
143  +      </Component>
144  +      <Component class="javax.swing.JTextField" name="jTextFieldPosRankMundial">
145  +      </Component>
146  +      <Component class="javax.swing.JTextField" name="jTextFieldFortunaJogos">
147  +      </Component>
148  +      <Component class="javax.swing.JTextField" name="jTextFieldFortunaPropagandas">
149  +      </Component>
150  +      <Component class="javax.swing.JComboBox" name="jComboBoxTipoQuadra">
151  +        <Properties>
152  +          <Property name="model" type="javax.swing.ComboBoxModel"
                 editor="org.netbeans.modules.form.editors2.ComboBoxModelEditor">
153  +            <StringArray count="3">
154  +              <StringItem index="0" value="Hard Court(Piso Duro)"/>
155  +              <StringItem index="1" value="Clay(Saibro)"/>
156  +              <StringItem index="2" value="Grass(Grama)"/>
157  +            </StringArray>
158  +          </Property>
159  +        </Properties>
160  +      </Component>
161  +      <Component class="javax.swing.JButton" name="jButtonSalvarTenista">
162  +        <Properties>
163  +          <Property name="text" type="java.lang.String" value="Salvar"/>
164  +        </Properties>
165  +        <Events>
166  +          <EventHandler event="actionPerformed"
                 listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
                 handler="jButtonSalvarTenistaActionPerformed"/>
167  +        </Events>
168  +      </Component>
169  +      <Component class="javax.swing.JButton" name="jButtonCancelar">
170  +        <Properties>
171  +          <Property name="text" type="java.lang.String" value="Cancelar"/>
172  +        </Properties>
173  +        <Events>
174  +          <EventHandler event="actionPerformed"
                 listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
                 handler="jButtonCancelarActionPerformed"/>
175  +        </Events>
176  +      </Component>
177  +      <Component class="javax.swing.JButton" name="jButtonAdicionarPatrocinadores">
178  +        <Properties>
179  +          <Property name="text" type="java.lang.String" value="Patrocinadores"/>
180  +        </Properties>
181  +        <Events>
```

```
182  +          <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonAdicionarPatrocinadoresActionPerformed"/>
183  +        </Events>
184  +      </Component>
185  +      <Component class="javax.swing.JButton" name="jButtonTitulosGanhos">
186  +        <Properties>
187  +          <Property name="text" type="java.lang.String" value="T&#xed;tulos Ganhos"/>
188  +        </Properties>
189  +        <Events>
190  +          <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonTitulosGanhosActionPerformed"/>
191  +        </Events>
192  +      </Component>
193  +      <Component class="javax.swing.JButton" name="jButtonVitoriasDerrotasAno">
194  +        <Properties>
195  +          <Property name="text" type="java.lang.String" value="Vit&#xf3;rias e
        Derrotas por Ano"/>
196  +        </Properties>
197  +        <Events>
198  +          <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonVitoriasDerrotasAnoActionPerformed"/>
199  +        </Events>
200  +      </Component>
201  +      <Component class="javax.swing.JButton" name="jButtonPesquisarTenista">
202  +        <Properties>
203  +          <Property name="text" type="java.lang.String" value="Pesquisar"/>
204  +        </Properties>
205  +        <Events>
206  +          <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonPesquisarTenistaActionPerformed"/>
207  +        </Events>
208  +      </Component>
209  +    </SubComponents>
210  +  </Form>
```

107 ▨▨▨▨▨ ControleAtleta/build/classes/controleatleta/CadastroTitulosGanhos.form 🗗

```
...    ...    @@ -0,0 +1,107 @@
         1  + <?xml version="1.0" encoding="UTF-8" ?>
         2  +
         3  + <Form version="1.3" maxVersion="1.8"
              type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
         4  +   <Properties>
         5  +     <Property name="defaultCloseOperation" type="int" value="2"/>
         6  +   </Properties>
         7  +   <SyntheticProperties>
         8  +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
```

```
 9  +      <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
10  +    </SyntheticProperties>
11  +    <AuxValues>
12  +      <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
       value="0"/>
13  +      <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
       value="false"/>
14  +      <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
       value="true"/>
15  +      <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
       value="false"/>
16  +      <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
       value="false"/>
17  +      <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
       value="1"/>
18  +      <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
       value="0"/>
19  +      <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
       value="false"/>
20  +      <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
       value="2"/>
21  +    </AuxValues>
22  +
23  +    <Layout>
24  +      <DimensionLayout dim="0">
25  +        <Group type="103" groupAlignment="0" attributes="0">
26  +          <Group type="102" alignment="0" attributes="0">
27  +            <EmptySpace min="-2" pref="34" max="-2" attributes="0"/>
28  +            <Group type="103" groupAlignment="0" attributes="0">
29  +              <Component id="jLabelQuantidadeTitulo" alignment="0" min="-2"
       max="-2" attributes="0"/>
30  +              <Component id="jLabelNomeTitulo" alignment="0" min="-2" max="-2"
       attributes="0"/>
31  +            </Group>
32  +            <EmptySpace max="-2" attributes="0"/>
33  +            <Group type="103" groupAlignment="1" max="-2" attributes="0">
34  +              <Component id="jTextFieldNomeTitulo" max="32767" attributes="0"/>
35  +              <Group type="102" alignment="1" attributes="0">
36  +                <Component id="jButtonSalvarTitulos" min="-2" pref="89"
       max="-2" attributes="0"/>
37  +                <EmptySpace pref="75" max="32767" attributes="0"/>
38  +                <Component id="jButtonCancelarTitulos" min="-2" max="-2"
       attributes="0"/>
39  +              </Group>
40  +              <Component id="jTextFieldQuantidadeTitulo" alignment="0"
       max="32767" attributes="0"/>
41  +            </Group>
42  +            <EmptySpace max="-2" attributes="0"/>
43  +          </Group>
44  +        </Group>
45  +      </DimensionLayout>
46  +      <DimensionLayout dim="1">
```

```
47  +        <Group type="103" groupAlignment="0" attributes="0">
48  +          <Group type="102" alignment="0" attributes="0">
49  +            <Group type="103" groupAlignment="0" attributes="0">
50  +              <Group type="102" attributes="0">
51  +                <EmptySpace min="-2" pref="28" max="-2" attributes="0"/>
52  +                <Component id="jLabelNomeTitulo" min="-2" max="-2"
       attributes="0"/>
53  +                <EmptySpace min="-2" pref="10" max="-2" attributes="0"/>
54  +              </Group>
55  +              <Group type="102" alignment="1" attributes="0">
56  +                <EmptySpace max="-2" attributes="0"/>
57  +                <Component id="jTextFieldNomeTitulo" min="-2" max="-2"
       attributes="0"/>
58  +              </Group>
59  +            </Group>
60  +            <EmptySpace min="-2" pref="12" max="-2" attributes="0"/>
61  +            <Group type="103" groupAlignment="3" attributes="0">
62  +              <Component id="jLabelQuantidadeTitulo" alignment="3" min="-2"
       max="-2" attributes="0"/>
63  +              <Component id="jTextFieldQuantidadeTitulo" alignment="3" min="-2"
       max="-2" attributes="0"/>
64  +            </Group>
65  +            <EmptySpace max="32767" attributes="0"/>
66  +            <Group type="103" groupAlignment="3" attributes="0">
67  +              <Component id="jButtonSalvarTitulos" alignment="3" min="-2"
       max="-2" attributes="0"/>
68  +              <Component id="jButtonCancelarTitulos" alignment="3" min="-2"
       max="-2" attributes="0"/>
69  +            </Group>
70  +            <EmptySpace max="-2" attributes="0"/>
71  +          </Group>
72  +        </Group>
73  +      </DimensionLayout>
74  +    </Layout>
75  +    <SubComponents>
76  +      <Component class="javax.swing.JLabel" name="jLabelNomeTitulo">
77  +        <Properties>
78  +          <Property name="text" type="java.lang.String" value="Nome:"/>
79  +        </Properties>
80  +      </Component>
81  +      <Component class="javax.swing.JLabel" name="jLabelQuantidadeTitulo">
82  +        <Properties>
83  +          <Property name="text" type="java.lang.String" value="Quantidade:"/>
84  +        </Properties>
85  +      </Component>
86  +      <Component class="javax.swing.JTextField" name="jTextFieldNomeTitulo">
87  +      </Component>
88  +      <Component class="javax.swing.JTextField" name="jTextFieldQuantidadeTitulo">
89  +      </Component>
90  +      <Component class="javax.swing.JButton" name="jButtonSalvarTitulos">
91  +        <Properties>
92  +          <Property name="text" type="java.lang.String" value="Salvar"/>
```

```
 93  +          </Properties>
 94  +          <Events>
 95  +            <EventHandler event="actionPerformed"
         listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
         handler="jButtonSalvarTitulosActionPerformed"/>
 96  +          </Events>
 97  +        </Component>
 98  +        <Component class="javax.swing.JButton" name="jButtonCancelarTitulos">
 99  +          <Properties>
100  +            <Property name="text" type="java.lang.String" value="Cancelar"/>
101  +          </Properties>
102  +          <Events>
103  +            <EventHandler event="actionPerformed"
         listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
         handler="jButtonCancelarTitulosActionPerformed"/>
104  +          </Events>
105  +        </Component>
106  +      </SubComponents>
107  +    </Form>
```

∨ **120** ▮▮▮▮▮ ControleAtleta/build/classes/controleatleta/CadastroVitoriasDerrotasAno.form 🗗

```
...    ...        @@ -0,0 +1,120 @@
        1   + <?xml version="1.0" encoding="UTF-8" ?>
        2   +
        3   + <Form version="1.3" maxVersion="1.8"
             type="org.netbeans.modules.form.forminfo.JDialogFormInfo">
        4   +   <Properties>
        5   +     <Property name="defaultCloseOperation" type="int" value="2"/>
        6   +   </Properties>
        7   +   <SyntheticProperties>
        8   +     <SyntheticProperty name="formSizePolicy" type="int" value="1"/>
        9   +     <SyntheticProperty name="generateCenter" type="boolean" value="false"/>
       10   +   </SyntheticProperties>
       11   +   <AuxValues>
       12   +     <AuxValue name="FormSettings_autoResourcing" type="java.lang.Integer"
             value="0"/>
       13   +     <AuxValue name="FormSettings_autoSetComponentName" type="java.lang.Boolean"
             value="false"/>
       14   +     <AuxValue name="FormSettings_generateFQN" type="java.lang.Boolean"
             value="true"/>
       15   +     <AuxValue name="FormSettings_generateMnemonicsCode" type="java.lang.Boolean"
             value="false"/>
       16   +     <AuxValue name="FormSettings_i18nAutoMode" type="java.lang.Boolean"
             value="false"/>
       17   +     <AuxValue name="FormSettings_layoutCodeTarget" type="java.lang.Integer"
             value="1"/>
       18   +     <AuxValue name="FormSettings_listenerGenerationStyle" type="java.lang.Integer"
             value="0"/>
       19   +     <AuxValue name="FormSettings_variablesLocal" type="java.lang.Boolean"
             value="false"/>
```

```
20  +        <AuxValue name="FormSettings_variablesModifier" type="java.lang.Integer"
       value="2"/>
21  +      </AuxValues>
22  +
23  +      <Layout>
24  +        <DimensionLayout dim="0">
25  +          <Group type="103" groupAlignment="0" attributes="0">
26  +            <Group type="102" alignment="0" attributes="0">
27  +              <Group type="103" groupAlignment="1" attributes="0">
28  +                <Group type="102" alignment="1" attributes="0">
29  +                  <EmptySpace pref="139" max="32767" attributes="0"/>
30  +                  <Component id="jButtonSalvarVitoriasDerrotasAno" min="-2"
       pref="89" max="-2" attributes="0"/>
31  +                  <EmptySpace min="-2" pref="50" max="-2" attributes="0"/>
32  +                  <Component id="jButtonCancelar" min="-2" pref="92" max="-2"
       attributes="0"/>
33  +                </Group>
34  +                <Group type="102" alignment="0" attributes="0">
35  +                  <EmptySpace min="-2" pref="28" max="-2" attributes="0"/>
36  +                  <Group type="103" groupAlignment="0" attributes="0">
37  +                    <Component id="jLabelNumVitorias" alignment="0" min="-2"
       max="-2" attributes="0"/>
38  +                    <Component id="jLabelNumDerrotas" alignment="0" min="-2"
       max="-2" attributes="0"/>
39  +                    <Component id="jLabelAno" alignment="0" min="-2" max="-2"
       attributes="0"/>
40  +                  </Group>
41  +                  <EmptySpace type="separate" max="-2" attributes="0"/>
42  +                  <Group type="103" groupAlignment="0" max="-2" attributes="0">
43  +                    <Component id="jTextFieldNumVitorias" max="32767"
       attributes="0"/>
44  +                    <Component id="jTextFieldNumDerrotas" pref="173"
       max="32767" attributes="0"/>
45  +                    <Component id="jTextFieldAno" max="32767"
       attributes="0"/>
46  +                  </Group>
47  +                </Group>
48  +              </Group>
49  +              <EmptySpace pref="16" max="32767" attributes="0"/>
50  +            </Group>
51  +          </Group>
52  +        </DimensionLayout>
53  +        <DimensionLayout dim="1">
54  +          <Group type="103" groupAlignment="0" attributes="0">
55  +            <Group type="102" alignment="0" attributes="0">
56  +              <EmptySpace min="-2" pref="29" max="-2" attributes="0"/>
57  +              <Group type="103" groupAlignment="3" attributes="0">
58  +                <Component id="jLabelAno" alignment="3" min="-2" max="-2"
       attributes="0"/>
59  +                <Component id="jTextFieldAno" alignment="3" min="-2" max="-2"
       attributes="0"/>
60  +              </Group>
```

```
61  +                <EmptySpace min="-2" pref="17" max="-2" attributes="0"/>
62  +                <Group type="103" groupAlignment="3" attributes="0">
63  +                    <Component id="jLabelNumVitorias" alignment="3" min="-2" max="-2"
        attributes="0"/>
64  +                    <Component id="jTextFieldNumVitorias" alignment="3" min="-2"
        max="-2" attributes="0"/>
65  +                </Group>
66  +                <EmptySpace min="-2" pref="19" max="-2" attributes="0"/>
67  +                <Group type="103" groupAlignment="3" attributes="0">
68  +                    <Component id="jLabelNumDerrotas" alignment="3" min="-2" max="-2"
        attributes="0"/>
69  +                    <Component id="jTextFieldNumDerrotas" alignment="3" min="-2"
        max="-2" attributes="0"/>
70  +                </Group>
71  +                <EmptySpace min="-2" pref="54" max="-2" attributes="0"/>
72  +                <Group type="103" groupAlignment="3" attributes="0">
73  +                    <Component id="jButtonSalvarVitoriasDerrotasAno" alignment="3"
        min="-2" max="-2" attributes="0"/>
74  +                    <Component id="jButtonCancelar" alignment="3" min="-2" max="-2"
        attributes="0"/>
75  +                </Group>
76  +                <EmptySpace max="32767" attributes="0"/>
77  +            </Group>
78  +        </Group>
79  +    </DimensionLayout>
80  + </Layout>
81  + <SubComponents>
82  +    <Component class="javax.swing.JLabel" name="jLabelAno">
83  +      <Properties>
84  +        <Property name="text" type="java.lang.String" value="Ano:"/>
85  +      </Properties>
86  +    </Component>
87  +    <Component class="javax.swing.JLabel" name="jLabelNumVitorias">
88  +      <Properties>
89  +        <Property name="text" type="java.lang.String" value="N&#xfa;mero de
        Vit&#xf3;rias:"/>
90  +      </Properties>
91  +    </Component>
92  +    <Component class="javax.swing.JLabel" name="jLabelNumDerrotas">
93  +      <Properties>
94  +        <Property name="text" type="java.lang.String" value="N&#xfa;mero de
        Derrotas:"/>
95  +      </Properties>
96  +    </Component>
97  +    <Component class="javax.swing.JTextField" name="jTextFieldAno">
98  +    </Component>
99  +    <Component class="javax.swing.JTextField" name="jTextFieldNumVitorias">
100 +    </Component>
101 +    <Component class="javax.swing.JTextField" name="jTextFieldNumDerrotas">
102 +    </Component>
103 +    <Component class="javax.swing.JButton" name="jButtonSalvarVitoriasDerrotasAno">
104 +      <Properties>
```

```
105  +           <Property name="text" type="java.lang.String" value="Salvar"/>
106  +         </Properties>
107  +         <Events>
108  +           <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonSalvarVitoriasDerrotasAnoActionPerformed"/>
109  +         </Events>
110  +       </Component>
111  +       <Component class="javax.swing.JButton" name="jButtonCancelar">
112  +         <Properties>
113  +           <Property name="text" type="java.lang.String" value="Cancelar"/>
114  +         </Properties>
115  +         <Events>
116  +           <EventHandler event="actionPerformed"
        listener="java.awt.event.ActionListener" parameters="java.awt.event.ActionEvent"
        handler="jButtonCancelarActionPerformed"/>
117  +         </Events>
118  +       </Component>
119  +     </SubComponents>
120  + </Form>
```

222 ◼◼◼◼◻ ControleAtleta/src/ValidaDados/ValidaDados.java 🗗

```
20   20          }
21   21
22   22          public static void validarPeso(String peso) throws Exception{
23        -
24        -          String validos = "0123456789.,";
25        -
26        -          if(peso.isEmpty()){
27        -              throw new Exception("Peso inválido!");
28        -          }
29        -          for(int i = 0; i<peso.length();i++){
30        -              if (validos.indexOf(peso.charAt(i)) == -1) {
31        -                  throw new Exception("Caracter inválido!");
32        -              }
33        -          }
34        -
35        -          peso = peso.replace(',' , '.');
36        -
37        -          Float pe;
38        -          try{
39        -              pe = Float.parseFloat(peso);
40        -          }catch(Exception e){
41        -              throw new Exception("Peso inválido!");
42        -          } if (pe < 2.5 || pe > 400){
43        -              throw new Exception("Peso inválido!");
     23   +      final float PESO_MINIMO = 2.5f;
     24   +      final float PESO_MAXIMO = 400.0f;
     25   +
     26   +      String validos = "0123456789.,";
     27   +
```

```java
28    +        if(peso.isEmpty()){
29    +            throw new Exception("Peso inválido!");
30    +        }
31    +        for(int i = 0; i < peso.length(); i++){
32    +            if (validos.indexOf(peso.charAt(i)) == -1) {
33    +                throw new Exception("Caracter inválido!");
44 34                }
45    -
46 35        }
47 36
48    -    public static void validarAno(String ano) throws Exception{
49    -
50    -        String validos = "0123456789";
51    -
52    -        if(ano.isEmpty()){
53    -            throw new Exception("Ano inválido!");
54    -        }
55    -        for(int i = 0; i<ano.length();i++){
56    -            if (validos.indexOf(ano.charAt(i)) == -1) {
57    -                throw new Exception("Caracter inválido!");
58    -            }
59    -        }
60    -
61    -        Integer anoTitulo;
62    -        try{
63    -            anoTitulo = Integer.parseInt(ano);
64    -        }catch(Exception e){
65    -            throw new Exception("Ano inválido!");
66    -        } if (anoTitulo < 1900 || anoTitulo > 2013){
67    -            throw new Exception("Ano inválido!");
68    -        }
69    -
37    +    peso = peso.replace(',', '.');
38    +
39    +    Float pe;
40    +    try{
41    +        pe = Float.parseFloat(peso);
42    +    }catch(Exception e){
43    +        throw new Exception("Peso inválido!");
44    +    } if (pe < PESO_MINIMO || pe > PESO_MAXIMO){
45    +        throw new Exception("Peso inválido!");
70 46        }
47  + }
48  +
49  + public static void validarAno(String ano) throws Exception{
50  +     final int ANO_MINIMO = 1900;
51  +     final int ANO_MAXIMO = 2013;
71 52
72    -    public static void validarQuantidade(String qntd) throws Exception{
73    -
74    -        String validos = "0123456789";
75    -
```

```
 76              -          if(qntd.isEmpty()){
 77              -              throw new Exception("Quantidade inválida!");
 78              -          }
 79              -          for(int i = 0; i<qntd.length();i++){
 80              -              if (validos.indexOf(qntd.charAt(i)) == -1) {
 81              -                  throw new Exception("Caracter inválido!");
 82              -              }
 83              -          }
 84              -
 85              -          Integer qntdTitulo;
 86              -          try{
 87              -              qntdTitulo = Integer.parseInt(qntd);
 88              -          }catch(Exception e){
 89              -              throw new Exception("Quantidade inválida!");
 90              -          } if (qntdTitulo < 0 || qntdTitulo > 1000){
 91              -              throw new Exception("Quantidade inválida!");
         53     +      String validos = "0123456789";
         54     +
         55     +      if(ano.isEmpty()){
         56     +          throw new Exception("Ano inválido!");
         57     +      }
         58     +      for(int i = 0; i < ano.length(); i++){
         59     +          if (validos.indexOf(ano.charAt(i)) == -1) {
         60     +              throw new Exception("Caracter inválido!");
 92      61                }
 93              -
 94      62            }
         63     +
         64     +      Integer anoTitulo;
         65     +      try{
         66     +          anoTitulo = Integer.parseInt(ano);
         67     +      }catch(Exception e){
         68     +          throw new Exception("Ano inválido!");
         69     +      } if (anoTitulo < ANO_MINIMO || anoTitulo > ANO_MAXIMO){
         70     +          throw new Exception("Ano inválido!");
         71     +      }
         72     + }
         73     +
         74     + public static void validarQuantidade(String qntd) throws Exception{
         75     +      final int QNTD_MINIMA = 0;
         76     +      final int QNTD_MAXIMA = 1000;
 95      77
 96              -      public static void validarRank(String rank) throws Exception{
 97              -
 98              -          String validos = "0123456789";
 99              -
100              -          if(rank.isEmpty()){
101              -              throw new Exception("Rank inválido!");
102              -          }
103              -          for(int i = 0; i<rank.length();i++){
104              -              if (validos.indexOf(rank.charAt(i)) == -1) {
105              -                  throw new Exception("Caracter inválido!");
```

```
106    -                    }
107    -                }
108    -
109    -                Integer rankMundial;
110    -                try{
111    -                    rankMundial = Integer.parseInt(rank);
112    -                }catch(Exception e){
113    -                    throw new Exception("Rank inválido!");
114    -                } if (rankMundial < 0 || rankMundial > 500){
115    -                    throw new Exception("Rank inválido!");
       78   +    String validos = "0123456789";
       79   +
       80   +    if(qntd.isEmpty()){
       81   +        throw new Exception("Quantidade inválida!");
       82   +    }
       83   +    for(int i = 0; i < qntd.length(); i++){
       84   +        if (validos.indexOf(qntd.charAt(i)) == -1) {
       85   +            throw new Exception("Caracter inválido!");
116    86            }
117            -
118    87        }
       88   +
       89   +    Integer qntdTitulo;
       90   +    try{
       91   +        qntdTitulo = Integer.parseInt(qntd);
       92   +    }catch(Exception e){
       93   +        throw new Exception("Quantidade inválida!");
       94   +    } if (qntdTitulo < QNTD_MINIMA || qntdTitulo > QNTD_MAXIMA){
       95   +        throw new Exception("Quantidade inválida!");
       96   +    }
       97   + }
       98   +
       99   + public static void validarRank(String rank) throws Exception{
      100   +    final int RANK_MINIMO = 0;
      101   +    final int RANK_MAXIMO = 500;
119   102
120    -    public static void validarFortuna(String fortuna) throws Exception{
121    -
122    -        String validos = "0123456789.,";
123    -
124    -        if(fortuna.isEmpty()){
125    -            throw new Exception("Fortuna inválido!");
126    -        }
127    -        for(int i = 0; i<fortuna.length();i++){
128    -            if (validos.indexOf(fortuna.charAt(i)) == -1) {
129    -                throw new Exception("Caracter inválido!");
130    -            }
      103   +    String validos = "0123456789";
      104   +
      105   +    if(rank.isEmpty()){
      106   +        throw new Exception("Rank inválido!");
      107   +    }
```

```java
108   +        for(int i = 0; i < rank.length(); i++){
109   +            if (validos.indexOf(rank.charAt(i)) == -1) {
110   +                throw new Exception("Caracter inválido!");
131   111           }
132                -
133                -        fortuna = fortuna.replace(',' , '.');
134                -
135                -        double fort;
136                -        try{
137                -            fort = Double.parseDouble(fortuna);
138                -        }catch(Exception e){
139                -            throw new Exception("Fortuna inválida!");
140                -        } if (fort > 1000000000000000.00 || fort < 0.0){
141                -            throw new Exception("Fortuna inválida!");
112   +        }
113   +
114   +        Integer rankMundial;
115   +        try{
116   +            rankMundial = Integer.parseInt(rank);
117   +        }catch(Exception e){
118   +            throw new Exception("Rank inválido!");
119   +        } if (rankMundial < RANK_MINIMO || rankMundial > RANK_MAXIMO){
120   +            throw new Exception("Rank inválido!");
121   +        }
122   + }
123   +
124   + public static void validarFortuna(String fortuna) throws Exception{
125   +        final double FORTUNA_MINIMA = 0.0;
126   +        final double FORTUNA_MAXIMA = 1000000000000000.00;
127   +
128   +        String validos = "0123456789.,";
129   +
130   +        if(fortuna.isEmpty()){
131   +            throw new Exception("Fortuna inválido!");
132   +        }
133   +        for(int i = 0; i < fortuna.length(); i++){
134   +            if (validos.indexOf(fortuna.charAt(i)) == -1) {
135   +                throw new Exception("Caracter inválido!");
142   136           }
143                -
144   137       }
138   +
139   +        fortuna = fortuna.replace(',', '.');
140   +
141   +        double fort;
142   +        try{
143   +            fort = Double.parseDouble(fortuna);
144   +        }catch(Exception e){
145   +            throw new Exception("Fortuna inválida!");
146   +        } if (fort > FORTUNA_MAXIMA || fort < FORTUNA_MINIMA){
147   +            throw new Exception("Fortuna inválida!");
148   +        }
```

```
      149   + }
      150   +
 145  151     }
```

0 comments on commit `e5970b4`

Please sign in to comment.