Universidade Federal de São Carlos - UFSCar

Aluno 1	prontuario1
ALUNO 2 com sobrenome grande	prontuario2
ALUNO 3	prontuario3
ALUNO 4	prontuario4

TÍTULO DO TRABALHO

São Paulo - Brasil

DATA DO TRABALHO

Universidade Federal de São Carlos - UFSCar

Aluno 1	prontuario1
ALUNO 2 com sobrenome grande	prontuario2
ALUNO 3	prontuario3
ALUNO 4	prontuario4

TÍTULO DO TRABALHO

Modelo canônico de trabalho monográfico acadêmico em conformidade com as normas ABNT apresentado à comunidade de usuários LaTeX.

Orientador: ORIENTADOR

Coorientador: COORIENTADOR

Universidade Federal de São Carlos - UFSCar

Informática

Tecnologia em Análise e Desenvolvimento de Sistemas

A6PGP - Prática de Gerenciamento de Projetos

São Paulo - Brasil

DATA DO TRABALHO

Resumo

Segundo a **??**, 3.1-3.2), o resumo deve ressaltar o objetivo, o método, os resultados e as conclusões do documento. A ordem e a extensão destes itens dependem do tipo de resumo (informativo ou indicativo) e do tratamento que cada item recebe no documento original. O resumo deve ser precedido da referência do documento, com exceção do resumo inserido no próprio documento. (. . .) As palavras-chave devem figurar logo abaixo do resumo, antecedidas da expressão Palavras-chave:, separadas entre si por ponto e finalizadas também por ponto.

GOMES : (**??**)

Palavras-chaves: latex. abntex. editoração de texto.

Abstract

This is the english abstract.

Key-words: latex. abntex. text editoration.

Lista de ilustrações

Lista de tabelas

Lista de quadros

Lista de abreviaturas e siglas

ABNT   Associação Brasileira de Normas Técnicas

abnTeX   ABsurdas Normas para TeX

FAQ   *Frequently asked questions* - Perguntas frequentes

IFSP   Instituto Federal de Educação, Ciência e Tecnologia de São Paulo

Lista de símbolos

Γ Letra grega Gama

Λ Lambda

ζ Letra grega minúscula zeta

$\in$ Pertence

Sumário

1 Modelo Teórico e Pressupostos (ou Hipóteses) da Pesquisa

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo

wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

2 Métodos de Pesquisa

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

2.1 Tipo de Pesquisa

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

2.2   Plano Amostral (se Pesquisa Quantitativa)

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

2.3   Instrumento de Pesquisa e Escalas Utilizadas (Escalas se Pesquisa Quantitativa)

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

2.4   Coleta de Dados

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus.

Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

2.5   Análise de Dados

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

3 Resultados da Pesquisa

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

3.1 Assunto 1

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

3.2   Assunto 2

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

3.3   Assunto 3

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt

ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

3.4   Discussão dos Resultados Observados

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo.

Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

4 Considerações finais

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

4.1 Resposta à Questão de Pesquisa

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

4.2   Objetivos Propostos

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

4.3   Contribuições Academicas e Gerenciais

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt

ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

4.4   Limitações da Pesquisa e Contribuições para Estudo

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo.

Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

5 Exemplos LATEX

Esse capítulo tem exemplos de escrita utilizando o LATEXutilizando abnTEX2, é muito simples escrever em **negrito**, *italico*, ...

Leia o **FAQ!** (**FAQ!**) do abnTEX2: https://github.com/abntex/abntex2/wiki/FAQ

Existem diversos tutoriais para uso de LATEX, se você está utilizando esse modelo não precisará se preocupar com muitos dos detalhes técnicos do LATEXe cuidar somente do seu texto.

Escolha seu editor : https://en.wikipedia.org/wiki/Comparison_of_TeX_editors

5.1 Detalhes textuais

O documento é dividido em capítulos, e cada capítulo dividido em seções utilizando o abnTEX2você pode dividir seus documentos nos níveis a seguir:

- chapter (1);

- section (1.1);

- subsection (1.1.1);

- subsubsection (1.1.1.1);

- subsubsubsection (1.1.1.1.1).

Tenha em mente que normalmente se utiliza no máximo o nível *subsection*. Ao definir as divisões do seu trabalho utilizando as diretivas do LATEX, elas são automaticamente inseridas no sumário do documento.

5.1.1 Caracteres Reservados

Alguns caracteres são reservados no LATEXe por isso para utilizar esses caracteres é necessario utilizar uma forma diferenciada de escrita. É possivel utilizar a macro *symbol* com o codigo ascii do caracter desejado.

- barra invertida : \\ \;

- til : ~ ;

- cifrão : $;

- sublinhado, *underscore, underline* : _;

- chaves : } {.

5.1.2 Listas

Em uma lista de itens cada item deve ser terminado por ponto e virgula, exceto o ultimo item que deve ter um ponto final.

- item 1;

- item 2;

- item ..;

- item final.

5.1.3 Elementos não textuais

Elementos não textuais são aqueles que auxiliam o entendimento, não podem ficar "jogados"no texto, devem ser citados, cada elemento deve ser identificado por um *label* único que permite a sua referencia, no texto utilizando *ref* ou *autoref*, esses elementos quando definidos corretamente também são inseridos nas listas presentes antes do sumário.

5.1.4 Tabelas e Quadros

A seção 3.32 da NBR14724:2011 define a Tabela como sendo uma "forma não discursiva de apresentar informações das quais o dado numérico se destaca como informação central"

Quadros e tabelas são informações tabulares, mas Tabelas tem como objetivo apresentar números.

Uso de tabelas no LATEX: https://en.wikibooks.org/wiki/LaTeX/Tables

O Quadro 1 é um exemplo de dados tabulares gerados em LATEX.

Quadro 1 – Níveis de investigação.

Nível de Investigação	Insumos	Sistemas de Investigação	Produtos
Meta-nível	Filosofia da Ciência	Epistemologia	Paradigma
Nível do objeto	Paradigmas do metanível e evidências do nível inferior	Ciência	Teorias e modelos
Nível inferior	Modelos e métodos do nível do objeto e problemas do nível inferior	Prática	Solução de problemas

Fonte: Próprio Autor

Já a Tabela 1 foi criada conforme o padrão do IBGE requerido pelas normas da ABNT para documentos técnicos e acadêmicos. Números devem ser alinhados a direita.

Tabela 1 – Um Exemplo de tabela

Item	Janeiro	Fevereiro	Março
Classes	2	10	20
Linhas	100	250	543

Fonte: Dados do Projeto

A Equação (5.1) mostra que também é possivel escrever equações diretamente em LaTeX

$$a^2 + b^2 = c^2. \tag{5.1}$$

5.1.5 Figuras

Figuras podem ser criadas diretamente em LaTeX, como o exemplo da Figura 1, ou inseridas a partir de arquivos externos como a Figura 2, que é o Logotipo do IFSP.

Figura 1 – A delimitação do espaço

Fonte: os autores

Figura 2 – Logo IFSP

Fonte: IFSP

Conclusão

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Apêndices

APÊNDICE A – Quisque libero justo

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

APÊNDICE B – Nullam elementum urna vel imperdiet sodales elit ipsum pharetra ligula ac pretium ante justo a nulla curabitur tristique arcu eu metus

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac

habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Anexos

ANEXO A – Manual todonotes

The **todonotes** package[*]

Henrik Skov Midtiby
`henrikmidtiby@gmail.com`

July 9, 2015

Abstract

The `todonotes` package allows you to insert to–do items in your document. At any point in the document a list of all the inserted to–do items can be listed with the `\listoftodos` command.

Contents

---

[*]This document corresponds to `todonotes` .dtx, dated 2015/07/09.

1

1 Introduction

The `todonotes` package makes three commands available to the user: `\todo[]{}`, `\missingfigure{}` and `\listoftodos`. `\todo[]{}` and `\missingfigure{}` makes it possible to insert notes in your document about things that has to be done later (todonotes . . .). I developed the basic functionality of the package while I worked on my bachelor project.

Some alternatives for the todonotes package are:

- easy-todo
  Depends on `color`, `tocloft` and `ifthen`, small feature set.

- fixmetodonotes
  Depends on `graphicx`, `color`, `transparent`, `watermark`,`fix-cm`, `ulem` and `tocloft`, small feature set.

- todo
  Depends on `amssymb`, medium feature set.

- fixme
  Large package with a lot of features.

The main reason for considering other packages is that the todonotes package is quire large and relies heavily on tikz. This can slow down compilation of large documents significantly. The mentioned alternatives have a different feature set and does not rely on tikz, which makes them require less ressoureces.

1.1 Usage

`\todo` My most common usage of the todonotes package, is to insert an todonotes somewhere in a latex document. An example of this usage is the command

> `\todo{Make a cake \ldots}`,

Make a cake . . . which renders like. The `\todo` command has this structure: `\todo[`⟨*options*⟩`]{`⟨*todo text*⟩`}`. The `todo text` is the text that will be shown in the todonote and in the list of todos. The optional argument `options`, allows the user to customize the appearance of the inserted todonotes. For a description of all the options see section 1.3.

`\missingfigure` The `\missingfigure` command inserts an image containing an attention sign and the given text. The command takes only one argument `\missingfigure{`⟨*text*⟩`}`, a text string that could describe what the figure should consist of. An example of its usage could be

> `\missingfigure{Make a sketch of the structure of a trebuchet.}`
> which renders like.

Make a sketch of the structure of a trebuchet.

\listoftodos   The \listoftodos command inserts a list of all the todos in the current document. \listoftodos takes no arguments. For this document the list of to–do's looks like.

Todo list

\todototoc   The \todototoc command adds an entry to the table of contents for list of
todos. The command should be placed right before the \listoftodos command.

1.2   Package options

disable   If the option disable is passed to the package, the macros usually defined by the
package (\todo, \listoftodos and \missingfigure) are defined as macros with
no effect, and thus all inserted notes are removed.

obeyDraft, obeyFinal   When the option obeyDraft is given, the package checks if the one of the
options draft, draftcls or draftclsnofoot is given (this option is usually given
to the documentclass). If the draft option is given, the functionality of the
package is enabled and otherwise the effect of the package is disabled. The option
obeyFinal does something similar, except that the todonotes package is only
disabled if the final option given.

danish, german, ngerman,   Use translations of the text strings "List of todos" and "Missing figure". The
french, swedish   default is to use none of these options, which results in english text strings. Cur-
spanish, catalan, italian   rently the following languages are supported: catalan, croatian, danish, dutch,
portuguese, dutch,   french, german, ngerman, italian, portuguese, spanish and swedish.
croatian
colorinlistoftodos   Adds a small colored square in front of all items in the Todo list. The color of
the square is the same as the fill color of the inserted todonote. This can be useful
if there are different types of todos (insert reference, explain in detail, . . .) where
the color of the inserted todonote marks the type of todo.

color   These options sets the default colors for the todo command. There is three col-
backgroundcolor   ors that can be specified. The border color (default bordercolor=black) around
linecolor   the inserted text, the color behind the inserted text (default backgroundcolor=orange)
bordercolor   and the color of the line connecting the inserted textbox with the current location
in the text (default linecolor=orange). Setting the color option to val passes
this value on to the background and line color options. The specified colors must
be valid according to the xcolor package.

textwidth   textwidth=length sets the width of a todo item in the margin to length.
The width of inline todonotes will allways be the same as the current line width.

textsize   textsize=value sets the default text size of the inserted todonotes to the
given value. Value is the "name" of the used font size, eg. if the desired fontsize
is \tiny use textsize=tiny. The default value is textsize=normalsize.

prependcaption	The `prependcaption` option triggers a special behaviour of the `caption=val` option for the todo command, where the given value `val` is inserted in the inserted todonote.
shadow	If the `shadow` option is given, the inserted todonotes will be displayed with a gray shadow. I expect that the option will trigger problems with tikz versions prior to 2.0.
dvistyle	When a document with todonotes is compiled with plain latex (to a dvi-file), there is an issue with the visual appearance[1]. The option `dvistyle` changes the appearance of the inserted todonotes to avoid this problem.
figwidth	The `figwidth=length` option sets the default width of the figure inserted by the `\missingfigure` command. The default value is `\linewidth`.

1.3   Options for the todo command

There are several options that can be given to the `\todo` command. All the options are described here and often I have included examples of the change in visual appearance. Default values for these options can be set using the presetkeys command.

```
\presetkeys{todonotes}{fancyline, color=blue!30}{}
```

disable	The `disable` option can be given directly to the todo command. If given the command has no effect.
color	These options set the color that is used in the current todo command. The color classes is the same as used in the color package options, see section 1.2.
backgroundcolor	
linecolor	Default values can be set by the color options when the todonotes package is loaded. The todo notes inserted in this paragraph is created with the command
bordercolor	

> **And a green note**

`\todo[color=green!40]{And a green note}`. The color of the inserted note could be used to mark different types of tasks (insert references, explain something in detail, . . .), this could be streamlined by defining new commands like below.

```
\newcommand{\insertref}[1]{\todo[color=green!40]{#1}}
\newcommand{\explainindetail}[1]{\todo[color=red!40]{#1}}
```

> **Anything but default colors**

An example that uses all of the color options is given below .

```
\todo[linecolor=green!70!white, backgroundcolor=blue!20!white,
bordercolor=red]{Anything but default colors}.
```

line / noline	If you want to get rid of the line connecting the inserted note with the place in the text where the note occurs in the latex code, the option `noline` can be used. `\todo[noline]{A note with no line ...}`

> **A note with no line connecting it to the placement in the original text.**

inline / noinline	It is possible to place a todonote inside the text instead of placing it in the

---

[1] The problem is placement of text inside the colored boxes.

margin, this could be desirable if the text in the note has a considerable length.

```
\todo[inline]{A todonote placed in the text}
```

> A todonote placed in the text

Another usage for the inline option is when you want to add a todonote to a figure caption.

```
\begin{wrapfigure}{r}[20mm]{40mm}
\begin{tikzpicture}
\draw[red] (0, 0) circle(0.45);
\draw[green] (1, 0) circle(0.45);
\draw[blue] (2, 0) circle(0.45);
\end{tikzpicture}
\caption{A text explaining the image.
\todo[inline]{Fill those circles \ldots}}
\end{wrapfigure}
```

Figure 1: A text explaining the image.

> Fill those circles . . .

size   `size=val` changes the size of the text inside the todonote. The commands used to create the notes below are

```
\todo[size=\Large]{A note with a large font size.}
```
and
```
\todo[inline, size=\tiny]{Note with very small font size.}.
```

> A note with a large font size.

> Note with very small font size.

When the option `nolist` is given, the todo item will not appear in the list of **list / nolist** todos.

caption   The `caption` option enables the user to specify a short description of the todonote that are inserted in the list of todos instead of the full todonote text.

> A very long and tedious note that cannot be on one line in the list of to-dos.

```
\todo[caption={Short note}]{A very long and tedious note that
cannot be on one line in the list of todos.}.
```

The effect of this option is altered with the package option `prependcaption` or the `prepend` / `noprepend` option for the todo command.

prepend / noprepend   The options `prepend` and `noprepend` can be used for setting whether a given caption should be prepended to the todonote or not. Globally this can be set using the `prependcaption` option for the package. Below is the effect of the option shown using the code:

> Short note with prepend: A very long and tedious note that cannot be on one line in the list of to-dos.

> A very long and tedious note that cannot be on one line in the list of to-dos.

```
\todo[prepend, caption={Short note with prepend}]{A very long and tedious
note that cannot be on one line in the list of todos.}.
\todo[noprepend, caption={Short note with noprepend}]{A very long and
tedious note that cannot be on one line in the list of todos.}.
```

The `fancyline` option inserts a curved arrow, pointing from the inserted note **fancyline** to the insertion point. The option is used like this:

> Testing.

```
\todo[fancyline]{Testing.}
```

The `author` option takes a parameter, the name of the author. The given name is inserted in the todonote.

Xavier

Testing author option.

Xavier: Testing author option.

```
\todo[author=Xavier]{Testing author option.}
\todo[author=Xavier, inline]{Testing author option.}
```

1.4   Options for the missingfigure command

The `figwidth=length` option sets the width of the figure inserted by the `\missingfigure` command. Length values below 6*cm* might trigger some problems with the visual appearance. Try to compare the default of the missing figure command, when the option is given or not.

```
\missingfigure[figwidth=6cm]{Testing a long text string}
```



```
\missingfigure{Testing a long text string}
```


Another usage of the option is when `\missingfigure` is used in the wrapfigure environment.

```
\begin{wrapfigure}[1]{r}[2cm]{6cm}
\missingfigure[figwidth=6cm]{Add a test image \ldots}
\end{wrapfigure}
```

figheight   The `figheight=length` option changes the height of the inserted missing figure. The default height is 4cm and using values lower than this might cause the warning sign to pop out of the gray area.

```
\missingfigure[figheight=6cm]{Testing a long text string}
```


figcolor   The `figcolor=color` options sets the background color of inserted missing figures. The default color is `black!40`.

```
\missingfigure[figcolor=white]{Testing figcolor}
```


1.5   Options for the listoftodos command

The `\listoftodos` command takes one optional argument, that defines the name of the inserted list of todos.

```
\listoftodos[I can be called anything]
```

1.6 Known issues

1.6.1 Package loading order

The todonotes package requires the following packages.

- ifthen
- xkeyval
- xcolor

- tikz
- calc
- graphicx (is loaded via the tikz package)

When todonotes are loaded in the preamble, the package checks if these packages all are loaded. If that is not the case it loads the missing packages with no options given. If you want to give some specific options to some of these packages, you have to load them *before* the todonotes package, otherwise you will get an "Option clash" error when latex works on the document.

If both the menukeys and the xcolor (with the option `table`) package should be loaded, the following order must be used.

```
\usepackage[table]{xcolor}
\usepackage{todonotes}
\usepackage{menukeys}
```

1.6.2 Spacing around inserted notes

Inserted todo commands will eat the white space after the command.

```
Testing\todo{Does this eat the space?} testing
```

Testingtesting

Does this eat the space?

1.6.3 Wrapping of long lines in list of todos

When a document is compiled with latex (and not pdflatex) long items in the list of todos are not wrapped into several lines, and do instead continue to the right out of the page.

1.6.4 Conflicts with the amsart documentclass

The `amsart` document class redefines some internal commands that is used by the todonotes package, this will cause an malfunctioning `\listoftodos` command. The following code to circumvent the problem was given by Dan Luecking on comp.text.tex

```
\makeatletter
  \providecommand\@dotsep{5}
```

```
\makeatother
\listoftodos\relax
```

   NOT TESTED NOT TESTED NOT TESTED
   Dominique suggests the following workaround.

```
\makeatletter
\providecommand\@dotsep{5}
\def\listtodoname{List of Todos}
\def\listoftodos{\@starttoc{tdo}\listtodoname}
\makeatother
```

1.6.5   Unknown option "remember picture"

If latex throws the error

```
 Package tikz Error: I do not know what to do with the option ''remember picture''.
```

It probably means that your latex installation is outdated, as only newer versions of latex driver for tikz supports the `remember picture` option. For additional info consult "Section 9.2.2 Producing PDF Output" in the tikz manual.   http://www.ctan.org/tex-archive/graphics/pgf/base/doc/generic/pgf/pgfmanual.pdf

1.6.6   Todonotes wrongly placed in the margin

When using some document classes or packages, the todonotes inserted in the page margin can be placed quite oddly. This is often caused by a wrong value of the `\marginparwidth` lenght. Try using the code below in your preamble to see if this cures the problem.

```
\setlength{\marginparwidth}{2cm}
```

   If the todonotes are inserted in the wrong margin, the solution is the `\reversemarginpar` command. When this command is issued the following marginpars (which todonotes relies on) is inserted in the other margin.

1.6.7   Reduce number of warnings

If the width of the inserted todonotes is forced to be larger than the available space in the margin, a lot of warnings are issued. This can be reduced with the following code.

```
\usepackage[textwidth=3.7cm]{todonotes}
\setlength{\marginparwidth}{3.7cm}
```

1.6.8 Todonotes in footnotes

Placing todonotes in footnotes throws a lot of errors. Richard Stanton comes with the following work around.

```
\renewcommand{\marginpar}{\marginnote}
```

1.6.9 List of todo heading is not correctly formatted

If using natbib, the todonotes list title gets screwed up unless you do something like this:

```
\makeatletter\let\chapter\@undefined\makeatother
```

Suggestion by Richard Stanton.

1.6.10 Trouble with classicthesis.sty

Problem description on tex.stackexchange.com.

   Solution by Stefan Kottwitz. The problem is caused by the redefinition of `\marginpar` in classicthesis.sty. `\marginpar` is used by todonotes. It can be fixed by restoring the original meaning, if you don't need the classicthesis marginpar style. Just add this to your document preamble: `\let\marginpar\oldmarginpar`

1.7 Things to improve

This is a list of things I consider to improve sometime in the future. It have not been done yet as I lack the time or skills to implement them. Patches with implementations of these tasks will be appreciated and might be included in the package if it will improve the package quality.

1.7.1 Owner information

Option for the todo command.

```
\todo[owner={Fabrice}]{Stuff}
```

Add info on who "owns" the current todo. Idea: Fabrice Niessen

1.7.2 Due date

Option for the todo command.

```
\todo[due=2008-12-07]{Stuff}
```

Add info on when the current todo is due. Might be enhanced by a time line of the todos that have a due date assigned. Idea: Fabrice Niessen

1.7.3 Mark accomplished todos

```
\todo[done]{Stuff}
```

Idea: Fabrice Niessen

1.8 Usage methods

In this section I have collected some different methods to use the `todonotes` package.

1.8.1 Define new commands with fixed options

Often there is a need for marking different classes of things to do (add reference, rewrite, . . .). One way to do this, is to define some new commands as shown below (idea from Florent B.).

```
\newcommand{\addref}{\todo[color=red!40]{Add reference.}}
\newcommand{\rewrite}[1]{\todo[color=green!40]{#1}}
```

To distinguish between the different types of todos, the `todonotes` package can be loaded with the `colorinlistoftodos` option, which adds small colored squares to the list of todos.

```
\usepackage[colorinlistoftodos]{todonotes}
```

1.8.2 Define new commands with arbitrary default options

If you do not like the default values of the standard todo command, it is possible to define a new command with the similar functionality of `\todo` with custom default values.

```
\newcommand{\todoredefined}[2][]
{\todo[color=red, #1]{#2}}
```

The new command can now be used like shown below

Test of newly defined command.

```
\todoredefined{Test of newly defined command.}
\todoredefined[color=green]{Test of newly defined command, requesting a green color.}
```

Test of newly defined command, requesting a green color.

This can be done with all the accepted options for the `\todo` command.

1.8.3 Enumerate todonotes

If the inserted todonotes should be enumerated, it is possible to define a new command with the desired behaviour.

```
\newcounter{todocounter}
\newcommand{\todonum}[2][]
{\stepcounter{todocounter}\todo[#1]{\thetodocounter: #2}}
```

The idea is to define a new counter `todocounter`, and insert the value of the counter in each todonote. The new command can be used like

```
\todonum{A numbered todonote.}
\todonum{Another numbered todonote.}
```

1: A numbered todonote.

2: Another numbered todonote.

1.8.4 Comments "a la Word"

Fabrice Niessen sent me the following use case. The idea is to define a new command `\mycomment` which adds a counter and optionally the initials of the author to the inserted todonote.

```
\newcounter{mycomment}
\newcommand{\mycomment}[2][]{%
    % initials of the author (optional) + note in the margin
    \refstepcounter{mycomment}%
    {%
        \setstretch{0.7}% spacing
        \todo[color={red!100!green!33},size=\small]{%
            \textbf{Comment [\uppercase{#1}\themycomment]:}~#2}%
    }}
```

The command `\mycomment[HSM]{Testing first time.}` is displayed like shown in the left margin, and another call of the command is added below `\mycomment[HSM]{Testing second time.}`.

Comment [HSM1]: Testing first time.

Comment [HSM2]: Testing second time.

1.8.5 Combination with the fixme package

Thomas Arildsen has mailed me this use case. Check the documentation for the `fixme` package, as the code below relies directly on it (the `\FDUser` command is augmented when `\begin{document}` is reached).

```
\usepackage[user,nomargin]{fixme}
\usepackage{todonotes}
\newcommand{\FXUser}[2]{\todo[inline,size=\small]{{\bfseries #1:} #2}}
```

1.8.6   Altering the line spacing of todonotes

The `setspace` package lets you alter the line spacing of smaller sections of your document. The primary construct is the `spacing` environment, which is demonstrated below.

```
\begin{spacing}{0.5}
Some lines with a decreased line spacing. This is accomplished
using the setspace package that is included in standard latex
distributions.
\end{spacing}
```

Some lines with a decreased line spacing. This is accomplished using the setspace package that is included in standard latex distributions.

Using the `spacing` environment we can define a new todonote command using the code below:

```
\newcommand{\smalltodo}[2][]
    {\todo[caption={#2}, #1]
    {\begin{spacing}{0.5}#2\end{spacing}}}
```

Todonotes with decreased line spacing can now be inserted as follows

> Some lines with a decreased line spacing. This is accomplished using the setspace package that is included in standard latex distributions.

```
\smalltodo[size=\footnotesize]{
Some lines with a decreased line spacing. This is accomplished
using the setspace package that is included in standard latex
distributions.}
```

A different approach is given by Vitaly.

```
\newcommand{\tinytodo}[2][]
  {\todo[caption={#2}, size=\small, #1]{\renewcommand{\baselinestretch}{0.5}\selectfont#2\par}}
```

> Some lines with a decreased line spacing. This is accomplished without using any special packages.

It looks like seen here.

```
\tinytodo{
Some lines with a decreased line spacing. This is accomplished
without using any special packages.}
```

1.8.7   Marking new / old sections

Sometimes a whole section has to be marked by some means. You might want to try the following.

```
\todo[inline, caption={Some text}]{
\begin{minipage}{\linewidth}
Some text that might differ from the text given to the caption
option.
```

```
\end{minipage}
}
```

It is important to add the `caption={text}` option, otherwise latex will try to embed a minipage in the table of contents which triggers an error. Inside the minipage environment almost anything could be placed, except for other todo commands.

To streamline use the following command was suggested by Stefan Pinnow.

```
\newcommand\todoin[2][]{\todo[inline, caption={2do}, #1]{
\begin{minipage}{\textwidth-4pt}#2\end{minipage}}}
```

This example renders like

```
\todoin{
Some text.
\begin{align}
\sin(\theta)^2 + \cos(\theta)^2 = 1
\end{align}
A formula and a list
\begin{itemize}
\item An item
\end{itemize}
}
```

Some text.
$$\sin(\theta)^2 + \cos(\theta)^2 = 1 \tag{1}$$
A formula and a list

- An item

1.8.8 Link to list of todos

Using the `hyperref` package it is possible to add a link from the inserted todonotes to the list of todos. The example were supplied by Andreas Plank.

```
% Define a counter for the inserted todonotes.
\newcounter{todoListItems}
\newcommand{\todoTrans}[2][ ]{
  % Increment counter
  \addtocounter{todoListItems}{1}
  \todo[%
    caption={\protect\hypertarget{todo\thetodoListItems}{}Translation},
    #1]
  {
    #2 \hfill
```

```
        \hyperlink{todo\thetodoListItems}{$\uparrow$}
    }
 }
```

The idea behind the code is to embed a `hypertarget` in each entry in the list
of todos. In the todonotes a link to the entry in the list of todos is inserted as
an arrow that points upwards. Using the `\todoTrans` command like below, the
following two notes have been inserted.

```
\todoTrans{papirsflyver}
\todoTrans[inline]{damplokomotiv}
```

papirsflyver   ↑

        damplokomotiv   ↑

1.8.9 Numbered todonotes

The inserted todonotes can be argumented with the current subsubsection number. The code is shown below.

```
\newcommand{\ntodo}[2][]{\todo[#1]{\thesubsubsection{}. #2}}
```

By changing `\thesubsubsection` to `\thesection`, the current section number can be inserted instead of the subsubsection number. The result looks like. Which were generated by the code

> 1.8.9. A numbered todo.

```
\ntodo{A subsection numbered todo.}.
```

1.8.10 Combining several modifications

Manduca have combined several of the modifications above into a highly specialized todo command. She uses the code:

> Small notes with links back to the list of todos.
>
> Smart notes with links back to the list of todos.

```
\newcounter{todoListItems}
\newcommand{\sstodo}[2][]
{\addtocounter{todoListItems}{1}
\todo[caption={\protect\hypertarget{todo\thetodoListItems}{}\thesection. #2}, #1]
{\begin{spacing}{1} \hfill \hyperlink{todo\thetodoListItems}{#2} \end{spacing} }}
```

Using this approach it is possible to customize the behavior of the inserted notes to a very high degree.

1.8.11 Alter the appearance of the list of todos

Marco Daniel gives the following example of how to add section numbers to the elements in the list of todos. The code is slightly modified from http://tex.stackexchange.com/questions/18838/replacing-page-number-with-other-counter-in-listoftod An example of the modified list of todos is shown below, the complete code example is given in the example directory.

This is a note . . . . see 1.1 at p. 2
This is another note . . . . see 1.2 at p. 4

1.8.12 Tikz externalization issues

Using the tikz externalization framework together with todonotes can lead to some problems. One solution is to disable the externalization just before the `todo` command is issued and then reactivate externalization afterwards. The `ruggedtodo` handles this deactivation and reactivation.

```
\usetikzlibrary{external}
\tikzexternalize
\newcommand{\ruggedtodo}[2][]{\tikzexternaldisable\todo[#1]{#2}\tikzexternalenable}
```

1.8.13   Highligt text to fix

Tobias Winchen provides the following example on how to highlight text related to the inserted todonote.   Example <mark>wrong text</mark> continues here. Notice that the code relies on the `soul` package.

```
\newcommand{\hlfix}[2]{\texthl{#1}\todo{#2}}
Example \hlfix{wrong text}{fix text}~continues here.
```

2 Implementation

Identifies the package and loads the packages dependences.

```
1 \ProvidesPackage{todonotes}[2012/07/25]
2 \RequirePackage{ifthen}
3 \RequirePackage{xkeyval}
4 \RequirePackage{xcolor}
5 \RequirePackage{tikz}
6 \usetikzlibrary{positioning}
7 \RequirePackage{calc}
```

Some default values are set

```
 8 \newcommand{\@todonotes@text}{}%
 9 \newcommand{\@todonotes@backgroundcolor}{orange}
10 \newcommand{\@todonotes@linecolor}{orange}
11 \newcommand{\@todonotes@bordercolor}{black}
12 \newcommand{\@todonotes@textwidth}{\marginparwidth}
13 \newcommand{\@todonotes@textsize}{\normalsize}
14 \newcommand{\@todonotes@figwidth}{\linewidth}
15 \newcommand{\@todonotes@figheight}{4cm}
16 \newcommand{\@todonotes@figcolor}{black!40}

17 \AtBeginDocument{
18 \ifx\undefined\phantomsection
19 \newcommand{\phantomsection}{}
20 \fi
21 }
```

2.1 Declaration of options for the package

In this part the various options for the package are defined.

Define the default text strings and set localization options for the danish and german languages.

```
22 \newcommand{\@todonotes@todolistname}{Todo list}
23 \newcommand{\@todonotes@MissingFigureText}{Figure}
24 \newcommand{\@todonotes@MissingFigureUp}{Missing}
25 \newcommand{\@todonotes@MissingFigureDown}{figure}
26 \newcommand{\@todonotes@SetTodoListName}[1]
27     {\renewcommand{\@todonotes@todolistname}{#1}}
28 \newcommand{\@todonotes@SetMissingFigureText}[1]
29     {\renewcommand{\@todonotes@MissingFigureText}{#1}}
30 \newcommand{\@todonotes@SetMissingFigureUp}[1]
31     {\renewcommand{\@todonotes@MissingFigureUp}{#1}}
32 \newcommand{\@todonotes@SetMissingFigureDown}[1]
33     {\renewcommand{\@todonotes@MissingFigureDown}{#1}}
34 \newif{\if@todonotes@reverseMissingFigureTriangle}
35 \DeclareOptionX{catalan}{
36     \@todonotes@SetTodoListName{Llista de feines pendents}%
37     \@todonotes@SetMissingFigureText{Figura}%
38     \@todonotes@SetMissingFigureUp{Figura}%
```

```
39      \@todonotes@SetMissingFigureDown{pendent}%
40  }
41  \DeclareOptionX{croatian}{%
42      \@todonotes@SetTodoListName{Popis obveza}%
43      \@todonotes@SetMissingFigureText{Slika}%
44      \@todonotes@SetMissingFigureUp{Nedostaje}%
45      \@todonotes@SetMissingFigureDown{slika}%
46  }
47  \DeclareOptionX{danish}{%
48      \@todonotes@SetTodoListName{G\o{}rem\aa{}lsliste}%
49      \@todonotes@SetMissingFigureText{Figur}%
50      \@todonotes@SetMissingFigureUp{Manglende}%
51      \@todonotes@SetMissingFigureDown{figur}%
52  }
53  \DeclareOptionX{dutch}{%
54      \@todonotes@SetTodoListName{Lijst van onafgewerkte taken}%
55      \@todonotes@SetMissingFigureText{Figuur}%
56      \@todonotes@SetMissingFigureUp{Ontbrekende}%
57      \@todonotes@SetMissingFigureDown{figuur}%
58  }
59  \DeclareOptionX{english}{%
60      \@todonotes@SetTodoListName{Todo list}%
61      \@todonotes@SetMissingFigureText{Figure}%
62      \@todonotes@SetMissingFigureUp{Missing}%
63      \@todonotes@SetMissingFigureDown{figure}%
64  }
65  \DeclareOptionX{french}{%
66      \@todonotes@SetTodoListName{Liste des points \'a traiter}%
67      \@todonotes@SetMissingFigureText{Figure}%
68      \@todonotes@SetMissingFigureUp{Figure}%
69      \@todonotes@SetMissingFigureDown{manquante}%
70      \@todonotes@reverseMissingFigureTrianglefalse
71  }
72  \DeclareOptionX{german}{%
73      \@todonotes@SetTodoListName{Liste der noch zu erledigenden Punkte}%
74      \@todonotes@SetMissingFigureText{Abbildung}%
75      \@todonotes@SetMissingFigureUp{Fehlende}%
76      \@todonotes@SetMissingFigureDown{Abbildung}%
77  }
78  \DeclareOptionX{italian}{
79      \@todonotes@SetTodoListName{Elenco delle cose da fare}%
80      \@todonotes@SetMissingFigureText{Figura}%
81      \@todonotes@SetMissingFigureUp{Figura}%
82      \@todonotes@SetMissingFigureDown{mancante}%
83  }
84  \DeclareOptionX{ngerman}{%
85      \@todonotes@SetTodoListName{Liste der noch zu erledigenden Punkte}%
86      \@todonotes@SetMissingFigureText{Abbildung}%
87      \@todonotes@SetMissingFigureUp{Fehlende}%
88      \@todonotes@SetMissingFigureDown{Abbildung}%
```

```
 89 }
 90 \DeclareOptionX{portuguese}{
 91     \@todonotes@SetTodoListName{Lista de tarefas pendentes}%
 92     \@todonotes@SetMissingFigureText{Figura}%
 93     \@todonotes@SetMissingFigureUp{Figura}%
 94     \@todonotes@SetMissingFigureDown{pendente}%
 95 }
 96 \DeclareOptionX{spanish}{
 97     \@todonotes@SetTodoListName{Lista de tareas pendientes}%
 98     \@todonotes@SetMissingFigureText{Figura}%
 99     \@todonotes@SetMissingFigureUp{Figura}%
100     \@todonotes@SetMissingFigureDown{pendiente}%
101 }
102 \DeclareOptionX{swedish}{%
103     \@todonotes@SetTodoListName{Att g\"{o}ra-lista}%
104     \@todonotes@SetMissingFigureText{Figur}%
105     \@todonotes@SetMissingFigureUp{Figur}%
106     \@todonotes@SetMissingFigureDown{saknas}%
107 }
```

Create a counter, for storing the number of inserted todos.

```
108 \newcounter{@todonotes@numberoftodonotes}
```

Toggle whether the package should obey the global draft option.

```
109 \newif{\if@todonotes@obeyDraft}
110 \DeclareOptionX{obeyDraft}{\@todonotes@obeyDrafttrue}
111 \newif{\if@todonotes@isDraft}
112 \DeclareOptionX{draft}{\@todonotes@isDrafttrue}
113 \DeclareOptionX{draftcls}{\@todonotes@isDrafttrue}
114 \DeclareOptionX{draftclsnofoot}{\@todonotes@isDrafttrue}
115 \newif{\if@todonotes@obeyFinal}
116 \DeclareOptionX{obeyFinal}{\@todonotes@obeyFinaltrue}
117 \newif{\if@todonotes@isFinal}
118 \DeclareOptionX{final}{\@todonotes@isFinaltrue}
```

Make it possible to disable the functionality of the package. If this option is
given, the commands \todo{} and \listoftodos are defined as commands with
no effect. (But you can still compile you document with these commands).

```
119 \newif{\if@todonotes@disabled}
120 \DeclareOptionX{disable}{\@todonotes@disabledtrue}
```

Show small boxes in the list of todos with the color of the inserted todonotes.

```
121 \newif{\if@todonotes@colorinlistoftodos}
122 \DeclareOptionX{colorinlistoftodos}{\@todonotes@colorinlistoftodostrue}
```

The default style behaves bad when compiled with latex (some text placement
problems). The dvistyle option, changes the visual behavior to avoid this text
placement problem.

```
123 \newif{\if@todonotes@dviStyle}
124 \DeclareOptionX{dvistyle}{\@todonotes@dviStyletrue}
```

Create a color option.

```
125 \define@key{todonotes.sty}%
126     {color}{
127         \renewcommand{\@todonotes@backgroundcolor}{#1}
128         \renewcommand{\@todonotes@linecolor}{#1}}
```

Make the background color of the notes as an option.

```
129 \define@key{todonotes.sty}%
130     {backgroundcolor}{\renewcommand{\@todonotes@backgroundcolor}{#1}}
```

Make the line color of the notes as an option.

```
131 \define@key{todonotes.sty}%
132     {linecolor}{\renewcommand{\@todonotes@linecolor}{#1}}
```

Make the color of the notes box color as an option.

```
133 \define@key{todonotes.sty}%
134     {bordercolor}{\renewcommand{\@todonotes@bordercolor}{#1}}
```

Set whether short captions given as arguments to the todo command should be included in the inserted todonote.

```
135 \newif{\if@todonotes@prependcaptionglobal}
136 \@todonotes@prependcaptionglobalfalse
137 \DeclareOptionX{prependcaption}{\@todonotes@prependcaptionglobaltrue}
```

Make the text width as an option.

```
138 \define@key{todonotes.sty}%
139     {textwidth}{\renewcommand{\@todonotes@textwidth}{#1}}
```

Make the text size as an option. It requires some magic with the `\csname` and `\endcsname` macros, as commands cannot be taken as options for a package.

```
140 \define@key{todonotes.sty}%
141     {textsize}{\renewcommand{\@todonotes@textsize}{\csname #1\endcsname}}
```

Add option for shadows behind the inserted notes

```
142 \newif{\if@todonotes@shadowenabled}
143 \@todonotes@shadowenabledfalse
144 \DeclareOptionX{shadow}{\@todonotes@shadowenabledtrue
145 \usetikzlibrary{shadows}}
```

Add option for the default width of the figure inserted with `\missingfigure`.

```
146 \define@key{todonotes.sty}%
147     {figwidth}{\renewcommand{\@todonotes@figwidth}{#1}}
148 \define@key{todonotes.sty}%
149     {figheight}{\renewcommand{\@todonotes@figheight}{#1}}
150 \define@key{todonotes.sty}%
151     {figcolor}{\renewcommand{\@todonotes@figcolor}{#1}}
```

Make the text width as an option.

```
152 % Finally process the given options.
153 %     \begin{macrocode}
154 \ProcessOptionsX*
```

If the `obeyDraft` is given, check whether one of the `draft`, `draftcls` or `draftclsnofoot` options are given and enable or disable the functionality of this package. If the `obeyFinal` option is given together with the `final` option the todonotes are disabled. The `disable` option will overrule the effect of `obeyDraft`.

```
155 \if@todonotes@disabled
156 \else
157 \if@todonotes@obeyDraft
158 \@todonotes@disabledtrue
159 \if@todonotes@isDraft
160 \@todonotes@disabledfalse
161 \fi
162 \fi
163 \if@todonotes@obeyFinal
164 \@todonotes@disabledfalse
165 \if@todonotes@isFinal
166 \@todonotes@disabledtrue
167 \fi
168 \fi
169 \fi
```

2.2   Options for the todo command

In this part the various options for commands in the package are defined. Set an arbitrarily fill color

```
170 \newcommand{\@todonotes@currentlinecolor}{}%
171 \newcommand{\@todonotes@currentbackgroundcolor}{}%
172 \newcommand{\@todonotes@currentbordercolor}{}%
173 \define@key{todonotes}{color}{%
174     \renewcommand{\@todonotes@currentlinecolor}{#1}%
175     \renewcommand{\@todonotes@currentbackgroundcolor}{#1}}%
176 \define@key{todonotes}{linecolor}{%
177     \renewcommand{\@todonotes@currentlinecolor}{#1}}%
178 \define@key{todonotes}{backgroundcolor}{%
179     \renewcommand{\@todonotes@currentbackgroundcolor}{#1}}%
180 \define@key{todonotes}{bordercolor}{%
181     \renewcommand{\@todonotes@currentbordercolor}{#1}}%
```

Set a relative font size

```
182 \newcommand{\@todonotes@sizecommand}{}%
183 \define@key{todonotes}{size}{\renewcommand{\@todonotes@sizecommand}{#1}}%
```

Should the todo item be disabled?

```
184 \newif\if@todonotes@localdisable%
185 \define@key{todonotes}{disable}[]{\@todonotes@localdisabletrue}%
186 \define@key{todonotes}{nodisable}[]{\@todonotes@localdisablefalse}%
```

Should the todo item be included in the list of todos?

```
187 \newif\if@todonotes@appendtolistoftodos%
188 \define@key{todonotes}{list}[]{\@todonotes@appendtolistoftodostrue}%
189 \define@key{todonotes}{nolist}[]{\@todonotes@appendtolistoftodosfalse}%
```

Should the todo item be displayed inline?

```
190 \newif\if@todonotes@inlinenote%
191 \define@key{todonotes}{inline}[]{\@todonotes@inlinenotetrue}%
192 \define@key{todonotes}{noinline}[]{\@todonotes@inlinenotefalse}%

193 \newif\if@todonotes@prependcaption%
194 \define@key{todonotes}{prepend}[]{\@todonotes@prependcaptiontrue}%
195 \define@key{todonotes}{noprepend}[]{\@todonotes@prependcaptionfalse}%
```

Should the note in the margin be connected to the insertion point in the text?

```
196 \newif\if@todonotes@line%
197 \define@key{todonotes}{line}[]{\@todonotes@linetrue}%
198 \define@key{todonotes}{noline}[]{\@todonotes@linefalse}%
```

Should the connection between note and insertion point be drawn in a fancy way?
(does only work if line=true)

```
199 \newif\if@todonotes@fancyline\@todonotes@fancylinefalse%
200 \define@key{todonotes}{fancyline}[]{\@todonotes@fancylinetrue}%
201 \define@key{todonotes}{nofancyline}[]{\@todonotes@fancylinefalse}%
```

Author option.

```
202 \newcommand{\@todonotes@author}{}%
203 \newif\if@todonotes@authorgiven%
204 \define@key{todonotes}{author}{%
205     \renewcommand{\@todonotes@author}{#1}%
206     \@todonotes@authorgiventrue}%
207 \define@key{todonotes}{noauthor}[]{\@todonotes@authorgivenfalse}%
```

Should the text in the list of todos be different from the text in the todonote?

```
208 \newcommand{\@todonotes@caption}{}%
209 \newif\if@todonotes@captiongiven%
210 \define@key{todonotes}{caption}%
211     {\renewcommand{\@todonotes@caption}{#1}%
212     \@todonotes@captiongiventrue}%
213 \define@key{todonotes}{nocaption}[]{\@todonotes@captiongivenfalse}%
```

Change the current figure width and height.

```
214 \newcommand{\@todonotes@currentfigwidth}{\@todonotes@figwidth}
215 \define@key{todonotes}%
216     {figwidth}{\renewcommand{\@todonotes@currentfigwidth}{#1}}
217 \newcommand{\@todonotes@currentfigheight}{\@todonotes@figheight}
218 \define@key{todonotes}%
219     {figheight}{\renewcommand{\@todonotes@currentfigheight}{#1}}
220 \newcommand{\@todonotes@currentfigcolor}{\@todonotes@figcolor}
221 \define@key{todonotes}%
222     {figcolor}{\renewcommand{\@todonotes@currentfigcolor}{#1}}
```

Preset values of the options

```
223 \presetkeys%
224     {todonotes}%
225     {linecolor=\@todonotes@linecolor,%
226     backgroundcolor=\@todonotes@backgroundcolor,%
```

```
227     bordercolor=\@todonotes@bordercolor,%
228     nofancyline,%
229     nodisable,%
230     noinline,%
231     nocaption,%
232     noauthor,%
233     figwidth=\@todonotes@figwidth,%
234     figheight=\@todonotes@figheight,%
235     figcolor=\@todonotes@figcolor,%
236     line, list, size=\@todonotes@textsize}{}%
```

2.3   The main code part

Here is the actual macros defined. If the option "disable" was passed to the package define empty commands.

```
237 \if@todonotes@disabled%
238     \newcommand{\listoftodos}[1][]{}
239     \newcommand{\@todo}[2][]{}
240     \newcommand{\missingfigure}[2][]{}
241 \else % \if@todonotes@disabled
```

Define the `\listoftodos` command and define the appearance of the list of todos.

```
242 \newcommand{\listoftodos}[1][\@todonotes@todolistname]
243     {\@ifundefined{chapter}{\section*{#1}}{\chapter*{#1}} \@starttoc{tdo}}
244 \newcommand{\l@todo}
245     {\@dottedtocline{1}{0em}{2.3em}}
```

Define styles used by the todo command

```
246 \tikzstyle{notestyleraw} = [
247     draw=\@todonotes@currentbordercolor,
248     fill=\@todonotes@currentbackgroundcolor,
249     line width=0.5pt,
250     text width = \@todonotes@textwidth - 1.6 ex - 1pt,
251     inner sep = 0.8 ex,
252     rounded corners=4pt]
```

Add shadows and rounded corners to the inserted todonotes.

```
253 \if@todonotes@shadowenabled
254 \tikzstyle{notestyle} = [notestyleraw,
255     general shadow={shadow xshift=.5ex, shadow yshift=-.5ex,
256         opacity=1,fill=black!50}]
257 \else
258 \tikzstyle{notestyle} = [notestyleraw]
259 \fi
260 \tikzstyle{notestyleleft} = [
261     notestyle,
262     left]
263 \tikzstyle{connectstyle} = [
264     thick,
265     draw=\@todonotes@currentlinecolor]
```

```
266 \tikzstyle{inlinenotestyle} = [
267     notestyle,
268     text width=\linewidth - 1.6 ex - 1 pt]
```

\@todo   Define the \@todo command.

```
269 \newcommand{\@todo}[2][]{%
```

Use the global value for determining the default prepend behavior.

```
270 \if@todonotes@prependcaptionglobal%
271 \@todonotes@prependcaptiontrue%
272 \else%
273 \@todonotes@prependcaptionfalse%
274 \fi%
```

Store the original text for later usage and parse the given options.

```
275 \renewcommand{\@todonotes@text}{#2}%
276 \renewcommand{\@todonotes@caption}{#2}%
277 \setkeys{todonotes}{#1}%
```

If the option `disable` is given to the command, no output is generated.

```
278 \if@todonotes@localdisable%
279 \else%
```

Add the item to the list of todos. When the option `colorinlistoftodos` is given to the package a small colored square is added in front of the text.

```
280 \addtocounter{@todonotes@numberoftodonotes}{1}%
281 \if@todonotes@appendtolistoftodos%
282     \phantomsection%
283     \if@todonotes@captiongiven%
284     \else%
285         \renewcommand{\@todonotes@caption}{#2}%
286     \fi%
287     \@todonotes@addElementToListOfTodos%
288 \fi%
```

Prepend the short caption given if it is requested

```
289 \if@todonotes@captiongiven%
290     \if@todonotes@prependcaption%
291         \renewcommand{\@todonotes@text}{\@todonotes@caption: #2}%
292     \fi%
293 \fi%
```

Place the todonote as indicated by the options (inline or in a marginpar), below is the code for the inline placement.

```
294 \if@todonotes@inlinenote%
295     \@todonotes@drawInlineNote%
296 \else%
297     \@todonotes@drawMarginNoteWithLine%
298 \fi%\if@todonotes@inlinenote
299 \fi%\if@todonotes@localdisable
300 }%
```

26

drawMarginNoteWithLine Define helper function `drawMarginNoteWithLine`.

```
301 \newcommand{\@todonotes@drawMarginNoteWithLine}{%
```

When the todonote should be placed inside a marginpar, the code below is applied. First is the current location in the document stored, this enables us later to connect this point with the inserted todonote.

```
302 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
303     \node [coordinate] (inText) {};%
304 \end{tikzpicture}%
305 \marginpar[{% Draw note in left margin
306     \@todonotes@drawMarginNote%
307     \@todonotes@drawLineToLeftMargin%
```

In the book documentclass (which is a twoside layout), the `\marginpar` marginpar macro takes two arguments `\marginpar[left]{right}`. If both arguments are given, latex will decide in which side the margin note has to be inserted, and then use the corresponding commands.

```
308 }]{% Draw note in right margin
309     \@todonotes@drawMarginNote%
310     \@todonotes@drawLineToRightMargin%
311 }%
312 }%
```

addElementToListOfTodos Define helper function `addElementToListOfTodos`.

```
313 \newcommand{\@todonotes@addElementToListOfTodos}{%
314     \if@todonotes@colorinlistoftodos%
315         \addcontentsline{tdo}{todo}{%
316             \fcolorbox{\@todonotes@currentbordercolor}%
317                 {\@todonotes@currentbackgroundcolor}%
318                 {\textcolor{\@todonotes@currentbackgroundcolor}{o}}%
319             \ \@todonotes@caption}%
320     \else%
321         \addcontentsline{tdo}{todo}{\@todonotes@caption}%
322     \fi}%
```

drawInlineNote Define helper function `drawInlineNote`.

```
323 \newcommand{\@todonotes@drawInlineNote}{%
324     \if@todonotes@dviStyle%
325         {\par\noindent\begin{tikzpicture}[remember picture]%
326             \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
327         \if@todonotes@authorgiven%
328             {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
329         \else%
330             {\noindent \@todonotes@sizecommand \@todonotes@text}%
331         \fi
332         {\par\noindent\begin{tikzpicture}[remember picture]%
333             \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
334     \else%
335         {\par\noindent\begin{tikzpicture}[remember picture]%
336             \draw node[inlinenotestyle,font=\@todonotes@sizecommand]{%
```

27

```
337              \if@todonotes@authorgiven%
338                  {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
339              \else%
340                  {\noindent \@todonotes@sizecommand \@todonotes@text}%
341              \fi};%
342          \end{tikzpicture}\par}%
343      \fi}%
```

drawMarginNote   Define helper function `drawMarginNote`.

```
344 \newcommand{\@todonotes@drawMarginNote}{%
345 \if@todonotes@dviStyle%
346      \begin{tikzpicture}[remember picture]%
347          \draw node[notestyle] {};%
348      \end{tikzpicture}\\%
349      \begin{minipage}{\@todonotes@textwidth}%
350      \if@todonotes@authorgiven%
351          \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
352      \else%
353          \@todonotes@sizecommand \@todonotes@text%
354      \fi%
355      \end{minipage}\\%
356      \begin{tikzpicture}[remember picture]%
357          \draw node[notestyle] (inNote) {};%
358      \end{tikzpicture}%
359 \else%
360      \let\originalHbadness\hbadness%
361      \hbadness 100000%
362      \begin{tikzpicture}[remember picture,baseline=(X.base)]%
363          \node(X){\vphantom{X}};%
364          \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north] (inNote) at (X.north)%
365              {\@todonotes@text};%
366          \if@todonotes@authorgiven%
367              \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north] (inNote) at (X.nort
368                  {\@todonotes@sizecommand\@todonotes@author};%
369              \node(Y)[below=of X]{};%
370              \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north] (inNote) at (X.sout
371                  {\@todonotes@text};%
372          \else%
373              \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north] (inNote) at (X.nort
374                  {\@todonotes@text};%
375          \fi%
376      \end{tikzpicture}%
377      \hbadness \originalHbadness%
378 \fi}%
```

drawLineToRightMargin   Define helper function `drawLineToRightMargin`.

```
379 \newcommand{\@todonotes@drawLineToRightMargin}{%
380 \if@todonotes@line%
381 \if@todonotes@fancyline%
382 \tikz[remember picture,overlay]{%
```

```
383 \tikzstyle{both}=[line width=3pt, draw, opacity=0.15]%
384 \tikzstyle{line}=[shorten >=5pt, line cap=round]%
385 \tikzstyle{head}=[shorten >=-1pt, dash pattern=on 0pt off 1pt, ->]%
386 \foreach \s in {line,head}{%
387 \draw[both,\s]%
388 (inNote.north west).. controls +(0:0) and +(90:1.5)..([yshift=1ex] inText);%
389 };%
390 }%
391 \else%
392 \begin{tikzpicture}[remember picture, overlay]%
393 \draw[connectstyle]%
394 ([yshift=-0.2cm] inText)%
395 -| ([xshift=-0.2cm] inNote.west)%
396 -| (inNote.west);%
397 \end{tikzpicture}%
398 \fi%
399 \fi}%
```

drawLineToLeftMargin   Define helper function drawLineToLeftMargin.

```
400 \newcommand{\@todonotes@drawLineToLeftMargin}{%
401 \if@todonotes@line%
402 \if@todonotes@fancyline%
403 \tikz[remember picture,overlay]{%
404 \tikzstyle{both}=[line width=3pt, draw, opacity=0.15]%
405 \tikzstyle{line}=[shorten >=5pt, line cap=round]%
406 \tikzstyle{head}=[shorten >=-1pt, dash pattern=on 0pt off 1pt,->]%
407 \foreach \s in {line,head}{%
408 \draw[both,\s]%
409 (inNote.north east).. controls +(0:0) and +(90:1.5)..([yshift=1ex] inText);%
410 };%
411 }%
412 \else%
413 \begin{tikzpicture}[remember picture, overlay]%
414 \draw[connectstyle]%
415 ([yshift=-0.2cm] inText)%
416 -| ([xshift=0.2cm] inNote.east)%
417 -| (inNote.east);%
418 \end{tikzpicture}%
419 \fi%
420 \fi}%
```

\missingfigure   Defines the \missingfigure macro.

```
421 \newcommand{\missingfigure}[2][]{%
422 \setkeys{todonotes}{#1}%
423 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
424 \par
425 \noindent
426 \begin{tikzpicture}
427 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
428     (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
```

```
429 \draw (2, -0.3) node[right, text
430     width=\@todonotes@currentfigwidth-4.5cm] {#2};
431 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
432     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
433 \draw (0, 0.3) node {\@todonotes@MissingFigureUp};
434 \draw (0, -0.3) node {\@todonotes@MissingFigureDown};
435 \end{tikzpicture}\hfill
436 }% Ending \missingfigure command
437 \fi % Ending \@todonotes@ifdisabled
```

\tododtotoc   Inserts a reference to the list of todos in the table of contents. If `chapter` is
defined, `chapter` is used as level otherwise will `section` be used. The `\todototoc`
command respects the disable option.

```
438 \newcommand{\todototoc}
439 {
440     \if@todonotes@disabled
441     \else
442 \addcontentsline{toc}{\@ifundefined{chapter}{section}{chapter}}{\@todonotes@todolistname}
443     \fi
444 }
```

\todo   Define the `\todo` command as a redirection to `\@todo`.

```
445 \newcommand{\todo}[2][]{\@bsphack\@todo[#1]{#2}\@esphack\ignorespaces}%
```

Change History

ANEXO B – Manual pdfpages(parcial)

The **pdfpages** Package[*]

Andreas MATTHIAS
andreas.matthias@gmail.com

2013/08/25

Abstract

This package simplifies the insertion of external multi-page PDF or PS documents. It supports pdfTeX, VTeX, and XeTeX.

Contents

1 Introduction

When creating PDF documents, it is sometimes useful to insert pages of external PDF documents. This can be done with the `\includegraphics` command from the `graphics` package. But a simple `\includegraphics{doc.pdf}` normally produces 'Overfull \hbox' and 'Overfull \vbox' warnings, because the size of the inserted pages does not match the print space.

The `pdfpages` package makes it easy to insert pages of external PDF documents without worrying about the print space. Here are some features of the `pdfpages` package: Several logical pages can be arranged onto each sheet of paper and the layout can be changed individually. A lot of hypertext operations are supported, like links to the inserted pages, links to the original PDF document, threads, etc. When working with VTeX the same is possible with PostScript documents, too. Note that PostScript documents are only supported by VTeX and *not* by pdfLaTeX.

---

[*]This file has version number v0.4v, last revised 2013/08/25.

1

When producing DVI output `pdfpages` cannot insert pages of a PDF documents. But instead of interrupting execution `pdfpages` will insert empty pages. This feature is important when using packages like `pst-pdf`, which need to produce DVI output at the first run.

Links and other interactive features of PDF documents   When including pages of a PDF only the so called content stream of these pages is copied but no links. Up to now there are no TeX-engines (pdfTeX, XeTeX, ...) available that can copy links or other interactive features of a PDF document, too. Thus, all kinds of links[1] will get lost during inclusion. (Using `\includepdf`, `\includegraphics`, or other low-level commands.)

However, there's a gleam of hope. Some links may be extracted and later reinserted by a package called *pax* which can be downloaded from CTAN [3]. Have a look at it!

2   Usage

2.1   Package Options

`\usepackage[`⟨*options*⟩`]{pdfpages}`

⟨*option*⟩ – `final:` Inserts pages. This is the default.

`draft:` Does not insert pages, but prints a box and the filename instead.

`enable-survey:` Activates survey functionalities. (*experimental, subject to change*)

2.2   Commands

`\includepdf`   Inserts pages of an external PDF document.

`\includepdf[`⟨*key=val*⟩`]{`⟨*filename*⟩`}`

⟨*key=val*⟩ – A comma separated list of options using the ⟨*key*⟩=⟨*value*⟩ syntax.

⟨*filename*⟩ – Filename of the PDF document. (The filename *must not* contain any blanks!)

The following list describes all possible options of `\includepdf`. All options are using the ⟨*key=value*⟩ syntax.

- Main options:

  pages Selects pages to insert. The argument is a comma separated list, containing page numbers (`pages={3,5,6,8}`), ranges of page numbers (`pages={4-9}`) or any combination. To insert empty pages use `{}`.
  E.g.: `pages={3,{},8-11,15}` will insert page 3, an empty page, and pages 8, 9, 10, 11, and 15.

---

[1] Actually not only links but all kinds of *PDF annotations* will get lost.

Page ranges are specified by the following syntax: $\langle m \rangle$-$\langle n \rangle$. This selects all pages from $\langle m \rangle$ to $\langle n \rangle$. Omitting $\langle m \rangle$ defaults to the first page; omitting $\langle n \rangle$ defaults to the last page of the document. Another way to select the last page of the document, is to use the keyword `last`. (This is only permitted in a page range.)

E.g.: `pages=-` will insert *all* pages of the document, and `pages=last-1` will insert all pages in reverse order.

(Default: `pages=1`)

nup Puts multiple logical pages onto each sheet of paper. The syntax of this option is: `nup=`$\langle xnup \rangle$`x`$\langle ynup \rangle$. Where $\langle xnup \rangle$ and $\langle ynup \rangle$ specify the number of logical pages in horizontal and vertical direction, which are arranged on each sheet of paper. (Default: `nup=1x1`)

landscape Specifies the format of the sheet of paper, which is rotated by 90 degrees. This does *not* affect the logical pages, which will *not* be rotated by the 'landscape' option. To rotate the logical pages use the 'angle' option (e.g. 'angle=90'). Either 'true' or 'false' (or no value, which is equivalent to 'true'). (Default: `landscape=false`)

- Layout options:

delta Puts some horizontal and vertical space between the logical pages. The argument should be two dimensions, separated by space. See Chapter 2.3 and Figure 1. (Default: `delta=0 0`).

offset Displaces the origin of the inserted pages. The argument should be two dimensions, separated by space. In 'oneside' documents positive values shift the pages to the *right* and to the *top* margin, respectively, whereas in 'twoside' documents positive values shift the pages to the *outer* and to the *top* margin, respectively. See Chapter 2.3 and Figure 1. (Default: `offset=0 0`)

frame Puts a frame around each logical page. The frame is made of lines of thickness `\fboxrule`. Either 'true' or 'false' (or no value, which is equivalent to 'true'). (Default: `frame=false`)

column Pdfpages normally uses 'row-major' layout, where successive pages are placed in rows along the paper. The `column` option changes the output into a 'column-major' layout, where successive pages are arranged in columns down the paper. Either 'true' or 'false' (or no value, which is equivalent to 'true'). (Default: `column=false`)

columnstrict By default the last page is not set in a strict 'column-major' layout, if the logical pages do not fill up the whole page. The `columnstrict` option forces a strict 'column-major' layout for the last page. Either 'true' or 'false' (or no value, which is equivalent to 'true'). (Default: `columnstrict=false`)

1	4	
2	5	
3		

columnstrict=true

1	3	5
2	4	

columnstrict=false

ANEXO C – Cras non urna sed feugiat cum sociis natoque penatibus

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel

consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.