

Applications Remmina 192.168.98.30

192.168.98.40 192.168.98.30

Name Gr

Recy

C:\Users\Administrator>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet 3:

Connection-specific DNS Suffix . :
Link-local IPv6 Address :
IPv4 Address. :
Subnet Mask :
Default Gateway :

C:\Users\Administrator>^V

^V is not recognized as an internal or external command, operable program or batch file.

C:\Users\Administrator>ping 192.168.98.40

Pinging 192.168.98.40 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.98.40:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss):

C:\Users\Administrator>

Event Viewer

Filter Current Log

Filter XML

Logged: Any time

Event level: ☐ Critical ☐ Warning ☐ Verbose
☐ Error ☐ Information

☒ By log Event logs: Application
☐ By source Event sources:

Includes/Excludes Event IDs: Enter ID numbers and/or ID ranges separated by commas. To exclude criteria, type a minus sign first. For example 1,3,5-99,-76

<All Event IDs>

Task category:

Keywords:

User: <All Users>

Computer(s): <All Computers>

Clear

OK Cancel

Creates a filter.

2026-03-31 19:40 aluno

10:40 PM 3/31/2026

192.168.98.30

192.168.98.40 192.168.98.30

Select Administrator: Windows PowerShell

```
Recy- : The term '-' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the
spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ ~
+ CategoryInfo          : ObjectNotFound: (=-:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\Administrator> net stop w32time
The Windows Time service is stopping.
The Windows Time service was stopped successfully.

PS C:\Users\Administrator> net start w32time
The Windows Time service is starting.
The Windows Time service was started successfully.

PS C:\Users\Administrator> w32tm /query /status
The command /query is unknown.


PS C:\Users\Administrator> w32tm /query /status
Leap Indicator: 3(not synchronized)
Stratum: 0 (unspecified)
Precision: -23 (119.209ns per tick)
Root Delay: 0.0000000s
Root Dispersion: 0.0000000s
ReferenceId: 0x00000000 (unspecified)
Last Successful Sync Time: unspecified
Source: Local CMOS Clock
Poll Interval: 9 (512s)

PS C:\Users\Administrator>
```

3 setting(s)

Type here to search

10:45 PM 3/31/2026



192.168.98.40

Aplicativos: root@kali: ~

Wireshark

2026-04-02 15:08 aluno

Wireshark · Seguir Fluxo TCP (tcp.stream eq 1) · eth0

Arquivo Editar

tcp.stream eq 1

No.	Time
2464	7.25
2465	7.25
2474	7.26
2475	7.26
2487	7.27
2491	7.27
2492	7.27
2493	7.27
2494	7.27
2495	7.27
2496	7.27
2497	7.27

Frame 2491:

Ethernet II

Internet Protocol

Transmission Control Protocol

Transport Layer

...L..P..

..4...[oE..e...G..R..

...d.

[`...*.W...

...b...n...+...3.d...i...T...Z...@...M]>.&.8..."6.....=<"B:...*.q.ur.

...526.k...{...P...=.mxaa...N..E...Q.tHyI.

...R...#..P>...w.Z:...P@...J1...8W.)'...).h.H.{ft...]K.'3{1n.4%i5...

/..5...{...uU...#...%;...Z..._..J...+...\.?:...W.\...9|eh.f.ZS...`U`_r...).x-...

y.l...0NX2H.4..o.../...{.v.u...o..4h|.c.T...{Ah...^...}...-g...^...6...h43m.v

...6...l...;r.SyPj...R.*.HaJ.)v...l...%V..f.X.wEfz...<K&...r...j.a+E.r

...F...l...?0.?./s.J:...\[...t...q..Z...'...o...m~...u&...eCiC

3...h.

...4Y...9>m...'P6}<...\.J...X...r...XRJ..VQ.y...0...9.G..._V...;...T>..."

e.?..N...k.

N.c...Q.+vu..t...:&~.hC.I(.%j...{..0^e.P...g...RE..."=c...}{...1+...v7..

l9..9.?...=.n...0...-.\$^;M..Dh...&EH...0Wq..3g...v...^./D...P.5.m...n...N...+

9.;b..h6~...G..#...}7gg..L...?Uu...0.b..D...P.Fs...V.1...|.R...2[FLKQ....f

7?tyj...e0..K.Z8r...@...].s.&~.J(s

V..

.Z.@...9. p.u...D.%.?.=...Tq#.YK..l..s... 'g...NY.n.9.N.%_C...N...H.#o.s...E

...J.V...\$.nY...-...7r.E..."

...X...6.Z...<e.

...*.e...f6k^;h p3..o7t...^..."l!...f!{H...<d.H.i.7.E...,N...0k.A56.I...<.@n...`

>.l...PAT.-...d(.y...}7.E..."oi\$.]...*...a.4.Z_z.1.

a-M...%...?t

?...5*..q.;QM...'?...U...o...U...!..1)J]KT...:I...k...^...9..s

K t o m 8 l M - Y ^ l } } 0 [n S 0 0 q o 0 0 V Z

11 client pkt(s), 38 server pkt(s), 7 turn(s).

Conversa completa (48 kB) Exibir como ASCII Sem tempos delta Fluxo 1

Procurar: Diferencia MAIÚSCULAS/minúsculas Localizar Próximo

Filtrar Este Fluxo Imprimir Salvar como... Voltar x Fechar Ajuda

Applications

Remmina

192.168.98.40

192.168.98.40

Aplicativos

GOV.BR — Mozilla Fir...

root@kali: ~

capture.pcap

2026-04-02 15:11

aluno

capture.pcap

Arquivo

Editar

Exibir

Ir

Captura

Analizar

Estatísticas

Telefonia

Sem fio

Ferramentas

Ajuda

tls

No.	Time	Source	Destination	Protocol	Length	Info
15	7.615457	192.168.98.40	161.148.164.31	TLSv1.2	782	[TCP Previous segment not captured]
24	7.770793	161.148.164.31	192.168.98.40	TLSv1.2	1067	Application Data
38	7.771189	161.148.164.31	192.168.98.40	TLSv1.2	517	Application Data
49	7.771270	161.148.164.31	192.168.98.40	TLSv1.2	1436	Application Data
50	7.771271	161.148.164.31	192.168.98.40	TLSv1.2	96	Application Data
52	7.817935	192.168.98.40	161.148.164.31	TLSv1.2	808	Application Data
53	7.818563	192.168.98.40	161.148.164.31	TLSv1.2	819	[TCP Previous segment not captured]
54	7.819037	192.168.98.40	161.148.164.31	TLSv1.2	820	[TCP Previous segment not captured]
55	7.819440	192.168.98.40	161.148.164.31	TLSv1.2	832	[TCP Previous segment not captured]
56	7.819891	192.168.98.40	161.148.164.31	TLSv1.2	817	[TCP Previous segment not captured]
57	7.820415	192.168.98.40	161.148.164.31	TLSv1.2	801	[TCP Previous segment not captured]
64	7.972236	161.148.164.31	192.168.98.40	TLSv1.2	1476	Application Data

Frame 15: Packet, 782 bytes on wire (6256 bits), 782 byte

Ethernet II, Src: 02:52:ac:79:65:f9 (02:52:ac:79:65:f9),

Internet Protocol Version 4, Src: 192.168.98.40, Dst: 161

Transmission Control Protocol, Src Port: 40010, Dst Port:

Transport Layer Security

0000 02 f9 53 c8 e6 41 02 52 ac 79 65 f9 08 00 45 00

0010 03 00 48 39 40 00 40 06 87 3a c0 a8 62 28 a1 94

0020 a4 1f 9c 4a 01 bb 55 42 a9 4f a4 5c 10 8a 80 18

0030 01 b8 6b 77 00 00 01 01 08 0a e8 22 ce 2e 4f 63

0040 6f 8e 17 03 03 02 c7 d0 29 0a 17 5c 90 1a a6 51

0050 65 45 28 2e 9e 59 b2 34 2f d3 23 d7 f6 e2 03 a1

0060 15 59 d8 cb 4d 47 29 0b 9d 39 ec b8 e3 5e 3b 04

0070 1a aa 07 be b0 93 94 df da 5e e0 be 1c 7f b7 86

0080 62 3d 29 ae 2a c1 88 c3 3e 61 6d af 2d b0 56 d1

0090 d8 0d 73 43 b5 48 73 cb 80 60 db e5 b6 9f 50 3b

00a0 a3 32 87 6a 95 70 a3 84 8e cc 91 76 de 42 27 38

00b0 bb 03 a4 72 48 be 11 b5 16 99 42 10 2b 22 63 98

00c0 07 8b ed 20 a1 8a 75 f1 41 d6 b1 6b d8 6e dc 4c

Transport Layer Security: Protocol

Pacotes: 643 · Exibidos: 123 (19.1%)

Perfil: Default

Total 0 items.

Terminal Emulator