

192.168.98.20

192.168.98.40 192.168.98.20 192.168.98.30

Server Manager

Administrator: Command Prompt

Active Directory Users and Computers

New Object - User

Create in: aluno.hacker.com/TI

First name: Usuario Initials:

Last name: TI

Full name: Usuario TI

User logon name: usuarioti @aluno.hacker.com

User logon name (pre-Windows 2000): ALUNO\ usuarioti

< Back Next > Cancel

Windows taskbar: Type here to search, 1:25 AM 3/6/2026

192.168.98.40

192.168.98.40 192.168.98.20 192.168.98.30

Aplicativos: root@kali: /home/aluno...

root@kali: /home/aluno/Documentos

Sessão Ações Editar Exibir Ajuda

```
(aluno@kali)-[~]
└─$ sudo -i
[sudo] senha para aluno:
(Message from Kali developers)

This is a minimal installation of Kali Linux, you likely
want to install supplementary tools. Learn how:
= https://www.kali.org/docs/troubleshooting/common-minimum-setup/

This is a cloud installation of Kali Linux. Learn more about
the specificities of the various cloud images:
= https://www.kali.org/docs/troubleshooting/common-cloud-setup/

(Run: "touch ~/.hushlogin" to hide this message)
(root@kali)-[~]
└─$ cd /home/aluno/Documentos/
(root@kali)-[/home/aluno/Documentos]
└─$ nano texto.txt
(root@kali)-[/home/aluno/Documentos]
└─$ chmod u+rw texto.txt
(root@kali)-[/home/aluno/Documentos]
└─$ ls -l
total 16
-rw-r--r-- 1 root root 61 fev 27 19:11 credencial.txt
-rw-rw-r-- 1 aluno aluno 223 fev 27 19:53 NewDatabase.enc
-rw-rw-r-- 1 aluno aluno 223 fev 27 19:53 NewDatabase.enc.bak
-rwxr--r-- 1 root root 8 mar 5 22:26 texto.txt
(root@kali)-[/home/aluno/Documentos]
└─$
```

192.168.98.40

192.168.98.40 192.168.98.20 192.168.98.30

Aplicativos root@kali: /home/aluno...

root@kali: /home/aluno/Documentos

Sessão Ações Editar Exibir Ajuda

- nm-openvpn
- pipewire
- nm-openconnect
- postgres
- wireshark
- Debian-exim
- logcheck
- debian-tor
- freerad
- clamav
- geoclue
- docker
- \_cvsadmin
- vboxusers
- clock
- pcscd
- teste1
- contabilidade

```
(root@kali)-[/home/aluno/Documentos]
# usermod -aG contabilidade teste1

(root@kali)-[/home/aluno/Documentos]
# ls
credencial.txt NewDatabase.enc NewDatabase.enc.bak texto.txt

(root@kali)-[/home/aluno/Documentos]
# chown :contabilidade texto.txt

(root@kali)-[/home/aluno/Documentos]
# chmod 770 texto.txt

(root@kali)-[/home/aluno/Documentos]
#
```

Trash

File System

Home

Ciente RDP

Terminal Emulator

RDP

Name

Gr

Total 0 items.

192.168.98.40

192.168.98.20

192.168.98.30

Aplicativos

aluno@kali: ~

Sessão

Ações

Editar

Exib

aluno@kali: ~

GNU nano 8.7

/etc/login.defs \*

# ERASECHAR Terminal ERASE character ('\010' = backspace).

# KILLCHAR Terminal KILL character ('\025' = CTRL/U).

# The ERASECHAR and KILLCHAR are used only on System V machines.

# ERASECHAR 0177

# KILLCHAR 025

# HOME\_MODE is used by useradd(8) and newusers(8) to set the mode for new

# home directories.

# HOME\_MODE 0700

# Password aging controls:

# PASS\_MAX\_DAYS Maximum number of days a password may be used.

# PASS\_MIN\_DAYS Minimum number of days allowed between password changes.

# PASS\_WARN\_AGE Number of days warning given before a password expires.

# PASS\_MAX\_DAYS 270

# PASS\_MIN\_DAYS 90

# PASS\_WARN\_AGE 10

# Min/max values for automatic uid selection in useradd(8)

# UID\_MIN 1000

# UID\_MAX 60000

# System accounts

#SYS\_UID\_MIN 101

^G Ajuda

^O Gravar

^F Onde está?

^K Recortar

^T Executar

^C Local

M-U Desfazer

M-A Marcar

^X Sair

^R Ler o arq

^\_ Substituir

^U Colar

^J Justificar

^\_ Ir p/ linha

M-E Refazer

M-6 Copiar