

192.168.98.40

Aplicativos Google — Mozilla Firefox root@kali: ~

Sessão Ações Editar Exibir Ajuda

```
root@kali: ~
root@kali: ~

(root@kali)-[~]
# arp -a
ip-192-168-98-1.us-east-2.compute.internal (192.168.98.1) em 02:f9:53:c8:e6:41 [ether] em eth0
ip-192-168-98-201.us-east-2.compute.internal (192.168.98.201) em 02:9e:72:f9:e3:25 [ether] em eth0
ip-192-168-98-2.us-east-2.compute.internal (192.168.98.2) em 02:f9:53:c8:e6:41 [ether] em eth0

(root@kali)-[~]
#
```

Remmina Remote

RDP 192.168.98.40

Name	Group	Labels
Total 0 items.		

Terminal Emulator

192.168.98.40

Aplicativos: root@kali: ~

Sessão Ações Editar Exibir Ajuda

root@kali: ~

Clique para ir para o espaço de trabalho "Workspace 2"

```
(root@kali)-[~]
└─$ ssh aluno@192.168.98.42
The authenticity of host '192.168.98.42 (192.168.98.42)' can't be established.
ED25519 key fingerprint is: SHA256:tY60l61AhkPeSWFdypk2UliL4i0FHshujgzxQyEN24E
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.98.42' (ED25519) to the list of known hosts.
aluno@192.168.98.42's password:
Linux kali 6.16.8+kali-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.16.8-1kali1 (2025-09-24) x86_64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

(Message from Kali developers)

This is a minimal installation of Kali Linux, you likely
want to install supplementary tools. Learn how:
⇒ https://www.kali.org/docs/troubleshooting/common-minimum-setup/

This is a cloud installation of Kali Linux. Learn more about
the specificities of the various cloud images:
⇒ https://www.kali.org/docs/troubleshooting/common-cloud-setup/


(Run: "touch ~/.hushlogin" to hide this message)
(aluno@kali)-[~]
└─$ exit
sair
Connection to 192.168.98.42 closed.

(root@kali)-[~]
└─$
```



```
192.168.98.40 X
Aplicativos: root@kali: ~
root@kali: ~
Sessão Ações Editar Exibir Ajuda
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP mode DEFAULT group default qlen 1000
link/ether 02:52:ac:79:65:f9 brd ff:ff:ff:ff:ff:ff
3: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN mode DEFAULT group default
link/ether 02:42:24:d0:4c:70 brd ff:ff:ff:ff:ff:ff
(root@kali)-[~]
# ip link set docker0 down
(root@kali)-[~]
# ip link set dev docker0 address 08:00:27:8b:c0:05
(root@kali)-[~]
# ip link set docker0 up
(root@kali)-[~]
# ip link set docker0 down
(root@kali)-[~]
# ip link set dev docker0 address 02:42:4c:36:59:3d
(root@kali)-[~]
# ip link set docker0 up
(root@kali)-[~]
# ip link show
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP mode DEFAULT group default qlen 1000
link/ether 02:52:ac:79:65:f9 brd ff:ff:ff:ff:ff:ff
3: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN mode DEFAULT group default
link/ether 02:42:4c:36:59:3d brd ff:ff:ff:ff:ff:ff
(root@kali)-[~]
#
```

```
192.168.98.40 X
Aplicativos root@kali: ~
root@kali: ~
Sessão Ações Editar Exibir root@kali: ~
# tc qdisc add dev eth0 root handle 1: prio
(root@kali)-[~]
# tc filter add dev eth0 parent 1: protocol ip prio 1 u32 match ip protocol 1 0xff flowid 1:1
(root@kali)-[~]
# tc qdisc del dev eth0 root
(root@kali)-[~]
# ping 192.168.98.1
PING 192.168.98.1 (192.168.98.1) 56(84) bytes of data:
64 bytes from 192.168.98.1: icmp_seq=1 ttl=64 time=0.079 ms
64 bytes from 192.168.98.1: icmp_seq=2 ttl=64 time=0.164 ms
64 bytes from 192.168.98.1: icmp_seq=3 ttl=64 time=0.079 ms
64 bytes from 192.168.98.1: icmp_seq=4 ttl=64 time=0.090 ms
64 bytes from 192.168.98.1: icmp_seq=5 ttl=64 time=0.079 ms
^C
— 192.168.98.1 ping statistics —
5 packets transmitted, 5 received, 0% packet loss, time 4073ms
rtt min/avg/max/mdev = 0.079/0.098/0.164/0.033 ms
(root@kali)-[~]
# tc qdisc add dev eth0 root handle 1: htb
(root@kali)-[~]
# tc class add dev eth0 parent 1: classid 1:1 htb rate 10mbit
(root@kali)-[~]
# tc filter add dev eth0 parent 1: protocol ip prio 1 u32 match ip src 192.168.98.1 flowid 1:1
(root@kali)-[~]
# tc qdisc add dev eth0 root tbf rate 1mbit burst 10kb latency 50ms
(root@kali)-[~]
#
```



MINHA
CONEXÃO

Ping
(Latência)
153 ms

Download
(Baixar dados)
384.4 mbps

Upload
(Enviar dados)
8.0 mbps

Análise detalhada ▼

Avalie sua satisfação com o seu provedor: **Amazon.com**

Péssimo ★ ★ ★ ★ ★ Excelente

Clique nas estrelas para avaliar.

Repetir o Teste

Histórico

Servidor:
Start Telecom Manaus | Manaus

[Torne-se um servidor](#)

Type here to search

12:10 AM
3/31/2026