

## Information

Measurement Date: 05/04/2023  
Manufacturer: OK  
Model: 50AU-5023C  
Serial: 2307002401

## Grayscale

Gamma Formula: PowerFunction

2.2


## Color

Color Gamut: D65, HD BT.709

## Grayscale color and luminance accuracy


Avg: 14.6

Max: 18.94




Total Gamma: 2

192.4635 cd/m<sup>2</sup>





Correlated Color Temperature Average: 12190.8



## Colorspace color and luminance accuracy

Avg: 9.12

Max: 14.64



## Calibration Information

Calibration Date: 05/04/2023  
Manufacturer: OK  
Model: 50AU-5023C  
Serial: 2307002401

## Grayscale

Gamma Formula: PowerFunction

2


## Color

Color Gamut: D65, HD BT.709


## Grayscale color and luminance accuracy

Avg: 1.25

Max: 2.85




Correlated Color Temperature Average: 6215.7



Total Gamma: 2



183.3354 cd/m<sup>2</sup>



## Colorspace color and luminance accuracy

Avg: 1.08

Max: 1.95



## Calibration Information

Calibration Date: 05/04/2023  
Manufacturer: OK  
Model: 50AU-5023C  
Serial: 2307002401

## Grayscale

Gamma Formula: PowerFunction 2

## Color

Color Gamut: D65, HD BT.709

## Calibration Settings

Mode

Color Temp

Gamma

Backlight

Brightness

Contrast

Colorspace

Color

Tint

Sharpness

Offset (Red)

Offset (Green)

Offset (Blue)

Gain (Red)

Gain (Green)

Gain (Blue)

---

## Calibration Information

Calibration Date: 05/04/2023  
Manufacturer: OK  
Model: 50AU-5023C  
Serial: 2307002401

## Grayscale

Gamma Formula: PowerFunction 2

## Color

Color Gamut: D65, HD BT.709

---

## Calibration Notes