

Information

Measurement Date: 09/05/2023
Manufacturer: Hisense
Model: 65E7
Serial: 35C64G22334SFRA1WL20399

Grayscale

Gamma Formula: PowerFunction 2.2


Color

Color Gamut: D65, HD BT.709

Grayscale color and luminance accuracy


Avg: 10.77

Max: 16.42




Total Gamma: 1.94

238.8356 cd/m²





Correlated Color Temperature Average: 9679.8



Colorspace color and luminance accuracy

Avg: 7.41

Max: 12.09



Calibration Information

Calibration Date: 09/05/2023
Manufacturer: Hisense
Model: 65E7
Serial: 35C64G22334SFRA1WL20399

Grayscale

Gamma Formula: PowerFunction 2.4


Color

Color Gamut: D65, HD BT.709


Grayscale color and luminance accuracy

Avg: 1.32

Max: 2.65




Correlated Color Temperature Average: 6828.15



Total Gamma: 2.33



218.6603 cd/m²



Colorspace color and luminance accuracy

Avg: 1.53

Max: 2.34



Calibration Information

Calibration Date: 09/05/2023
Manufacturer: Hisense
Model: 65E7
Serial: 35C64G22334SFRA1WL20399

Grayscale

Gamma Formula: PowerFunction 2.4

Color

Color Gamut: D65, HD BT.709

Calibration Settings

Mode

Color Temp

Gamma

Backlight

Brightness

Contrast

Colorspace

Color

Tint

Sharpness

Offset (Red)

Offset (Green)

Offset (Blue)

Gain (Red)

Gain (Green)

Gain (Blue)

Calibration Information

Calibration Date: 09/05/2023
Manufacturer: Hisense
Model: 65E7
Serial: 35C64G22334SFRA1WL20399

Grayscale

Gamma Formula: PowerFunction 2.4

Color

Color Gamut: D65, HD BT.709

Calibration Notes