
# Exercício I

Dispositivo	Interface	Endereço de IP	Máscara de Rede	Gateway
PCO	FASTETHERN ETO	1.1.841.591	255.255.255.0	0.0.0.0
PCI	FASTETHERN ETO	192.168.1.2	255.255.255.0	0.0.0.0
PCS	FASTETHERN ETO	E.l.84l.5Pl	255.255.255.0	0.0.0.0
PC3	FASTETHERN ETO	J.I.841.5P1	255.255.255.0	0.0.0.0
PCL	FASTETHERN ETO	192.168.1.5	255.255.255.0	0.0.0.0

# Exercício 3

PCI



### PC8

```
₽ PC8
                                                                                                                                                                                       ×
    Physical Config Desktop Programming Attributes
     Command Prompt
                                                                                                                                                                                                   Х
      C:\>IPCONFIG
     FastEthernet0 Connection:(default port)
           Connection-specific DNS Suffix.:

Link-local IPv6 Address...:FE80::201:C9FF:FE58:239B

IPv6 Address...:192.168.1.8

IPv4 Address......255.255.255.0

Default Gateway...:192.168.1.254
      Bluetooth Connection:
          Connection-specific DNS Suffix.:

Link-local IPv6 Address. ::

IPv6 Address. ::

IPv4 Address. :0.0.0.0

Subnet Mask. :0.0.0.0

Default Gateway. ::

0.0.0.0
     C:\>PING
C:\>PING 192.168.1.254
     Pinging 192.168.1.254 with 32 bytes of data:
    Reply from 192.168.1.254: bytes=32 time<1ms TTL=128
     Ping statistics for 192.168.1.254:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = Oms, Maximum = Oms, Average = Oms
Тор
```

#### LAPTOPI

```
₹ Laptop1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              _ □
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               ×
           Physical Config Desktop Programming Attributes
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Х
             Command Prompt
                C:\>IPCONFIG
             FastEthernet0 Connection:(default port)
                             Connection-specific DNS Suffix.:
Link-local IPv6 Address.: FE80::210:11FF:FE9A:959E
IPv6 Address.:: ::
IPv4 Address.: 192.168.1.15
Subnet Mask.: 255.255.255.0
Default Gateway.::
192.168.1.254
             Bluetooth Connection:
                                | Connection-specific DNS Suffix | Link-local IPv6 Address | :: IPv6 Address | :: IPv6 Address | :: IPv4 Address | 0.00.0.0 Subnet Mask | 0.0.0.0 Default Gateway | :: IPv6 Address | :: IPv6 Ad
              C:\>PING 192.168.1.254
             Pinging 192.168.1.254 with 32 bytes of data:
           Reply from 192.168.1.254: bytes=32 time<lms TTL=128
           Ping statistics for 192.168.1.254:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
Птор
```

### PCIO

