
12/24/2018 String - LeetCode

```
String
                                             Input: "MCMXCIV"
                                              Output: 1994
                                              Explanation: M = 1000, CM = 900, XC = 90 and IV = 4.
         13
                   Roman to Integer ( Input: s = "PAYPALISHIRING", numRows = 4
                                               Output: "PINALSIGYAHRPI"
                                               Explanation:
                                                                for ch in s:
    temp[ind].append(ch)
                                                  LSIG
                                               Y A H R
                                                                                             Dec 29, 2018 6:26 PM, can skip
                                                                    if ind == numRows - 1 :
sign = -1
                   ZigZag Conversion ?
         6
                                                                    if ind == 0:
                                                                    sign = 1
ind += sign
                                                                                                      You can try the sliding window solution, em, not skip
                   Input: "pwwkew"
                                                                                            m = \{\}
                                                                                            start = 0 Dec 29, 2018 6:29 PM res = 0
                    Output: 3
                   Explanation: The answer is "wke", with the length of 3. for i in range(len(s)): if s[i] in m:
                                                                                               start = max(start, m[s[i]]+1)
m[s[i]] = i
                   Longest Substring Without Repeating Characters
                                                                                            res = max(res, i - start+1)
return res
                   substring-without-repeating-characters)
                  <del>12</del>
         Do 273 instead.
                                                                                                                                  1.
                                                                                                                                  2.
                                                                                                                                          11
                                                                 Input: "babad"
                                                                                                                 11
                                                                                                                                  3.
                                                                                                                                          21
                   Longest Palindromic Substring
                                                                 Output: "bab"
                                                                                                                 21
                                                                                                                                          1211
                                                                                                                                  4.
                                                                 Note: "aba" is also a valid answer.
                                                                                                           4.
                                                                                                                 1211
                                                                                                                                          111221
                                                  extend
                                                                                                           6.
                                                                                                                 312211
         38
                                                                                 Google 10
                    Count and Say (/problems/count-and-say)
                                                                                                                 13112221
1113213211
                                                                                                                                  prev = self. countAndSay(n-1)
                                                                                                                 31131211131221
                                                                                                                                   count = 1
                                                                                                                for i in range(1, len(prev)):
                                                                                                                                      if prev[i] == cur:
                                                                                                                                          count += 1
                                                                                                                                       else:
                                                                                                                                           res = res + "{}{}".format(count, cur)
                                                                                                                                           cur = prev[i]
                                                                                                                                           count = 1
                                                                                                                                   res = res + "{}{}".format(count, cur)
                                                                                                                                   return res
                    Input: "the sky is blue",
                                                                                                                                   if len(a) < len(b):</pre>
                    Output: "blue is sky the".
                                                                                                                                       return self.addBinary(b,a)
                   Reverse Words in a String (/problems/reverse-words-in-a-string)
         151
                                                                                                                                   \# assure len(a) >= len(b)
                                                                                                                                   res = ""
                                                                                                                                   extra = 0
                                                                       Input: a = "1010", b = "1011"
         67
                   Add Binary (/problems/add-binary)
                                                                                                                                   i = len(a) - 1
                                                                        Output: "10101"
                                                                                                                                   j = len(b) - 1
                                                                                                                                   while j \ge 0:
                                                                                                                                       sum_{-} = extra + (int)(a[i]) + (int)(b[j])
                                                                                                                                       extra = sum_{//2}
                                                                                                                                       res = (str)(sum_{2}) + res
                                                                                xample 2:
                                                                                                                                        i -= 1
                                                                                         -42"
                                                                                                                                       j -= 1
                                                                                Explanation: The first no
                                                                                                                                   while i \ge 0:
         8
                   String to Integer (atoi)
                                                                                                                                       sum_ = extra + (int)(a[i])
                                                                                xample 3:
                                                                                                                                        extra = sum_{//2}
                   1. The first char might be - or +, set it to sign
                                                                                Input: "4193 with words"
                                                                                                                                        res = (str)(sum_{2}) + res
                  2. Num = num * 10 + cur until not digits,
                                                                                Output: 4193
Explanation: Conversion :
                                                                                                                                       i = 1
                  3. If larger than integer.max, during 2, return max int
                                                                                                                                   if extra != 0:
                                                                                xample 4:
                                                                                                                                       res = (str)(extra) + res
                   Or min int depend on sign. Basically can skip.
                                                                                                                                   return res
                   Integer to English Words
                                                                                Explanation: The first no
Input: 123
Output: "One Hundred Twenty Three"
                                                                                xample 5:
xample 2:
                                                                                Input: "-91283472332"
Output: -2147483648
Explanation: The number '
Output: "Twelve Thousand Three Hundred Forty Five"
                                                               String[] LESS_THAN_20 = {"", "One", "Two", "Three", "Four", "Five", "Six", "Seven", "Eight", "Nine" String[] TENS = {"", "Ten", "Twenty", "Thirty", "Forty", "Fifty", "Sixty", "Seventy", "Eighty", "Ni String[] THOUSANDS = {"", "Thousand", "Million", "Billion"};
Output: "One Million Two Hundred Thirty Four Thousand Five Hundred Sixty Seven"
```

Input: 1234567891
Output: "One Billion Two Hundred Thirty Four Million Five Hundred Sixty Seven T

```
int[] pos = new int[m + n];
                                        for(int i = m - 1; i >= 0; i--) {
                                             for(int j = n - 1; j >= 0; j--) {
                                                int mul = (num1.charAt(i) - '0') * (num2.charAt(j) - '0');
                                                 int p1 = i + j, p2 = i + j + 1;
                                                 int sum = mul + pos[p2];
            43
                    Multiply Strings
                 Can skip.
                                                pos[p1] += sum / 10;
                                                pos[p2] = (sum) % 10;
                                            }
if the chars are coming in as a data stream.
                                                                                "0" => true
                    Use linked hash map is also ok, one pass not two pass, but
                                                                                " 0.1 " => true
                    both time and space are same, can skip.
                                                                                "abc" => false
                                                              s = "leetcode"
                                                                             rs "1 a" => false
            387
                    First Unique Character in a String
                                                                                                     :r-in-a-
                                                              return 0.
                    S = "ADOBECODEBANC", T = "ABC"
                                                              s = "loveleetcode",
                                                                               "2e10" => true
                   : "BANC"
                                                              return 2.
                                                                                " -90e3 " => true
                    Minimum Window Substring (/problems/minimul " 1e" => false
            76
                                                                                                     ng)
                                                                                "e3" => false
                                                                                " 6e-1" => true
                    Palindrome Pairs (/problems/palindrome-pairs)
                                                                                " 99e2.5 " => false
  Input: ["abcd","dcba","lls","s","sssll"]
                                                                                "53.5e93" => true
  Output: [[0,1],[1,0],[3,2],[2,4]]
                                                                                " --6 " => false
  Explanation: The palindromes are ["dcbaabcd", "abcddcba", "slls", "llssssll"]
                                                                                "-+3" => false
                    Valid Number (/problems/valid-number)
                                                                                "95a54e53" => false
            32
                    Longest Valid Parentheses
                                                      Explanation: The longest valid parentheses substring is "()()"
                                                  Input: "aaa'
            647
                    Palindromic Substrings Output: 6
                                                  Explanation: Six palindromic strings: "a", "a", "a", "aa", "aa", "aaa".
                         类似 lc5 extend的思路。can skip
                                                                                         1. lower() 2. Skip if not char or number until I == j.
                    Valid Palindrome Input: "A man, a plan, a canal: Panama"
            <del>125</del>
                                          Output: true
                     Substring with Concatenation of
                                                                            s - barfoothefoobar
                                                                           words = ["foo",
                                                                                           'bar"l
                    concatenation-of-all-words)
                                                                         Output: [0,9]
                                                      Input: version1 = "7.5.2.4", version2 = "7.5.3"
            165
                    Compare Version Numbers Output: -1
                                                                                                           Split with dot and compare each number by iterate
                                                                                                           according to the short length,
                    If version1 > version2 return 1; if version1 < version2 return -1; otherwise return 0.
                    Decode Ways Input: "226"
                                                           06 is not okay, so for 206, you cannot divide it into 2 and 06. 0 is not okay.
            91
             Not bug free
                                      Explanation: It could be decoded as "BZ" (2 26), "VF" (22 6), or "BBF" (2 2 6).
                    Next Closest Time Input: "23:59"
                                                           ext-closest-time) Google 52
                                            Output: "22:22"
                                                                                                              n = len(s)
                   Not bug free, cannot skip Explanation: The
                                                                                                              i=0
                                                                                                              for i in range(n-1,-1,-1):
            609
                   Find Duplicate File in System (/problems/find-duplicate Input: "aacecaaa"
                                                                                         Output: "aaacecaaa"
                                                                                                                 if s[i] == s[j]:
                                                                                                                    j += 1
                    Shortest Palindrome (/problems/shortest-palindrome) Example 2:
                                                                                                             if j == n:
           Given a string s, you are allowed to convert it to a palindrome by adding characters in front of it.
                                                                                                                 return s
                                                                                         Input: "abcd"
                                                                                         Output: "dcbabcd"
                                                                                                             rev = s[j:n]
                                                                                                              print(j,rev)
                                                                                                              rev = rev[::-1]
                                                                                                             return rev + self.shortestPalindrome(s[0:i]) + s[i:]:
                                                                                                      aaaaaaaab - caaaaaaaaaa
                    Scramble String (/problems/scramble-string)
                                                                                                      aaaaaaaa – b
                                                                                                        – aaaaaaaa – b
                                                                                                     aaaaaaaaac - baaaaaaaab - caaaaaaaaa
            71
                    Simplify Path (/problems/simplify-path)
                                       "/a//b///c/d//.//..", => "/a/b/c"
                                                                                         Can skip 71, relative easy, if "/" temp = "" restart, if "." Skip, if "..",
                                                                                            Pop stack,
                    Word Ladder II (/problems/word-ladder-ii)
```



| | <u>686</u> | Repeated String Match (/problems/repeated-string-match) |
|----------|------------|---|
| 2 | 159 | Longest Substring with At Most Two Distinct Characters (/problems/longest-substring-with-at-most-two-distinct-characters) |
| ~ | 632 | Smallest Range (/problems/smallest-range) |
| ~ | 340 | Longest Substring with At Most K Distinct Characters (/problems/longest-substring-with-at-most-k-distinct-characters) ■ |
| | 161 | One Edit Distance (/problems/one-edit-distance) |
| | 788 | Rotated Digits (/problems/rotated-digits) |
| | 537 | Complex Number Multiplication (/problems/complex-number-multiplication) |
| | 819 | Most Common Word (/problems/most-common-word) |
| | 767 | Reorganize String (/problems/reorganize-string) |
| | 761 | Special Binary String (/problems/special-binary-string) |
| | 158 | Read N Characters Given Read4 II - Call multiple times (/problems/read-n-characters-given-read4-ii-call-multiple-times) |
| | 459 | Repeated Substring Pattern (/problems/repeated-substring-pattern) |
| | 890 | Find and Replace Pattern (/problems/find-and-replace-pattern) |
| | 553 | Optimal Division (/problems/optimal-division) |
| | 539 | Minimum Time Difference (/problems/minimum-time-difference) |
| | 157 | Read N Characters Given Read4 (/problems/read-n-characters-given-read4) |

Google 52

| 443 | String Compression (/problems/string-compression) |
|-----|---|
| 722 | Remove Comments (/problems/remove-comments) |
| 680 | Valid Palindrome II (/problems/valid-palindrome-ii) |
| 385 | Mini Parser (/problems/mini-parser) |
| 520 | Detect Capital (/problems/detect-capital) |
| 730 | Count Different Palindromic Subsequences (/problems/count-different-palindromic-subsequences) |
| 772 | Basic Calculator III (/problems/basic-calculator-iii) |
| 249 | Group Shifted Strings (/problems/group-shifted-strings) ■ |
| 937 | Reorder Log Files (/problems/reorder-log-files) |
| 583 | Delete Operation for Two Strings (/problems/delete-operation-for-two-strings) |
| 791 | Custom Sort String (/problems/custom-sort-string) |
| 186 | Reverse Words in a String II (/problems/reverse-words-in-a-string-ii) |
| 736 | Parse Lisp Expression (/problems/parse-lisp-expression) |
| 556 | Next Greater Element III (/problems/next-greater-element-iii) |
| 856 | Score of Parentheses (/problems/score-of-parentheses) |
| 678 | Valid Parenthesis String (/problems/valid-parenthesis-string) |
| 635 | Design Log Storage System (/problems/design-log-storage-system) ■ |
| 434 | Number of Segments in a String (/problems/number-of-segments-in-a-string) |
| 551 | Student Attendance Record I (/problems/student-attendance-record-i) |
| 468 | Validate IP Address (/problems/validate-ip-address) |
| 893 | Groups of Special-Equivalent Strings (/problems/groups-of-special-equivalent-strings) |
| 271 | Encode and Decode Strings (/problems/encode-and-decode-strings) |
| 293 | Flip Game (/problems/flip-game) ■ |
| 544 | Output Contest Matches (/problems/output-contest-matches) |

12/24/2018 String - LeetCode

| 899 | Orderly Queue (/problems/orderly-queue) |
|-----|---|
| 917 | Reverse Only Letters (/problems/reverse-only-letters) |
| 522 | Longest Uncommon Subsequence II (/problems/longest-uncommon- subsequence-ii) |
| 859 | Buddy Strings (/problems/buddy-strings) |
| 824 | Goat Latin (/problems/goat-latin) |
| 833 | Find And Replace in String (/problems/find-and-replace-in-string) |
| 616 | Add Bold Tag in String (/problems/add-bold-tag-in-string) |
| 842 | Split Array into Fibonacci Sequence (/problems/split-array-into-fibonacci sequence) |
| 809 | Expressive Words (/problems/expressive-words) |
| 916 | Word Subsets (/problems/word-subsets) |
| 848 | Shifting Letters (/problems/shifting-letters) |
| 831 | Masking Personal Information (/problems/masking-personal-information) |
| 800 | Similar RGB Color (/problems/similar-rgb-color) ■ |
| 936 | Stamping The Sequence (/problems/stamping-the-sequence) |
| 536 | Construct Binary Tree from String (/problems/construct-binary-tree-from-string) |
| 527 | Word Abbreviation (/problems/word-abbreviation) ■ |
| 816 | Ambiguous Coordinates (/problems/ambiguous-coordinates) |
| 591 | Tag Validator (/problems/tag-validator) |
| 408 | Valid Word Abbreviation (/problems/valid-word-abbreviation) ■ |
| 925 | Long Pressed Name (/problems/long-pressed-name) |
| 758 | Bold Words in String (/problems/bold-words-in-string) ● |
| 555 | Split Concatenated Strings (/problems/split-concatenated-strings) |

