State Finished Completed on Monday, 19 April 2021, 11:02 AM Time taken 1 hour 2 mins Marks 30.00/30.00 Grade 10.00 out of 10.00 (100%) Question 1 Correct Mark 1.00 out of 1.00 Which of the following codes insert an external css:- Select one: a -script href="style.css">-/script> b -script src="style.css">-/script> c -dink rel="stylesheet" href="style.css">- 0 d -dlink rel="stylesheet" href="style.css">- Your answer is correct. The correct answer is: -dlink rel="stylesheet" href="style.css">- Your answer is: -dlink rel="stylesheet" href="style.css">- Your answer is: -dlink rel="stylesheet" href="style.css">- Action the fel="stylesheet" href="style.css">- Action the fel="stylesheet" href="style.css">- Your answer is: -dlink rel="stylesheet" href="style.css">- Action the fel="stylesheet" href="style.css">- Action the f		Session 2020/2021 Semester 2 / INFORMATION & COMMUNICATION TECHNOLOGY / INFO 2302_01 SEM2 ot / Quiz 2 (CSS)
Completed on Monday, 19 April 2021, 11:02 AM Time taken 1 hour 2 mins Marks 30.00/30.00 Grade 10.00 out of 10.00 (100%) Which of the following codes insert an external css: Select one: a. «script href="style.css"> b. script src="style.css"> c. c.c.link rel="style.sheet" href="style.css"> d.d.link rel="style.sheet" href="style.css"> Vour answer is correct.	Started on	Monday, 19 April 2021, 10:00 AM
Time taken 1 hour 2 mins Marks 30.00/30.00 Grade 10.00 out of 10.00 (100%) Question 1 Correct Mark 1.00 out of 1.00 Which of the following codes insert an external css:- Select one: a. <script href="style.css"></script> b. <script src="style.css"></script> c. c.<link rel="stylesheet" src="style.css"/> d.<link href="style.css" rel="stylesheet"/> Your answer is correct.	State	Finished
Marks 30.00/30.00 Grade 10.00 out of 10.00 (100%) Question 1 Correct Mark 1.00 out of 1.00 Which of the following codes insert an external css:- Select one: a. <script href="style.css"></script> b. <script src="style.css"></script> c. c.<link rel="stylesheet" src="style.css"/>< v Your answer is correct.	Completed on	Monday, 19 April 2021, 11:02 AM
Grade 10.00 out of 10.00 (100%) Question 1 Correct Mark 1.00 out of 1.00 Which of the following codes insert an external css:- Select one: a. <script href="style.css"></script> b. <script src="style.css"></script> c. c.<link rel="stylesheet" src="style.css"/> d.d.<link href="style.css" rel="stylesheet"/> Your answer is correct.	Time taken	1 hour 2 mins
Question 1 Correct Mark 1.00 out of 1.00 Which of the following codes insert an external css:- Select one: a. <script href="style.css"></script> b. <script src="style.css"></script> c. <link rel="stylesheet" src="style.css"/> < d. <link href="style.css" rel="stylesheet"/> Your answer is correct.	Marks	30.00/30.00
Correct Mark 1.00 out of 1.00 Which of the following codes insert an external css:- Select one: a. <script href="style.css"></script> b. <script src="style.css"></script> c. c.c.<link rel="stylesheet" src="style.css"/> (o) d.<link href="style.css" rel="stylesheet"/> Your answer is correct.	Grade	10.00 out of 10.00 (100 %)
Select one: a. <script href="style.css"></script> b. <script src="style.css"></script> c. <link rel="stylesheet" src="style.css"/> d. <link href="style.css" rel="stylesheet"/> Your answer is correct.	Correct	
a. <script href="style.css"></script> b. <script src="style.css"></script> c. c.<link rel="stylesheet" src="style.css"/> d.d.<link href="style.css" rel="stylesheet"/> Your answer is correct.		
c. c.c.stylesheet" src="style.css"> d.<link href="style.css" rel="stylesheet"/> Your answer is correct.	Mark 1.00 out of 1.00	
 d.dink rel="stylesheet" href="style.css"> Your answer is correct. 	Mark 1.00 out of 1.00 Which of the follo Select one:	wing codes insert an external css:-
Your answer is correct.	Which of the follo Select one: a. <script href="</td"><td>wing codes insert an external css:- "style.css"></script>	
	Which of the follo Select one: a. <script href="b.<script" src="</td><td>wing codes insert an external css:- " style.css"=""></script> style.css">	
	Which of the follo Select one: a. <script href="b.<script" src=" c.c.<link rel=" sty<="" td=""><td>wing codes insert an external css:- "style.css"></script> style.css"> ylesheet" src="style.css">	
	Which of the follo Select one: a. <script href="b.<script" src=" c.c.<link rel=" sty<="" td=""><td>wing codes insert an external css:- "style.css"></script> style.css"> ylesheet" src="style.css">	
	Which of the follo Select one: a. <script href="b.<script" src=" c.c.<link rel=" sty<="" td=""><td>wing codes insert an external css:- "style.css"></script> style.css"> ylesheet" src="style.css"> vlesheet" href="style.css">	

Correct	
Mark 1.00 out of 1.00	
* { background-color:blue;}	
h1 { background-color:yellow;}	
.one { background-color:green;}	
#two{ background-color:red;}	
Which of the above is a class selector?	
Select one:	
a.h1	
• bone	
v	
c.#two	
d.*	
Your answer is correct.	
The correct answer is: .one	
Correct Mark 1.00 out of 1.00	
Mark 1.00 out of 1.00	
* { background-color:blue;}	
* { background-color:blue;}	
* { background-color:blue;} h1 { background-color:yellow;}	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;}	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;}	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;}	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;} Which of the above is an id selector?	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;} Which of the above is an id selector? Select one:	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;} Which of the above is an id selector? Select one: a.*	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;} Which of the above is an id selector? Select one: a.* b.h1	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;} Which of the above is an id selector? Select one: a.* b.h1	
* { background-color:blue;} h1 { background-color:green;} .one { background-color:red;} Which of the above is an id selector? Select one: a.* b.h1 c.#two d.one	
* { background-color:blue;} h1 { background-color:yellow;} .one { background-color:green;} #two{ background-color:red;} Which of the above is an id selector? Select one: a.* b.h1 c.#two	

Question 4	
Correct	
Mark 1.00 out of 1.00	
Which of the following is a BLOCK element?	
Select one:	
a.strong	
b.span	
c.img	
o d.li	
•	
Your answer is correct.	
The correct answer is: li	
Mark 1.00 out of 1.00	
body {	
width: 90%;	
max-width: 900px;	
margin: 0 auto;	
}	
Given the above codes, what is the purpose of margin: 0 auto?	
Select one:	
a.To take element <body> out of the normal flow</body>	
b.To default the size of box model <body> to 100%</body>	
c.To remove the margin	
d.To center the contents of <body></body>	
✓	
Your answer is correct.	
The correct answer is: To center the contents of <body></body>	

Question 6

Simple float example Content Co	Correct
Loren year did or is not consistent consist	Mark 1.00 out of 1.00
a.clear.left; b.z-index: left; c.position: left; d.float.left; Your answer is correct. The correct answer is: float.left; Question 7 Correct Mark 1.00 out of 1.00 How do we set the text colour of a paragraph to red? Select one: a.text-colour.red; b.text-colour.red; c.colour.red; d.color.red; d.color.red;	Lorem ipsuar dolor sit aans consectetur adipsicing el Nulla luctus aliquam dole lacinia loren placerat vulg Duis felis orci, pulvinar id metus ut, ruturn luctus orci. Cras portistor imperdimane, at ultricies tellus lacreet sit amet. Sed auctor cursus massa at porta. Integ
The correct answer is: float:left; Question 7 Correct Mark 1.00 out of 1.00 How do we set the text colour of a paragraph to red? Select one: a.text-colour.red; b.text-colour.red; c.colour.red; d.color.red; Vour answer is correct.	a.clear:left; b.z-index: left; c.position: left;
Correct Mark 1.00 out of 1.00 How do we set the text colour of a paragraph to red? Select one: a.text-colour.red; b.text-color.red; c.colour.red; d.color.red; Your answer is correct.	
Select one: a.text-colour.red; b.text-color.red; c.colour.red; d.color.red; Your answer is correct.	Correct
 a.text-colour:red; b.text-color:red; c.colour:red; d.color:red; Your answer is correct.	How do we set the text colour of a paragraph to red?
	a.text-colour:red; b.text-color:red; c.colour:red; d.color:red;

Question 8

Correct
Mark 1.00 out of 1.00
Which of the following is FALSE about the id attribute?
Select one:
a.In CSS, to select an element with a specific id, write a hash (.) character
b.The id value can be used by CSS and JavaScript
oc.In CSS, to select an element with a specific id, write a period (.) character
✓
d.The id attribute specifies a unique id for an HTML element
Your answer is correct.
The correct answer is: In CSS, to select an element with a specific id, write a period (.) character
Question 9
Correct
Mark 1.00 out of 1.00
From the following code, what is the colour of the paragraph?
<html></html>
<head></head>
<style></td></tr><tr><td>p {color: red;}</td></tr><tr><td></style>
<pre>Online Shopping</pre>
Select one: a.none of these
b.red
c.both red and blue
o d.blue
✓
Your answer is correct.
The correct answer is: blue

Question 10	
Correct	
Mark 1.00 out of 1.00	
Which of the following selector matches a element based on its id?	
Select one:	
a.The Universal Selector	
b.The Id Selector	
✓	
c.The Class Selector	
d.The Descendant Selector	
Your answer is correct.	
The correct answer is: The Id Selector	
Correct Mark 1.00 out of 1.00	
Which of the following defines a relative measurement for the height of a font in em spaces?	
Select one:	
a.cm	
• b.em	
✓	
c.ex	
d.%	
Vous angues is correct	
Your answer is correct.	
The correct answer is: em	

Question 12
Correct
Mark 1.00 out of 1.00
Which of the following is correct about RGB Values format of CSS colors?
Select one: a.This property takes three values, one each for red, green, and blue. b.All of the above.
c.This color value is specified using the rgb() property. d.The value can be an integer between 0 and 255 or a percentage.
Your answer is correct. The correct answer is: All of the above.
Question 13 Correct Mark 1.00 out of 1.00
Which of the following property is used to control the scrolling of an image in the background?
Select one: a.background-repeat b.background-position c.background-attachment
d.background
Your answer is correct. The correct answer is: background-attachment

Question 14
Correct
Mark 1.00 out of 1.00
Which of the following property is used to underline, overline, and strikethrough text?
Select one: a.text-indent
b.text-transform
• c.text-decoration
d.text-align
Your answer is correct. The correct answer is: text-decoration
Question 15 Correct Mark 1.00 out of 1.00
Which of the following property is used to control the flow and formatting of text?
Select one: a.text-transform
b.text-decoration
• c.white-space
d.text-shadow
Your answer is correct.
The correct answer is: white-space

Question 16
Correct
Mark 1.00 out of 1.00
Which of the following property changes the color of bottom border?
Select one:
a.:border-style
b.:border-bottom-color
c.:border-color
d.:border-width
Your answer is correct.
The correct answer is: :border-bottom-color
Question 17 Correct
Mark 1.00 out of 1.00
Which of the following property changes the style of right border?
Select one:
a.:border-bottom-style
b.:border-left-style
o c.:border-right-style
d.:border-top-style
Your answer is correct.
The correct answer is: <u>:border-right-style</u>

https://italeemc.iium.edu.my/mod/quiz/review.php?attempt=137587&cmid=108180

Question 18
Correct
Mark 1.00 out of 1.00
Which of the following property specifies the bottom margin of an element?
Select one:
a.:margin-left
b.:margin
• c.:margin-bottom
d.:margin-top
Your answer is correct.
The correct answer is: :margin-bottom
Question 19 Correct Mark 1.00 out of 1.00
Which of the following property specifies the left padding of an element?
Select one:
a.padding-top
b.padding-bottom
• c.padding-left
d.padding-right
Your answer is correct.
The correct answer is: padding-left

Question **20**Correct
Mark 1.00 out of 1.00

If we want to wrap a block of text around an image, which css property will we use?

Select one: a.align			
• b.float			
c.push d.wrap			
Your answer is co			

Question 21

Correct

Mark 1.00 out of 1.00

By default Hyperlinks are displayed with an underline. How do you remove the underline from all hyperlinks by using CSS code?

one: a {text-decoration: no-underline;} a {text-decoration:none;}	
a {text: no-underline;} a {text-style: no-underline;}	
r answer is correct. correct answer is: a {text-decoration:none;}	

Question 22
Correct
Mark 1.00 out of 1.00

How will you make all paragraph elements 'RED' in color ?

Select one:
a.p.all {color: #990000;}
b.p.all {color: red;}
• c.p {color: red;}
✓
d.all.p {color: #998877;}
Your answer is correct.
The correct answer is: p {color: red;}
Question 23
Correct
Mark 1.00 out of 1.00
The default value of "position" attribute is
Select one:
a.inherit
b.fixed
C.absolute
• d.relative
✓
Your answer is correct.
The correct answer is: relative

https://italeemc.iium.edu.my/mod/quiz/review.php?attempt=137587&cmid=108180

Question 26	
Correct	
Mark 1.00 out of 1.00	
Which element is used in the <head> section on an HTML / XHTMLpage, if we want to use an external style sheet file to decorate the page?</head>	е
Select one:	
• a. <link/>	
•	
b. <style></td><td></td></tr><tr><td>C.<css></td><td></td></tr><tr><td>d.<src></td><td></td></tr><tr><td>Your answer is correct.</td><td></td></tr><tr><td>The correct answer is: <link></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td>Question 27</td><td></td></tr><tr><td>Correct</td><td></td></tr><tr><th>Mark 1.00 out of 1.00</th><th></th></tr><tr><th></th><th></th></tr><tr><th>Can we define the text direction via css property?</th><th></th></tr><tr><td>Select one:</td><td></td></tr><tr><td>• True •</td><td></td></tr><tr><td>False</td><td></td></tr><tr><td>The correct answer is 'True'.</td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td>Question 28</td><td></td></tr><tr><td>Correct</td><td></td></tr><tr><td>Mark 1.00 out of 1.00</td><td></td></tr><tr><td>Is it possible to declare font-weight, font-face & font-size by using ONLY ONE css propery?</td><td></td></tr><tr><td>Colort one:</td><td></td></tr><tr><td>Select one: True True</td><td></td></tr><tr><td>False</td><td></td></tr><tr><td>1 4136</td><td></td></tr><tr><td>The correct answer is 'True'.</td><td></td></tr><tr><td></td><td></td></tr></tbody></table></style>	

Question 29 Correct Mark 1.00 out of 1.00 If we want to show an Arrow as cursor, then which value we will use? Select one: a.pointer b.arrow c.default d.arr Your answer is correct. The correct answer is: default Question 30 Correct Mark 1.00 out of 1.00 Which of the following properties will we use to display border around a cell without any content? Select one: a.noncontent-cell b.blank-cell c.empty-cell d.void-cell Your answer is correct. The correct answer is: empty-cell