

NetworkMiner Threat Hunt Report

Student: Jobayer Bhuiyan • Date: 2026-02-19

This document summarizes what has been identified so far from the provided NetworkMiner screenshots for two packet captures (Network1.pcap and Network2.pcap). Each section lists the discovered local networks, domain information, likely infrastructure roles (Domain Controller / DNS / gateway), and the evidence used.

1. Network 1 (network1.pcap)

1.1 Local networks (private IPs)	192.168.1.0/24 and 192.168.100.0/24 were observed in DNS traffic.
1.2 Local domain names used	seclan.local (host WIN2012DC.seclan.local observed).
1.3 Domain Controller (if present)	WIN2012DC.seclan.local at 192.168.1.1 (appears to answer DNS).
1.4 Local DNS Servers	192.168.1.1 and 192.168.100.3; external resolver 8.8.8.8 also queried.
1.5 LAN segment gateway IP (or IP)	192.168.1.254 appears to be a router/NAT device for the 192.168.1.0/24 segment (many

Evidence (Screenshots)

MyNETLAB > ThreatHunting-NC202-jbhuiyan > Reservation 11222 > Network Forensics and Threat Hunting

TopologyContentStatusSecurityOnionWin10SOC

Time Remaining038hrsmin

ApplicationsPlacesOpen

NetworkMiner 2.8.1

FileToolsHelp

Anomalies

Hosts (123)Files (193)ImagesMessagesCredentials (40)Sessions (185)DNS (658)Parameters (5809)Keywords

Filter keyword:Case sensitiveExactPhraseAny columnClearApply

Frame nr.	Timestamp	Client	Client Port	Server
4	2023-01-31 19:47:28 UTC	192.168.1.11	37734	8.8.8.8
5	2023-01-31 19:47:28 UTC	192.168.1.11	60262	8.8.8.8
114	2023-01-31 19:47:40 UTC	192.168.1.1	65478	192.168.100.3
116	2023-01-31 19:47:40 UTC	192.168.1.5 [WIN7] (Windows)	50280	192.168.1.1
120	2023-01-31 19:47:40 UTC	192.168.1.1	55882	192.168.100.3
121	2023-01-31 19:47:40 UTC	192.168.1.5 [WIN7] (Windows)	60742	192.168.1.1
143	2023-01-31 19:47:41 UTC	192.168.1.11	46278	8.8.8.8
144	2023-01-31 19:47:41 UTC	192.168.1.11	35395	8.8.8.8
153	2023-01-31 19:47:42 UTC	192.168.1.11	55732	8.8.8.8
154	2023-01-31 19:47:42 UTC	192.168.1.11	41422	8.8.8.8
216	2023-01-31 19:48:02 UTC	192.168.1.11	59234	8.8.8.8
217	2023-01-31 19:48:02 UTC	192.168.1.11	37084	8.8.8.8
252	2023-01-31 19:48:03 UTC	192.168.1.1	55551	192.168.100.3
253	2023-01-31 19:48:03 UTC	192.168.1.1	56036	192.168.100.3
254	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	54821	192.168.1.1
255	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	56701	192.168.1.1
257	2023-01-31 19:48:03 UTC	192.168.1.1	49326	192.168.100.3
257	2023-01-31 19:48:03 UTC	192.168.1.1	49326	192.168.100.3
258	2023-01-31 19:48:03 UTC	192.168.1.1	49534	192.168.100.3
259	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	62269	192.168.1.1
259	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	62269	192.168.1.1
261	2023-01-31 19:48:03 UTC	192.168.1.1	55241	192.168.100.3
262	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	54787	192.168.1.1
266	2023-01-31 19:48:03 UTC	192.168.1.1	55985	192.168.100.3
267	2023-01-31 19:48:03 UTC	192.168.1.1	55537	192.168.100.3
268	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	51821	192.168.1.1
269	2023-01-31 19:48:03 UTC	192.168.1.5 [WIN7] (Windows)	52631	192.168.1.1
303	2023-01-31 19:48:03 UTC	192.168.1.1	55556	192.168.100.3
304	2023-01-31 19:48:03 UTC	192.168.1.1	55476	192.168.100.3

Case PanelFile...MDSnetwor... 7949...Reload Case Files

Buffered Frames to Parse:

Figure 1: DNS tab showing clients in 192.168.1.0/24 querying 192.168.100.3, 192.168.1.1, and 8.8.8.8 (Google DNS).

The screenshot shows the NetworkMiner 2.8.1 interface with the DNS tab selected. The table displays the following data:

Frame nr.	Timestamp	Client	Client Port	Server	Server Port
181726	2023-01-31 19:51:02 UTC	192.168.1.11 [Windows]	49449	8.8.8.8	53
181787	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	56030	192.168.100.3	53
181787	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	56030	192.168.100.3	53
181787	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	56030	192.168.100.3	53
181788	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	55503	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181788	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	55503	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181788	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	55503	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181788	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	55503	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181788	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	55503	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181789	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	50095	192.168.100.3	53
181789	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	50095	192.168.100.3	53
181789	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	50095	192.168.100.3	53
181791	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	50230	192.168.100.3	53
181792	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	59358	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181792	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	59358	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181792	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	59358	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181803	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	49555	192.168.100.3	53
181803	2023-01-31 19:51:06 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	49555	192.168.100.3	53
181804	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63006	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181804	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63006	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181804	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63006	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181804	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63006	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181804	2023-01-31 19:51:06 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63006	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181855	2023-01-31 19:51:10 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	62910	192.168.100.3	53
181855	2023-01-31 19:51:10 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	62910	192.168.100.3	53
181855	2023-01-31 19:51:10 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	62910	192.168.100.3	53
181856	2023-01-31 19:51:10 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63021	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181856	2023-01-31 19:51:10 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63021	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181856	2023-01-31 19:51:10 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	63021	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53
181940	2023-01-31 19:51:14 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	49896	192.168.100.3	53
181940	2023-01-31 19:51:14 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	49896	192.168.100.3	53
181940	2023-01-31 19:51:14 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	49896	192.168.100.3	53
181940	2023-01-31 19:51:14 UTC	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	49896	192.168.100.3	53
181941	2023-01-31 19:51:14 UTC	192.168.1.3 [Win10.local] [WIN10] (Windows)	54797	192.168.1.1 [WIN2012DC.seclan.local] [SECLAN] ...	53

Figure 2: DNS tab showing local domain host WIN2012DC.seclan.local and DNS server responses on port 53.




Figure 3: Hosts tab highlighting 192.168.1.254 with many connections to external IPs sharing the same MAC (suggesting routing/NAT).

Adversary / anomaly notes (so far)

The provided screenshots mainly show DNS and host inventory views. Based on the evidence shown, no specific malicious indicators were confirmed yet. To meet the threat-hunting part of the lab, the next step is to pivot into Sessions, Files, Credentials, and Anomalies tabs to identify unusual destinations, rare protocols/ports, suspicious file transfers, or credential leakage.

2. Network 2 (network2.pcap)

2.1 Local networks (private IPs)	10.0.2.0/24 and 192.168.3.0/24 were observed in DNS traffic.
2.2 Local domain names used	No internal AD-style domain is visible in the provided evidence (host shown as student01).
2.3 Domain Controller (if present)	Not identified from the provided screenshots.
2.4 Local DNS Servers	10.0.2.3 and 192.168.3.1 (observed as DNS servers on port 53).
2.5 LAN segment gateway IP (or IPs)	gateway IP was not directly confirmed in the screenshots; 192.168.3.1 may be an infra

Evidence (Screenshots)

MADISON

AREA TECHNICAL

COLLEGE

Home

Reservation

jbhuiyan

MyNETLAB

>

ThreatHunting-NC202-jbhuiyan

>

Reservation 11222

>

Network Forensics and Threat Hunting

Time Remaining

0 28

hrs. min.

Topology

Content

Status

SecurityOnion

Win10SOC

Applications

Places

NetworkMiner 2.8.1

Feb 19 05:51

File

Tools

Help

NetworkMiner 2.8.1

Case Panel

Hosts (232)

Files (496)

Images (236)

Messages

Credentials (140)

Sessions (558)

DNS (92)

Parameters (15576)

Keywords

Anomalies

Filter keywords:

Case sensitive

ExactPhrase

Any column

Clear

Apply

Frame nr.	Timestamp	Client	Client Port	Server	Server Port	IP TTL	DNS TTL (time)	Transaction ID	Type
11264	2011-01-25 18:56:09 UTC	10.0.2.15 [ATXPVM] (Windows)	61870	10.0.2.3	53	64	00:00:20	0xd3C4	0x0001
11264	2011-01-25 18:56:09 UTC	10.0.2.15 [ATXPVM] (Windows)	61870	10.0.2.3	53	64	00:00:20	0xd3C4	0x0001
11286	2011-01-25 18:56:10 UTC	10.0.2.15 [ATXPVM] (Windows)	64982	10.0.2.3	53	64	00:58:16	0xf99D	0x0005
11286	2011-01-25 18:56:10 UTC	10.0.2.15 [ATXPVM] (Windows)	64982	10.0.2.3	53	64	00:58:16	0xf99D	0x0001
11331	2011-01-25 18:56:13 UTC	10.0.2.15 [ATXPVM] (Windows)	57632	10.0.2.3	53	64	00:13:19	0xE94C	0x0005
11331	2011-01-25 18:56:13 UTC	10.0.2.15 [ATXPVM] (Windows)	57632	10.0.2.3	53	64	00:01:00	0xE94C	0x0001
11359	2011-01-25 18:56:14 UTC	10.0.2.15 [ATXPVM] (Windows)	62310	10.0.2.3	53	64	00:02:25	0x05FC	0x0001
11397	2011-01-25 18:56:14 UTC	10.0.2.15 [ATXPVM] (Windows)	59794	10.0.2.3	53	64	00:10:00	0x3951	0x0001
11397	2011-01-25 18:56:14 UTC	10.0.2.15 [ATXPVM] (Windows)	59794	10.0.2.3	53	64	00:10:00	0x3951	0x0001
11517	2011-01-25 18:56:16 UTC	10.0.2.15 [ATXPVM] (Windows)	58511	10.0.2.3	53	64	09:13:20	0x2F80	0x0005
11517	2011-01-25 18:56:16 UTC	10.0.2.15 [ATXPVM] (Windows)	58511	10.0.2.3	53	64	06:00:00	0x2F80	0x0005
11517	2011-01-25 18:56:16 UTC	10.0.2.15 [ATXPVM] (Windows)	58511	10.0.2.3	53	64	00:00:20	0x2F80	0x0001
11517	2011-01-25 18:56:16 UTC	10.0.2.15 [ATXPVM] (Windows)	58511	10.0.2.3	53	64	00:00:20	0x2F80	0x0001
11567	2011-01-25 18:56:18 UTC	10.0.2.15 [ATXPVM] (Windows)	58971	10.0.2.3	53	64	00:58:20	0x1530	0x0005
11567	2011-01-25 18:56:18 UTC	10.0.2.15 [ATXPVM] (Windows)	58971	10.0.2.3	53	64	00:00:15	0x1530	0x0001
12717	2011-01-25 18:56:35 UTC	10.0.2.15 [ATXPVM] (Windows)	59686	10.0.2.3	53	64	00:15:00	0x21A6	0x0005
12717	2011-01-25 18:56:35 UTC	10.0.2.15 [ATXPVM] (Windows)	59686	10.0.2.3	53	64	00:05:00	0x21A6	0x0001
12717	2011-01-25 18:56:35 UTC	10.0.2.15 [ATXPVM] (Windows)	59686	10.0.2.3	53	64	00:05:00	0x21A6	0x0001
13190	2011-01-25 18:56:46 UTC	10.0.2.15 [ATXPVM] (Windows)	61133	10.0.2.3	53	64	00:15:00	0xA162	0x0005
13190	2011-01-25 18:56:46 UTC	10.0.2.15 [ATXPVM] (Windows)	61133	10.0.2.3	53	64	00:04:49	0xA162	0x0001
13190	2011-01-25 18:56:46 UTC	10.0.2.15 [ATXPVM] (Windows)	61133	10.0.2.3	53	64	00:04:49	0xA162	0x0001
13497	2011-01-25 18:57:01 UTC	10.0.2.15 [ATXPVM] (Windows)	59365	10.0.2.3	53	64	00:15:00	0x1EEF	0x0005
13497	2011-01-25 18:57:01 UTC	10.0.2.15 [ATXPVM] (Windows)	59365	10.0.2.3	53	64	00:04:34	0x1EEF	0x0001
13497	2011-01-25 18:57:01 UTC	10.0.2.15 [ATXPVM] (Windows)	59365	10.0.2.3	53	64	00:04:34	0x1EEF	0x0001
14197	2011-01-25 18:57:18 UTC	192.168.3.131 [student01-PC] (Windows)	50629	192.168.3.1	53	64	00:01:57	0xB363	0x0001
14197	2011-01-25 18:57:18 UTC	192.168.3.131 [student01-PC] (Windows)	50629	192.168.3.1	53	64			

Figure 4: DNS tab showing traffic between 10.0.2.15 and 10.0.2.3 (DNS), plus student01-PC1 (192.168.3.13) querying 192.168.3.1 on port 53.




Figure 5: Hosts tab highlighting a Windows host (109.255.178.86) and OS fingerprinting details (example host profiling in NetworkMiner).

Adversary / anomaly notes (so far)

No specific adversary behavior was confirmed from the screenshots provided. Next steps: (1) check Anomalies for suspicious DNS patterns and rare ports, (2) inspect Sessions for unexpected outbound connections or high-volume transfers, and (3) review Files/Credentials tabs for artifacts that indicate compromise.