Results of fit for all groups

We present a table with the results of the fit for the stacking of all groups of spaxels selected described in Sec. 3.4 with Methods 1-5 explained in Sec. 3.5.

Table E.1: Fit Result of Stacked Spectrum with Methods 1-5 (continued)

Group	N_{gal}	N_{spa}	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	Method	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
All	63	858	$0.03^{+0.05}_{-0.02}$	$4.94^{+8.10}_{-2.89}$	1	207.14	$33.39^{+20.05}_{-20.04}$	$76.31^{+20.13}_{-20.07}$
					2	185.46	$40.59^{+20.11}_{-20.10}$	$85.58^{+20.11}_{-20.09}$
					3	-14.60	$36.71^{+20.03}_{-20.05}$	...
					4	-7.78	$35.94^{+20.02}_{-20.02}$	...
					5	-15.67	$37.31^{+20.01}_{-20.02}$	...
Star-forming	55	641	$0.03^{+0.04}_{-0.02}$	$4.17^{+5.65}_{-2.43}$	1	126.64	$29.96^{+20.03}_{-20.02}$	$64.90^{+20.12}_{-20.07}$
					2	153.34	$29.48^{+20.02}_{-20.01}$	$66.37^{+20.12}_{-20.07}$
					3	-14.89	$34.20^{+20.00}_{-20.01}$	...
					4	-19.70	$35.08^{+20.00}_{-20.00}$	...
					5	-15.03	$34.45^{+20.00}_{-20.01}$	...
Seyfert and LINER	12	55	$0.06^{+0.09}_{-0.04}$(∗)	$13.11^{+12.30}_{-7.17}$	1	-0.62	$50.91^{+20.56}_{-20.78}$	...
					2	19.63	$61.21^{+21.47}_{-21.74}$	$93.65^{+23.29}_{-23.91}$
					3	-13.57	$41.77^{+20.38}_{-20.64}$	...
					4	-14.71	$43.25^{+20.02}_{-20.03}$	...
					5	-9.38	$42.88^{+20.16}_{-20.23}$	...
INTER	30	155	$0.02^{+0.06}_{-0.01}$	$8.59^{+9.78}_{-4.86}$	1	108.43	$58.25^{+21.34}_{-21.00}$	$106.50^{+25.97}_{-21.35}$
					2	110.01	$65.98^{+20.14}_{-20.15}$	$83.41^{+21.07}_{-20.93}$
					3	-20.25	$53.09^{+20.03}_{-20.05}$	...
					4	2.19	$48.99^{+20.05}_{-20.04}$	$58.42^{+20.24}_{-20.07}$
					5	-14.08	$54.09^{+20.06}_{-20.14}$	...
$\Sigma_{SFR} > 0.01$	50	565	$0.03^{+0.04}_{-0.01}$	$4.58^{+6.24}_{-2.39}$	1	117.23	$30.21^{+20.03}_{-20.02}$	$64.69^{+20.09}_{-20.06}$
					2	172.32	$29.81^{+20.02}_{-20.01}$	$66.61^{+20.13}_{-20.08}$
					3	-15.12	$34.61^{+20.00}_{-20.01}$	...
					4	-48.03	$35.38^{+20.00}_{-20.00}$	...
					5	-14.82	$34.94^{+20.00}_{-20.01}$	...
$\Sigma_{SFR} > 0.03$	25	309	$0.06^{+0.04}_{-0.02}$	$6.84^{+7.00}_{-3.46}$	1	100.37	$31.97^{+20.05}_{-20.05}$	$70.55^{+20.14}_{-20.09}$
					2	143.84	$31.15^{+20.03}_{-20.03}$	$72.61^{+20.15}_{-20.11}$
					3	-13.67	$36.19^{+20.01}_{-20.01}$	...
					4	-12.18	$37.10^{+20.00}_{-20.01}$	...
					5	-14.49	$36.54^{+20.01}_{-20.01}$	...
$\Sigma_{SFR} > 0.05$	16	179	$0.06^{+0.04}_{-0.02}$	$8.91^{+7.97}_{-4.28}$	1	87.38	$35.29^{+20.14}_{-20.11}$	$79.54^{+20.33}_{-20.21}$
					2	129.25	$33.62^{+20.08}_{-20.07}$	$79.07^{+20.21}_{-20.17}$
					3	-10.56	$37.66^{+20.02}_{-20.03}$	...
					4	-8.57	$38.18^{+20.01}_{-20.03}$	...
					5	-9.54	$38.24^{+20.02}_{-20.04}$	...
$\Sigma_{SFR} > 0.07$	15	108	$0.09^{+0.04}_{-0.02}$	$11.09^{+7.85}_{-5.04}$	1	34.04	$47.43^{+20.42}_{-20.29}$	$86.56^{+20.82}_{-20.52}$
					2	55.12	$44.03^{+20.33}_{-20.24}$	$84.57^{+20.47}_{-20.39}$
					3	-11.97	$44.89^{+20.04}_{-20.06}$	...
					4	-6.61	$45.68^{+20.04}_{-20.07}$	...
					5	-12.77	$45.69^{+20.04}_{-20.08}$	...
$\Sigma_{SFR} > 0.1$	10	45	$0.12^{+0.06}_{-0.01}$	$12.52^{+9.73}_{-5.12}$	1	-5.00	$69.06^{+20.21}_{-20.38}$	...
					2	0.50	$62.37^{+20.43}_{-20.52}$	$91.30^{+27.03}_{-23.53}$
					3	-14.87	$51.19^{+20.05}_{-20.06}$	...
					4	-9.24	$53.12^{+20.13}_{-20.16}$	...
					5	-12.76	$52.98^{+20.08}_{-20.14}$	...

Notes. Properties and results of fit of stacking with Methods 1-5. Group of spaxels included in stacking, Number of galaxies, Number of spaxels, Median Σ_{SFR} of spaxels and the lower and upper errors are the difference between the 16th and 84th percentile and median respectively, Σ_* median with errors values as Σ_{SFR}, ΔBIC = BIC_{single} - BIC_{double} values of the fits, and Narrow σ_{narrow} and Broad σ_{broad} dispersion velocity values of the double Gaussian fit in km s^{-1}. In the cases of ΔBIC< 0 only σ_{narrow} values are reported as the best fit is the single Gaussian.
(∗) Median Σ_{SFR} could have contamination from other kind ionization than star-formation for Seyfert galaxies.

Table E.1: Fit Result of Stacked Spectrum with Methods 1-5 (continued)

Group	N_{gal}	N_{spa}	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	Method	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
0.1 dex up rMS	32	226	$0.04^{+0.04}_{-0.02}$	$2.98^{+3.57}_{-1.69}$	1	84.84	$28.84^{+20.07}_{-20.06}$	$66.31^{+20.80}_{-20.45}$
					2	133.75	$28.96^{+20.06}_{-20.04}$	$70.05^{+20.61}_{-20.36}$
					3	-12.72	$30.99^{+20.01}_{-20.01}$	...
					4	-12.79	$31.42^{+20.01}_{-20.01}$	...
					5	-12.17	$31.05^{+20.01}_{-20.01}$	...
0.2 dex up rMS	26	133	$0.04^{+0.05}_{-0.02}$	$2.44^{+2.52}_{-1.37}$	1	89.24	$28.57^{+20.12}_{-20.10}$	$70.31^{+21.08}_{-20.59}$
					2	108.87	$29.77^{+20.11}_{-20.09}$	$76.73^{+21.21}_{-20.80}$
					3	-11.25	$29.55^{+20.01}_{-20.02}$	...
					4	-8.31	$30.06^{+20.01}_{-20.03}$	...
					5	-10.47	$29.78^{+20.01}_{-20.02}$	...
0.3 dex up rMS	19	80	$0.04^{+0.04}_{-0.02}$	$2.25^{+2.02}_{-1.29}$	1	37.47	$27.77^{+20.14}_{-20.12}$	$67.37^{+22.70}_{-21.27}$
					2	32.62	$27.83^{+20.12}_{-20.10}$	$67.51^{+21.99}_{-21.05}$
					3	-12.63	$29.46^{+20.02}_{-20.03}$	...
					4	-12.97	$29.75^{+20.01}_{-20.02}$	...
					5	-11.11	$29.63^{+20.02}_{-20.04}$	...

Results of selecting various line width ranges

Table E.2 shows the results of the fit for the stacking of all groups of spaxels selected described in Sec. 3.4 with Methods 6 explained in Sec. 3.5.

Table E.2: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s^{-1}]	N_{gal}	N_{spa}	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
All	20-40	53	470	$0.03^{+0.03}_{-0.01}$	$4.09^{+5.67}_{-2.40}$	-13.28	$28.04^{+20.00}_{-20.01}$	...
	20-60	58	667	$0.03^{+0.04}_{-0.01}$	$4.29^{+6.72}_{-2.42}$	50.51	$29.38^{+20.03}_{-20.02}$	$49.31^{+20.43}_{-20.15}$
	20-80	60	763	$0.03^{+0.04}_{-0.01}$	$4.56^{+7.67}_{-2.56}$	129.62	$35.84^{+20.19}_{-20.13}$	$65.94^{+20.65}_{-20.30}$
	20-100	61	816	$0.03^{+0.04}_{-0.02}$	$4.87^{+8.09}_{-2.80}$	153.10	$40.62^{+20.18}_{-20.14}$	$82.09^{+20.20}_{-20.14}$
	20-120	61	836	$0.03^{+0.05}_{-0.02}$	$4.93^{+8.08}_{-2.84}$	166.29	$41.37^{+20.16}_{-20.13}$	$84.26^{+20.15}_{-20.11}$
	20-140	61	842	$0.03^{+0.05}_{-0.02}$	$4.94^{+8.09}_{-2.84}$	179.64	$41.58^{+20.21}_{-20.16}$	$84.88^{+20.17}_{-20.12}$
	20-160	61	846	$0.03^{+0.05}_{-0.02}$	$4.97^{+8.07}_{-2.86}$	168.73	$41.02^{+20.15}_{-20.12}$	$85.38^{+20.14}_{-20.11}$
	20-180	61	849	$0.03^{+0.05}_{-0.02}$	$5.00^{+8.05}_{-2.87}$	185.19	$41.43^{+20.17}_{-20.14}$	$85.54^{+20.15}_{-20.11}$
	40-60	48	197	$0.03^{+0.05}_{-0.01}$	$5.29^{+7.87}_{-2.85}$	-13.31	$47.19^{+20.02}_{-20.04}$	...
	60-80	32	96	$0.03^{+0.08}_{-0.02}$	$7.75^{+10.23}_{-4.18}$	-13.75	$60.77^{+20.18}_{-20.16}$	...
	80-100	23	53	$0.05^{+0.09}_{-0.03}$	$11.13^{+15.14}_{-5.42}$	28.35	$73.93^{+20.21}_{-20.17}$	$88.16^{+20.40}_{-20.10}$
	100-120	13	20	$0.03^{+0.11}_{-0.01}$	$9.36^{+8.54}_{-4.80}$	-14.35	$101.81^{+20.21}_{-20.25}$	...
	120-140	4	6	$0.05^{+0.04}_{-0.02}$	$7.24^{+9.31}_{-9.69}$	...	...	...
	140-160	3	4	$0.09^{+0.00}_{-0.01}$	$15.63^{+9.69}_{-6.97}$	...	...	...
	160-180	2	3	$0.08^{+0.03}_{-0.04}$	$10.73^{+7.00}_{-2.65}$	...	...	...
	180-200	8	9	$0.003^{+0.013}_{-0.002}$	$0.31^{+0.56}_{-0.18}$	...	...	...
Star-forming	20-40	48	393	$0.03^{+0.03}_{-0.01}$	$3.74^{+4.35}_{-2.21}$	-15.26	$27.83^{+20.00}_{-20.00}$	...
	20-60	51	542	$0.03^{+0.04}_{-0.01}$	$3.91^{+4.65}_{-2.21}$	27.03	$29.53^{+20.03}_{-20.02}$	$48.51^{+20.50}_{-20.19}$
	20-80	52	597	$0.03^{+0.04}_{-0.01}$	$4.00^{+5.08}_{-2.22}$	85.96	$29.44^{+20.02}_{-20.01}$	$54.44^{+20.16}_{-20.07}$
	20-100	53	620	$0.03^{+0.04}_{-0.01}$	$4.17^{+5.47}_{-2.37}$	137.95	$29.38^{+20.02}_{-20.01}$	$60.31^{+20.09}_{-20.06}$
	20-120	53	629	$0.03^{+0.04}_{-0.02}$	$4.22^{+5.54}_{-2.41}$	169.02	$29.50^{+20.02}_{-20.01}$	$64.70^{+20.10}_{-20.07}$
	20-140	53	632	$0.03^{+0.04}_{-0.02}$	$4.23^{+5.63}_{-2.40}$	177.82	$29.49^{+20.01}_{-20.01}$	$65.86^{+20.11}_{-20.07}$
	20-160	53	633	$0.03^{+0.04}_{-0.02}$	$4.23^{+5.67}_{-2.40}$	175.81	$29.51^{+20.02}_{-20.01}$	$65.96^{+20.10}_{-20.07}$
	20-180	53	633	$0.03^{+0.04}_{-0.02}$	$4.23^{+5.67}_{-2.40}$	176.12	$29.47^{+20.01}_{-20.01}$	$66.05^{+20.10}_{-20.07}$
	40-60	38	149	$0.03^{+0.05}_{-0.01}$	$4.25^{+5.62}_{-2.07}$	-13.67	$47.69^{+20.02}_{-20.04}$	...
	60-80	22	55	$0.04^{+0.05}_{-0.02}$	$6.33^{+8.76}_{-3.26}$	-15.40	$67.20^{+20.06}_{-20.07}$	...
	80-100	11	23	$0.08^{+0.06}_{-0.05}$	$10.15^{+12.81}_{-3.50}$	-15.38	$83.93^{+20.19}_{-20.31}$	...
	100-120	7	9	$0.07^{+0.11}_{-0.05}$	$7.93^{+8.47}_{-3.65}$	...	...	...
	120-140	2	3	$0.08^{+0.04}_{-0.04}$	$13.11^{+11.70}_{-3.87}$	...	...	...
	140-160	1	1	$0.10^{+0.00}_{-0.00}$	$21.83^{+0.00}_{-0.00}$	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	7	8	$0.002^{+0.011}_{-0.002}$	$0.24^{+0.37}_{-0.12}$	...	...	...

Notes. Properties and results of fit of stacking with Methods 1-5. Group of spaxels included in stacking, Number of galaxies, Number of spaxels, Median Σ_{SFR} of spaxels and the lower and upper errors are the difference between the 16th and 84th percentile and median respectively, Σ_* median with errors values as Σ_{SFR}, ΔBIC = BIC_{single} - BIC_{double} values of the fits, and Narrow σ_{narrow} and Broad σ_{broad} dispersion velocity values of the double Gaussian fit in km s^{-1}. In the cases of ΔBIC< 0 only σ_{narrow} values are reported as the best fit is the single Gaussian.

Table E.2: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s^{-1}]	$N_{galaxies}$	$N_{spaxels}$	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
Seyfert and	20-40	7	22	$0.04^{+0.05(*)}_{-0.03}$	$12.56^{+11.40}_{-7.02}$	-12.11	$30.28^{+20.04}_{-20.05}$	...
LINER	20-60	9	35	$0.05^{+0.08(*)}_{-0.03}$	$12.98^{+12.05}_{-7.38}$	-5.88	$35.16^{+20.10}_{-20.16}$	...
	20-80	9	44	$0.05^{+0.11(*)}_{-0.03}$	$12.80^{+10.42}_{-7.50}$	-4.08	$38.14^{+20.16}_{-20.19}$	...
	20-100	10	52	$0.06^{+0.10(*)}_{-0.04}$	$12.91^{+12.20}_{-6.98}$	27.81	$60.53^{+21.39}_{-21.68}$	$93.09^{+23.29}_{-23.58}$
	20-120	10	53	$0.06^{+0.09(*)}_{-0.04}$	$12.98^{+12.08}_{-7.04}$	18.97	$61.79^{+21.34}_{-21.80}$	$91.81^{+23.40}_{-23.91}$
	20-140	10	53	$0.06^{+0.09(*)}_{-0.04}$	$12.98^{+12.08}_{-7.04}$	14.70	$61.15^{+21.19}_{-21.48}$	$92.10^{+24.06}_{-24.00}$
	20-160	10	53	$0.06^{+0.09(*)}_{-0.04}$	$12.98^{+12.08}_{-7.04}$	45.69	$58.82^{+21.68}_{-21.55}$	$96.67^{+23.01}_{-22.79}$
	20-180	10	53	$0.06^{+0.09(*)}_{-0.04}$	$12.98^{+12.08}_{-7.04}$	9.88	$61.33^{+21.15}_{-21.58}$	$90.82^{+24.01}_{-23.83}$
	40-60	6	13	$0.06^{+0.11(*)}_{-0.04}$	$17.51^{+9.18}_{-11.32}$	...	...	...
	60-80	4	9	$0.08^{+0.12(*)}_{-0.06}$	$7.11^{+7.34}_{-2.11}$	...	...	...
	80-100	7	8	$0.06^{+0.07(*)}_{-0.02}$	$24.54^{+19.10}_{-15.78}$	...	...	...
	100-120	1	1	$0.10^{+0.00(*)}_{-0.00}$	$21.95^{+0.00}_{-0.00}$	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	1	1	$0.12^{+0.00(*)}_{-0.00}$	$28.20^{+0.00}_{-0.00}$	...	...	...
Intermediate	20-40	16	50	$0.02^{+0.03}_{-0.01}$	$5.65^{+8.41}_{-3.29}$	-0.30	$26.49^{+20.05}_{-20.06}$	...
	20-60	23	83	$0.02^{+0.04}_{-0.01}$	$7.25^{+7.69}_{-4.32}$	6.12	$32.35^{+20.21}_{-20.12}$	$56.12^{+22.32}_{-20.65}$
	20-80	28	115	$0.02^{+0.04}_{-0.01}$	$8.55^{+8.55}_{-5.04}$	32.94	$57.33^{+20.22}_{-20.30}$	$78.38^{+24.25}_{-22.47}$
	20-100	30	136	$0.02^{+0.05}_{-0.01}$	$8.58^{+9.79}_{-5.04}$	105.54	$64.66^{+20.20}_{-20.22}$	$80.79^{+21.16}_{-20.74}$
	20-120	30	146	$0.02^{+0.05}_{-0.01}$	$8.65^{+9.62}_{-5.06}$	110.85	$64.97^{+20.15}_{-20.15}$	$80.95^{+21.02}_{-20.68}$
	20-140	30	149	$0.02^{+0.05}_{-0.01}$	$8.58^{+9.60}_{-4.93}$	119.43	$65.40^{+20.17}_{-20.18}$	$82.11^{+21.14}_{-20.84}$
	20-160	30	152	$0.02^{+0.05}_{-0.01}$	$8.58^{+9.69}_{-4.88}$	125.32	$65.97^{+20.15}_{-20.16}$	$82.80^{+21.16}_{-20.89}$
	20-180	30	155	$0.02^{+0.06}_{-0.01}$	$8.59^{+9.78}_{-4.86}$	113.26	$66.11^{+20.14}_{-20.14}$	$83.55^{+21.13}_{-20.97}$
	40-60	15	33	$0.02^{+0.05}_{-0.01}$	$7.66^{+7.66}_{-2.52}$	-12.78	$46.82^{+20.07}_{-20.08}$	...
	60-80	14	32	$0.02^{+0.21}_{-0.01}$	$10.58^{+14.37}_{-4.62}$	-1.44	$63.13^{+20.21}_{-20.21}$	...
	80-100	9	21	$0.02^{+0.15}_{-0.01}$	$15.82^{+13.51}_{-12.01}$	69.37	$70.48^{+20.21}_{-20.17}$	$86.87^{+20.53}_{-20.14}$
	100-120	7	10	$0.02^{+0.01}_{-0.01}$	$9.36^{+6.31}_{-4.77}$	...	...	...
	120-140	2	3	$0.03^{+0.02}_{-0.00}$	$6.79^{+0.19}_{-1.77}$	...	...	...
	140-160	2	3	$0.09^{+0.00}_{-0.01}$	$9.44^{+13.01}_{-1.21}$	...	...	...
	160-180	2	3	$0.08^{+0.03}_{-0.04}$	$10.73^{+7.00}_{-2.65}$	...	...	...
	180-200	0	0	...	...	...	...	...

Table E.2: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s^{-1}]	$N_{galaxies}$	$N_{spaxels}$	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [$10^8 M_\odot$ kpc^{-2}]	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
$\Sigma_{SFR} > 0.01$	20-40	41	345	$0.03^{+0.03}_{-0.01}$	$4.22^{+4.37}_{-2.32}$	-15.29	$27.82^{+20.00}_{-20.01}$	...
	20-60	47	479	$0.03^{+0.04}_{-0.01}$	$4.26^{+4.86}_{-2.14}$	27.89	$29.60^{+20.03}_{-20.02}$	$48.30^{+20.43}_{-20.15}$
	20-80	49	528	$0.03^{+0.04}_{-0.01}$	$4.37^{+5.39}_{-2.21}$	78.83	$29.88^{+20.02}_{-20.02}$	$53.49^{+20.16}_{-20.07}$
	20-100	50	550	$0.03^{+0.04}_{-0.01}$	$4.55^{+5.75}_{-2.36}$	127.64	$29.82^{+20.02}_{-20.01}$	$59.96^{+20.09}_{-20.05}$
	20-120	50	559	$0.03^{+0.04}_{-0.01}$	$4.56^{+5.91}_{-2.37}$	162.62	$29.89^{+20.02}_{-20.01}$	$62.22^{+20.12}_{-20.07}$
	20-140	50	562	$0.03^{+0.04}_{-0.01}$	$4.58^{+6.16}_{-2.39}$	170.05	$29.87^{+20.02}_{-20.01}$	$66.31^{+20.13}_{-20.09}$
	20-160	50	563	$0.03^{+0.04}_{-0.01}$	$4.59^{+6.28}_{-2.39}$	172.92	$29.87^{+20.02}_{-20.01}$	$66.18^{+20.12}_{-20.08}$
	20-180	50	563	$0.03^{+0.04}_{-0.01}$	$4.59^{+6.28}_{-2.39}$	172.44	$29.86^{+20.02}_{-20.01}$	$66.42^{+2.26}_{-1.81}$
	40-60	33	134	$0.03^{+0.05}_{-0.02}$	$4.48^{+5.89}_{-1.96}$	-13.33	$47.32^{+20.03}_{-20.05}$	...
	60-80	21	49	$0.05^{+0.05}_{-0.02}$	$6.82^{+9.50}_{-3.36}$	-15.47	$66.02^{+20.06}_{-20.07}$	...
	80-100	11	22	$0.09^{+0.05}_{-0.06}$	$10.22^{+13.45}_{-2.99}$	9.72	$65.36^{+20.57}_{-20.44}$	$94.86^{+22.34}_{-20.60}$
	100-120	7	9	$0.07^{+0.11}_{-0.05}$	$7.93^{+8.47}_{-3.64}$	...	$84.99^{+20.17}_{-20.23}$	...
	120-140	2	3	$0.08^{+0.04}_{-0.04}$	$13.11^{+11.70}_{-3.87}$	...	...	...
	140-160	1	1	$0.10^{+0.00}_{-0.00}$	$21.83^{+0.00}_{-0.00}$	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	2	2	$0.01^{+0.00}_{-0.00}$	$0.76^{+0.14}_{-0.14}$	...	...	...
$\Sigma_{SFR} > 0.03$	20-40	20	177	$0.05^{+0.03}_{-0.01}$	$5.46^{+6.76}_{-2.35}$	-12.54	$27.65^{+20.01}_{-20.02}$	...
	20-60	21	250	$0.05^{+0.03}_{-0.02}$	$5.74^{+7.09}_{-2.59}$	27.40	$30.08^{+20.05}_{-20.04}$	$50.65^{+20.81}_{-20.27}$
	20-80	23	283	$0.05^{+0.03}_{-0.02}$	$6.22^{+6.83}_{-2.98}$	68.09	$30.34^{+20.03}_{-20.02}$	$56.88^{+20.22}_{-20.10}$
	20-100	25	301	$0.06^{+0.04}_{-0.02}$	$6.73^{+6.89}_{-3.38}$	117.72	$30.85^{+20.03}_{-20.02}$	$65.30^{+20.16}_{-20.10}$
	20-120	25	306	$0.06^{+0.04}_{-0.02}$	$6.79^{+6.91}_{-3.42}$	137.66	$31.09^{+20.03}_{-20.02}$	$71.32^{+20.14}_{-20.11}$
	20-140	25	308	$0.06^{+0.04}_{-0.02}$	$6.82^{+6.97}_{-3.45}$	140.92	$31.12^{+20.03}_{-20.03}$	$71.96^{+20.15}_{-20.12}$
	20-160	25	309	$0.06^{+0.04}_{-0.02}$	$6.84^{+7.00}_{-3.46}$	149.42	$30.96^{+20.03}_{-20.02}$	$72.53^{+20.13}_{-20.11}$
	20-180	25	309	$0.06^{+0.04}_{-0.02}$	$6.84^{+7.00}_{-3.46}$	143.31	$30.94^{+20.03}_{-20.02}$	$72.44^{+20.14}_{-20.11}$
	40-60	16	73	$0.06^{+0.04}_{-0.02}$	$7.07^{+7.52}_{-3.38}$	-11.95	$47.44^{+20.03}_{-20.07}$	...
	60-80	12	33	$0.07^{+0.05}_{-0.03}$	$9.38^{+9.55}_{-4.20}$	-15.23	$66.60^{+20.07}_{-20.09}$	...
	80-100	9	18	$0.10^{+0.06}_{-0.06}$	$12.49^{+12.86}_{-4.39}$	-15.14	$84.55^{+20.19}_{-20.28}$	...
	100-120	4	5	$0.15^{+0.05}_{-0.06}$	$12.52^{+7.32}_{-3.11}$	...	...	...
	120-140	1	2	$0.11^{+0.02}_{-0.02}$	$21.72^{+5.85}_{-5.85}$	...	...	...
	140-160	1	1	$0.10^{+0.00}_{-0.00}$	$21.83^{+0.00}_{-0.00}$	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...

Table E.2: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s^{-1}]	N_{gal}	N_{spa}	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
$\Sigma_{SFR} > 0.05$	20-40	13	92	$0.07^{+0.02}_{-0.01}$	$8.01^{+5.34}_{-3.85}$	-14.54	$27.53^{+20.01}_{-20.02}$	...
	20-60	15	137	$0.07^{+0.03}_{-0.01}$	$8.14^{+7.25}_{-3.82}$	19.68	$32.02^{+20.07}_{-20.09}$	$61.65^{+24.77}_{-22.16}$
	20-80	15	159	$0.07^{+0.03}_{-0.01}$	$8.35^{+7.32}_{-3.90}$	67.24	$31.70^{+20.07}_{-20.05}$	$62.50^{+20.81}_{-20.32}$
	20-100	16	171	$0.07^{+0.04}_{-0.02}$	$8.59^{+7.55}_{-4.03}$	111.05	$32.23^{+20.05}_{-20.04}$	$71.20^{+20.25}_{-20.15}$
	20-120	16	176	$0.07^{+0.04}_{-0.02}$	$8.77^{+7.84}_{-4.19}$	115.84	$33.30^{+20.07}_{-20.06}$	$77.62^{+20.23}_{-20.17}$
	20-140	16	178	$0.07^{+0.04}_{-0.02}$	$8.86^{+7.83}_{-4.25}$	125.06	$33.36^{+20.07}_{-20.05}$	$78.59^{+20.21}_{-20.17}$
	20-160	16	179	$0.08^{+0.04}_{-0.02}$	$8.91^{+7.97}_{-4.28}$	120.09	$33.13^{+20.06}_{-20.05}$	$79.36^{+20.22}_{-20.17}$
	20-180	16	179	$0.08^{+0.04}_{-0.02}$	$8.91^{+7.97}_{-4.28}$	121.44	$33.21^{+20.07}_{-20.05}$	$79.40^{+20.21}_{-20.17}$
	40-60	12	45	$0.08^{+0.03}_{-0.02}$	$8.41^{+7.26}_{-3.91}$	1.37	$46.01^{+20.07}_{-20.10}$	$67.83^{+25.98}_{-22.87}$
	60-80	9	22	$0.08^{+0.04}_{-0.02}$	$12.61^{+7.61}_{-5.77}$	-15.16	$65.62^{+20.11}_{-20.16}$	...
	80-100	6	12	$0.12^{+0.07}_{-0.02}$	$12.89^{+12.96}_{-4.11}$	-14.51	...	...
	100-120	4	5	$0.15^{+0.05}_{-0.06}$	$12.52^{+7.32}_{-3.11}$	...	...	...
	120-140	1	2	$0.11^{+0.02}_{-0.02}$	$21.72^{+5.85}_{-5.85}$	...	...	...
	140-160	1	1	$0.10^{+0.00}_{-0.00}$	$21.83^{+0.00}_{-0.00}$	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...
$\Sigma_{SFR} > 0.07$	20-40	10	44	$0.08^{+0.03}_{-0.01}$	$10.37^{+3.49}_{-5.70}$	-12.75	$27.25^{+20.03}_{-20.04}$	...
	20-60	13	74	$0.08^{+0.03}_{-0.01}$	$9.97^{+5.80}_{-4.80}$	10.30	$35.28^{+20.06}_{-20.09}$	$67.33^{+23.77}_{-22.59}$
	20-80	14	89	$0.09^{+0.03}_{-0.01}$	$10.44^{+6.54}_{-5.16}$	34.84	$37.22^{+20.19}_{-20.19}$	$68.82^{+22.36}_{-20.97}$
	20-100	15	101	$0.09^{+0.04}_{-0.01}$	$10.47^{+7.71}_{-4.67}$	60.58	$38.79^{+20.18}_{-20.13}$	$77.52^{+20.53}_{-20.31}$
	20-120	15	105	$0.09^{+0.04}_{-0.02}$	$10.97^{+7.38}_{-5.02}$	51.48	$43.92^{+20.35}_{-20.23}$	$81.62^{+20.45}_{-20.43}$
	20-140	15	107	$0.09^{+0.04}_{-0.02}$	$11.05^{+7.62}_{-5.02}$	52.35	$45.32^{+20.40}_{-20.28}$	$84.04^{+20.56}_{-20.48}$
	20-160	15	108	$0.09^{+0.04}_{-0.02}$	$11.09^{+7.85}_{-5.04}$	58.08	$44.04^{+20.34}_{-20.24}$	$85.13^{+20.43}_{-20.34}$
	20-180	15	108	$0.09^{+0.04}_{-0.02}$	$11.09^{+7.85}_{-5.04}$	56.88	$43.90^{+20.29}_{-20.21}$	$85.02^{+20.47}_{-20.37}$
	40-60	11	30	$0.09^{+0.04}_{-0.01}$	$9.64^{+6.14}_{-2.64}$	10.03	$44.83^{+20.10}_{-20.13}$	$64.86^{+23.20}_{-21.94}$
	60-80	9	15	$0.10^{+0.04}_{-0.03}$	$12.93^{+8.20}_{-5.10}$	-15.32	$65.07^{+20.15}_{-20.21}$	...
	80-100	6	12	$0.12^{+0.07}_{-0.02}$	$12.89^{+12.96}_{-4.11}$	...	...	...
	100-120	4	4	$0.17^{+0.03}_{-0.04}$	$15.21^{+5.48}_{-3.56}$	...	...	...
	120-140	1	2	$0.11^{+0.02}_{-0.02}$	$21.72^{+5.85}_{-5.85}$	...	...	...
	140-160	1	4	$0.10^{+0.00}_{-0.00}$	$21.83^{+0.00}_{-0.00}$	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...

Table E.2: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s^{-1}]	N_{gal}	N_{spa}	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
$\Sigma_{SFR} > 0.1$	20-40	5	12	$0.12^{+0.03}_{-0.01}$	$11.11^{+6.08}_{-5.55}$	...	...	...
	20-60	6	23	$0.12^{+0.03}_{-0.01}$	$10.97^{+7.39}_{-4.62}$	-3.34	$36.20^{+20.13}_{-20.18}$	...
	20-80	8	31	$0.12^{+0.05}_{-0.01}$	$11.26^{+8.04}_{-5.30}$	11.19	$42.95^{+20.20}_{-20.39}$	$95.72^{+59.73}_{-37.15}$
	20-100	8	40	$0.12^{+0.06}_{-0.01}$	$12.27^{+8.95}_{-5.46}$	16.44	$54.17^{+20.32}_{-20.64}$	$111.51^{+40.04}_{-30.08}$
	20-120	10	44	$0.12^{+0.06}_{-0.02}$	$12.42^{+9.03}_{-5.12}$	-2.05	$61.19^{+20.38}_{-20.45}$	...
	20-140	10	45	$0.12^{+0.06}_{-0.01}$	$12.52^{+9.73}_{-5.12}$	0.76	$62.07^{+20.43}_{-20.53}$	$93.97^{+27.28}_{-23.83}$
	20-160	10	45	$0.12^{+0.06}_{-0.01}$	$12.52^{+9.73}_{-5.12}$	-1.23	$62.71^{+20.40}_{-20.50}$	...
	20-180	10	45	$0.12^{+0.06}_{-0.01}$	$12.52^{+9.73}_{-5.12}$	-2.92	$62.18^{+20.47}_{-20.60}$	...
	40-60	6	11	$0.11^{+0.04}_{-0.01}$	$10.44^{+8.08}_{-2.53}$	...	...	...
	60-80	6	8	$0.12^{+0.05}_{-0.01}$	$16.35^{+4.89}_{-11.71}$	...	...	...
	80-100	4	9	$0.13^{+0.06}_{-0.02}$	$20.85^{+5.46}_{-10.33}$	...	...	...
	100-120	4	4	$0.17^{+0.03}_{-0.04}$	$15.21^{+5.48}_{-3.56}$	...	...	...
	120-140	1	1	$0.13^{+0.00}_{-0.00}$	$30.32^{+0.00}_{-0.00}$	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	0	0	...	...	...	...	...
0.1 dex up rMS	20-40	26	156	$0.03^{+0.03}_{-0.02}$	$2.43^{+2.57}_{-1.31}$	-15.27	$26.93^{+20.01}_{-20.01}$	...
	20-60	28	203	$0.04^{+0.03}_{-0.02}$	$2.76^{+2.86}_{-1.46}$	1.58	$30.29^{+20.03}_{-20.06}$	$52.16^{+23.07}_{-21.49}$
	20-80	28	212	$0.04^{+0.03}_{-0.02}$	$2.84^{+2.90}_{-1.52}$	25.13	$29.84^{+20.06}_{-20.06}$	$56.74^{+21.43}_{-20.80}$
	20-100	29	218	$0.04^{+0.04}_{-0.02}$	$2.98^{+3.12}_{-1.63}$	77.99	$29.30^{+20.05}_{-20.05}$	$63.22^{+21.02}_{-20.55}$
	20-120	29	222	$0.04^{+0.04}_{-0.02}$	$3.06^{+3.54}_{-1.70}$	131.89	$28.90^{+20.06}_{-20.04}$	$69.25^{+20.59}_{-20.34}$
	20-140	29	222	$0.04^{+0.04}_{-0.02}$	$3.06^{+3.54}_{-1.70}$	131.31	$28.89^{+20.06}_{-20.04}$	$69.37^{+20.60}_{-20.36}$
	20-160	29	222	$0.04^{+0.04}_{-0.02}$	$3.06^{+3.54}_{-1.70}$	131.72	$28.98^{+20.06}_{-20.05}$	$69.60^{+20.62}_{-20.36}$
	20-180	29	222	$0.04^{+0.04}_{-0.02}$	$3.06^{+3.54}_{-1.70}$	133.74	$28.93^{+20.05}_{-20.04}$	$69.00^{+20.60}_{-20.35}$
	40-60	10	47	$0.05^{+0.03}_{-0.03}$	$3.83^{+3.64}_{-1.59}$	-14.36	$46.15^{+20.05}_{-20.07}$	...
	60-80	5	9	$0.10^{+0.06}_{0.06}$	$4.00^{+7.89}_{-0.87}$	...	...	...
	80-100	4	6	$0.11^{+0.08}_{-0.02}$	$10.22^{+1.62}_{-1.54}$	...	...	...
	100-120	3	4	$0.17^{+0.03}_{-0.06}$	$11.69^{+3.63}_{-2.92}$	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	4	4	$0.01^{+0.01}_{-0.01}$	$0.43^{+0.34}_{-0.22}$	...	...	...

Table E.2: Fit Results of the Stacked Spectrum with Methods 6 (continued)

Group	Range of σ [km s^{-1}]	N_{gal}	N_{spa}	Σ_{SFR} [$M_\odot$ yr^{-1} kpc^{-2}]	Σ_* [10^8 $M_\odot$ kpc^{-2}]	ΔBIC	σ_{narrow} [km s^{-1}]	σ_{broad} [km s^{-1}]
0.2 dex up rMS	20-40	19	93	$0.04^{+0.03}_{-0.02}$	$1.93^{+2.24}_{-0.90}$	-15.61	$26.88^{+20.01}_{-20.01}$	...
	20-60	21	116	$0.04^{+0.03}_{-0.02}$	$2.36^{+2.03}_{-1.25}$	-3.58	$29.75^{+20.05}_{-20.08}$	...
	20-80	22	122	$0.04^{+0.03}_{-0.02}$	$2.42^{+2.03}_{-1.29}$	16.35	$29.15^{+20.08}_{-20.07}$	$53.82^{+22.03}_{-20.70}$
	20-100	23	126	$0.04^{+0.04}_{-0.02}$	$2.46^{+2.22}_{-1.32}$	57.81	$29.37^{+20.09}_{-20.08}$	$64.39^{+22.25}_{-20.98}$
	20-120	23	129	$0.04^{+0.05}_{-0.02}$	$2.50^{+2.51}_{-1.36}$	110.66	$29.90^{+20.14}_{-20.11}$	$74.14^{+21.13}_{-20.74}$
	20-140	23	129	$0.04^{+0.09}_{0.02}$	$2.50^{+2.51}_{-1.36}$	114.00	$29.63^{+20.09}_{-20.07}$	$75.19^{+21.07}_{-20.68}$
	20-160	23	129	$0.04^{+0.09}_{0.02}$	$2.50^{+2.51}_{-1.36}$	109.07	$29.92^{+20.12}_{-20.10}$	$75.46^{+21.19}_{-20.79}$
	20-180	23	129	$0.04^{+0.09}_{0.02}$	$2.50^{+2.51}_{-1.36}$	110.89	$29.88^{+20.11}_{-20.09}$	$74.88^{+21.16}_{-20.76}$
	40-60	6	23	$0.06^{+0.05}_{-0.03}$	$3.67^{+3.78}_{-1.36}$	-12.58	$45.65^{+20.10}_{-20.15}$	...
	60-80	4	6	$0.11^{+0.02}_{-0.07}$	$3.62^{+6.35}_{-0.71}$	...	...	...
	80-100	2	4	$0.15^{+0.05}_{-0.05}$	$10.04^{+2.93}_{-1.77}$	...	...	...
	100-120	3	3	$0.19^{+0.02}_{-0.03}$	$12.52^{+3.66}_{-1.13}$	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	4	4	$0.01^{+0.01}_{-0.01}$	$0.43^{+0.34}_{-0.22}$	...	...	...
0.3 dex up rMS	20-40	14	61	$0.04^{+0.03}_{0.02}$	$1.85^{+2.14}_{-0.88}$	...	...	...
	20-60	15	72	$0.04^{+0.03}_{-0.02}$	$2.20^{+1.98}_{-1.19}$	-10.83	$28.81^{+20.03}_{-20.06}$	...
	20-80	15	75	$0.04^{+0.04}_{0.02}$	$2.31^{+1.78}_{-1.29}$	-4.82	$28.96^{+20.06}_{-20.09}$	...
	20-100	16	76	$0.04^{+0.04}_{-0.02}$	$2.32^{+1.92}_{-1.30}$	22.40	$28.71^{+20.10}_{-20.12}$	$64.18^{+25.72}_{-22.28}$
	20-120	17	77	$0.05^{+0.04}_{-0.02}$	$2.33^{+1.99}_{-1.31}$	63.88	$27.85^{+20.12}_{-20.10}$	$66.03^{+22.06}_{-21.03}$
	20-140	17	77	$0.05^{+0.04}_{-0.02}$	$2.33^{+1.99}_{-1.31}$	63.57	$27.87^{+20.13}_{-20.10}$	$66.02^{+22.06}_{-21.11}$
	20-160	17	77	$0.05^{+0.04}_{-0.02}$	$2.33^{+1.99}_{-1.31}$	66.33	$27.61^{+20.11}_{-20.09}$	$65.97^{+21.76}_{-20.91}$
	20-180	17	77	$0.05^{+0.04}_{-0.02}$	$2.33^{+1.99}_{-1.31}$	65.13	$27.72^{+20.12}_{-20.09}$	$66.32^{+21.98}_{-21.02}$
	40-60	5	11	$0.07^{+0.06}_{-0.02}$	$3.67^{+1.96}_{-1.34}$	...	...	...
	60-80	1	3	$0.10^{+0.01}_{-0.04}$	$3.23^{+0.52}_{-0.97}$	...	...	...
	80-100	1	1	$0.19^{+0.00}_{0.00}$	$11.13^{+0.00}_{-0.00}$	...	...	...
	100-120	1	1	$0.19^{+0.00}_{-0.00}$	$12.52^{+0.00}_{-0.00}$	...	...	...
	120-140	0	0	...	...	...	...	...
	140-160	0	0	...	...	...	...	...
	160-180	0	0	...	...	...	...	...
	180-200	3	3	$0.01^{+0.00}_{0.01}$	$0.55^{+0.28}_{-0.17}$	...	...	...