CÓMO EJECUTAR UNA APLICACIÓN DE SPRING BOOT



CÓMO EJECUTAR

- Usamos maven
- Plugin para Spring Boot
 - mvn spring-boot:run


- Panel lateral de maven
- Escoger la opción correcta

```
⊕ 12 ± + ▷ 10 ∅ ∅ × 12 ◎


√ m demo

   > 6 Lifecycle
   Plugins
     > clean (org.apache.maven.plugins:maven-clean-plugin:3.3.2)
     > compiler (org.apache.maven.plugins:maven-compiler-plugin:3
      > deploy (org.apache.maven.plugins:maven-deploy-plugin:3.1.3)
      > minstall (org.apache.maven.plugins:maven-install-plugin:3.1.3)
      > figar (org.apache.maven.plugins:maven-jar-plugin:3.4.2)
      > @resources (org.apache.maven.plugins:maven-resources-plugir
      > site (org.apache.maven.plugins:maven-site-plugin:3.12.1)
      ng spring-boot:build-image
          name spring-boot:build-image-no-fork
          R spring-boot:build-info
          m spring-boot:help
          m spring-boot:process-aot
          spring-boot:process-test-aot
          m spring-boot:repackage
          m spring-boot:run
          m spring-boot:start
          m spring-boot:stop
          m spring-boot:test-run
      > surefire (org.apache.maven.plugins:maven-surefire-plugin:3.2.
```

- Run Anything...
 - Pulsar 2 veces control
 - o Menú superior



- Run Anything...
 - Escribimos el comando



• Crear perfil de ejecución

Current File V	\triangleright	æ	:	
Current File				
Edit Configurat	ions	•		

• • •	Run/Debug Configurations Name: demo [spring]		•		
+ - □ □ ↓ ↓ ½ ∨ <i>m</i> Maven			Store as project file 🗟		
mdemo [spring]	Run			Modify opti	ons Y \ZM
	sprin	g		■	
	spring spring spring spring spring spring spring spring	-boot:build-image -boot:build-image-no-fork -boot:build-info -boot:help -boot:process-aot -boot:process-test-aot -boot:repackage -boot:nu -boot:start -boot:stop			Modify
Edit configuration templates	> Java	Options			– Modify Y
?		▷ Ru	un Y Car	ncel Apply	ОК