Rubric Detail

*A rubric lists grading criteria that instructors use to evaluate student work. Your instructor linked a rubric to this item and made it available to you. Select **Grid View** or **List View** to change the rubric's layout.*

Name: **Project Rubric**

Exit

Grid View | List View

	Novice	Competent	Proficient	New Column4	New Column5	New Column6
Responsive Desktop	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Responsive Phone	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
No Pinch to Zoom, except where justified, e.g., images	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Scrollbars, no nested scrollbars, e.g., zoomed images	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Scrollbars, no horizontal scrollbars, except where justified, e.g., responsive tables	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Alignment	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
	Novice	Competent	Proficient	New Column4	New Column5	New Column6
Consistency	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)

	Novice	Competent	Proficient	New Column4	New Column5	New Column6
White Spaces	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Wrapping	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Contrast	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Back button support	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Very limited use of $rootScope	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Very limited use of $scope	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
User model or vm = this	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Use init() to initialize function	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Use services to access data model in server, e.g., don't use $http	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Event handlers declared at the top	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Variables and route params declared at the top	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
	Novice	**Competent**	**Proficient**	**New Column4**	**New Column5**	**New Column6**
Use promises from services, no use of synchronous calls to	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)

	Novice	Competent	Proficient	New Column4	New Column5	New Column6
calls to services						
Controllers use services for creating data	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Controllers use services for finding data	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Controllers use services for updating data	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Controllers use services for deleting data	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Controllers don't access 3rd Party APIs directly, only through services	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Wrap 3rd Party APIs in service	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Client Services Declare API at the top	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Client Services use POST to create	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Client Services use GET to retrieve	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Client Services use PUT to update	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
	Novice	**Competent**	**Proficient**	**New Column4**	**New Column5**	**New Column6**
Client Services use DELETE to remove	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)

Client Services use REST URL Syntax	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Web Services Declare HTTP Handlers at the top	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Web Services use POST to create	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Web Services use GET to retrieve	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Web Services use PUT to update	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Web Services use DELETE to remove	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Web Services use REST URL Syntax	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Web Services use Model to create	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Web Services use Model to retrieve	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Web Services use Model to update	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Web Services use Model to remove	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)

	Novice	Competent	Proficient	New Column4	New Column5	New Column6
Web Services use promises to interface with model	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)

	Novice	Competent	Proficient	New Column4	New Column5	New Column6
Implement Register Page and Controller	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Implement Login with username and password	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Implement Login with OAuth	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
User can view their profile	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
User can update their profile	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Refreshing page, remembers user session	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Use cookies and session to keep track of user identity, not client URL	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Admin can manage Users	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Admin can manage Domain Objects	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Admin can manage Relations	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Correct Number of Users	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
	Novice	**Competent**	**Proficient**	**New Column4**	**New Column5**	**New Column6**
User to user relations	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)

	0	.4 (.4%)	.8 (.8%)	1.2	1.6	2 (2%)
User to Domain relation	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Domain to Domain relation	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
One to Many	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Many to many	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Correct number of APIs(minimum 1, can swap for user)	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Search	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)
Search Results	**0** (0%)	**.4** (.4%)	**.8** (.8%)	**1.2** (1.2%)	**1.6** (1.6%)	**2** (2%)
Details	**0** (0%)	**.2** (.2%)	**.4** (.4%)	**.6** (.6%)	**.8** (.8%)	**1** (1%)

Name:**Project Rubric**

Exit