Ob-maple org-babel demo document: Using listings for src blocks

Bo Jakobsen

<2026-10-17 Sat>

This document demonstrates simple listings typesetting of Maple org-babel source blocks.

Currently only rudimentary commands are supported. If you improve on the lstmaple.sty, consider contributing it back.

Version 0.1

The package is currently under development.

1 Requirements

- lstmaple.sty provided with ob-maple, should be placed in a folder in the LaTeX search path.
- src-backend must be set to `listings`

```
(setq org-latex-src-block-backend 'listings)
```

- add `listings`, `xcolor` and `lstmaple` packages to LaTeX header
  - Can locally be set as `#+LATEX_HEADER_EXTRA:`
  - Or globally in Emacs configurations as e.g.:

```
(setq org-latex-src-block-backend 'listings)
(add-to-list 'org-latex-packages-alist '("" "listings" nil))
(add-to-list 'org-latex-packages-alist '("" "xcolor"   nil))
(add-to-list 'org-latex-packages-alist '("" "lstmaple"   nil))
(setq org-latex-listings-options
      '(("frame"           "single")
        ("framesep"        "4pt")
        ("basicstyle"      "\\ttfamily\\small")
        ("backgroundcolor" "\\color{gray!8}")
        ("keywordstyle"    "\\color{blue!70!black}\\bfseries")
        ("commentstyle"    "\\color{green!50!black}\\itshape")
        ("stringstyle"     "\\color{red!70!black}")
        ("numbers"         "left")
        ("numberstyle"     "\\tiny\\color{gray}")
        ("breaklines"      "true")
        ("showstringspaces" "false")
        ("captionpos"      "b")))
```

2 Example

Just a short exampel

```
# First N Fibonacci numbers, iterative
fib := proc(N::posint)
    description "Return the first N Fibonacci numbers";
    local F, k;
    F := Array(1..N, fill = 1);
    for k from 3 to N do
        F[k] := F[k-1] + F[k-2];
    end do;
    return convert(F, list);
end proc:

fib(10);
```

```
[1, 1, 2, 3, 5, 8, 13, 21, 34, 55]
```