

Joseph Armijo

ITAI-4374

A03-Bridging Neuroscience and Artificial Intelligence

Submission Date: 2/27/2026

Table of Contents:


1. Neural Network Comparison Analysis
2. Brain Architecture and AI Design
3. Integration Analysis and Future Implications

Neural Network Comparison Analysis

1. Biological Neuron Structure

Using Wolfram Alpha, I researched the structure of a biological neuron. A neuron is a special neural cell that has a cell body, dendrites, and an axon. The cell body receives electrical impulses, the dendrites receive impulses from other neurons, and the axon transmits impulses to other neurons. There are 100 billion neurons in the human nervous system. The stellate structure of the cell enables a complex network of communications to develop from a simple cell structure.

Figure 1: Structure of a Biological Neuron




This diagram illustrates the soma, dendrites, axon, and synaptic terminals, which form the structural foundation that inspired artificial neural network design.

2. Mapping Biological Components to ANN Elements

Biological Component	Function	ANN Equivalent	Explanation
Cell body (soma)	Integrates signals	Processing unit	Computes weighted sum + activation
Dendrites	Receive inputs	Input connections	Inputs represent signals from previous nodes
Axon	Sends output	Output connection	Output passed to next layer
Synapses	Modulate signal strength	Weights	Weights determine influence and learning

Figure 2: Artificial Neuron Model



This diagram shows the multiplication of the inputs by the weights, the addition of the inputs, the application of the activation function, and the output, similar to the biological soma, synapse, and axon.

3. Biological vs. Artificial Neurons

The biological neuron is the inspiration behind the artificial network's architecture, as they have shown us the possibility of emergent behaviors through the interconnection of processing elements. In biological networks, dendrites receive signals, the soma integrates the signals, and the axon sends the signals out to the next neuron in the network. However, the biological neuron is continuously operating, while the artificial neuron is operating in discrete steps, where the network is trained in cycles through the use of the dataset. The biological network is energy-efficient, noise-resistant, and can adapt according to the context, while the artificial network is fast, scalable, and allows for the precise optimization of the network's parameters. While the biological network is nonlinear, stochastic, and communicates in such a manner, the artificial network is deterministic in its calculations, although the inspiration is the same.

4. Comparative Analysis Table


Biological Neural Networks	Artificial Neural Networks	AI Architecture Examples
Dynamic synapses	Adjustable weights	CNNs
Lifelong learning	Epoch-based training	LSTMs
Energy-efficient signaling	High computational cost	Transformers
Specialized regions	Modular layers	Reinforcement learning systems
Robust to noise	Vulnerable to adversarial input	Autoencoders

Brain Architecture and AI Design

1. Hierarchical Organization of the Brain

The human brain has a hierarchical structure consisting of prominent areas such as the forebrain, midbrain, hindbrain, and brainstem. Each of these areas has specialized roles to play in the processing of information. This modular structure of the human brain can be compared to the structure of modern AI systems, which have different layers or modules to perform specialized roles such as feature extraction, memory, attention, and decision-making.

Figure 3: Major Regions of the Human Brain



This diagram highlights specialized regions such as the frontal lobe, hippocampus, amygdala, cerebellum, and brainstem, illustrating the hierarchical and modular organization that inspires AI architectures.

2. Specialization of Brain Regions and AI Parallels

Visual Cortex -> CNNs

The human visual cortex processes information in a hierarchical manner from simple edges to complex objects. This hierarchical processing of features is replicated in CNNs.

Hippocampus -> LSTM and RNN Systems

The hippocampus helps in consolidating memory as well as processing temporal information. This processing of information over time is replicated in LSTM networks.

Hypothalamus -> Reinforcement Learning

The hypothalamus helps in maintaining homeostasis in the human body. This involves maintaining internal balance in the human body. This process of optimizing actions based on internal state assessment is replicated in reinforcement learning systems.

3. Amygdala and Emotion Processing

The role of the amygdala in human emotion, fear responses, and emotional memory. It interacts with cortical and subcortical structures to prioritize salient stimuli and influence decision-making.

Implications for AI Systems

- Decision-Making: Emotion-tagged memory implies weighted memory in AI systems.
- Risk Assessment: Fear-based systems have inspired anomaly detection systems.
- Pattern Recognition: Emotion-based salience is analogous to attention mechanisms.
- Adaptive Learning: Reward modulation is analogous to reinforcement learning.

Integration Analysis and Future Implications

Understanding biological neural networks can offer an effective blueprint for the improvement of artificial intelligence systems. It is evident that biological systems are efficient, adaptable, and robust, while artificial intelligence systems are unable to achieve such capabilities. Neurons have

the ability to learn continuously through the adaptation of synapses, known as synaptic plasticity, without the risk of forgetting previously learned information, as is the case in artificial intelligence systems. Other biological mechanisms, such as synaptic metaplasticity, dendritic computing, and neuromodulation, can be incorporated in artificial intelligence systems.

The hierarchical structure of the human brain may imply a modular artificial intelligence system that can combine specialized subsystems. Emotion processing centers may emphasize the role of salience and risk assessment, which can now be found in attention models and reinforcement learning. Biological systems may process information at a high level of energy efficiency compared to computationally intensive matrix-based operations in artificial systems.

Possible directions for future development may include neuromorphic hardware, spiking neural networks, and homeostatic learning systems that can facilitate adaptive, stable, and autonomous behavior. A new class of "hybrid" systems may be created that can combine the adaptability of biological intelligence with the scalability and efficiency of artificial intelligence systems.

References

- Dehghani, N., & Levin, M. (2024). Bio-inspired artificial intelligence: From cells to societies (Version 1). arXiv. <https://arxiv.org/abs/2411.15243>
- Healthline.(n.d.).Neurons. Retrieved February 27, 2026, from <https://www.healthline.com/health/neurons>
- Medium. (2021, October 27). Biological neurons vs. artificial neural networks: How the brain shapes AI. <https://www.medium.com/ai-simplified-in-plain-english/biological-neurons-vs-artificial-neural-networks-how-the-brain-shapes-ai-4951cc597aa3>
- National Institute of Neurological Disorders and Stroke. (n.d.). Brain basics: Know your brain. Retrieved February 27, 2026, from <https://www.ninds.nih.gov/health-information/public-education/brain-basics/brain-basics-know-your-brain>
- PMC. (2011). The importance of neurotransmitters in neural adaptation. Journal Title Placeholder. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3025529/>
- Wolfram Alpha. (n.d.). Amygdala. Wolfram Research. Retrieved February 27, 2026, from <https://www.wolframalpha.com/input?i=amygdala>
- Wolfram Alpha. (n.d.). Brain anatomy. Wolfram Research. Retrieved February 27, 2026, from <https://www.wolframalpha.com/input?i=brain+anatomy>
- Wolfram Alpha. (n.d.). Neuron anatomy. Wolfram Research. Retrieved February 27, 2026, from <https://www.wolframalpha.com/input?i=Neuron+anatomy>