Multi Channel Import (MCI) Template

Downloads

- [MCI Template](#)

- [Excel Version of MCI Column Headers](#)

This table contains the valid MCI column headers. An Excel version of this information is available above.

Header	Function	Values	Usage†	Supports (remove)	New For LCM
*Attribute	Any valid Attribute name can be specified as a column header	Text	Sales, Supplier	Yes	
AdditionalCharge	Sets the Additional Charge price on a sales listing	Decimal	Sales	Yes	Support for (remove) is new
AutoShippingPolicyFlag	Sets the Automatic Shipping Policy Flag on a listing.	True, yes, y, or 1 sets the value to True. Any other value except blank sets it to false.	Sales	Yes	
AvailabilityAmount	Sets the Availability Amount for a listing in Absolute mode	Integer	Sales	Yes	Yes

AvailabilityMode	Sets the Availability Mode for a sales listing	Text; Must be a valid Availability Mode (Actual, Absolute, Available, Unavailable)	Sales	No	Yes
BaseUomCode	Sets the Base UOM code on a master item. If Allow UOM Change is not checked, an error will be generated. The old Base UOM will be removed if a new one is set. Must be used with BaseUomQuantity.	Text	Evp	No	
BaseUomQuantity	Sets the Base UOM quantity on a master item. If Allow UOM Change is not checked, an error will be generated. The old Base UOM will be removed if a new one is set. Must be used	Integer	Evp	No	

	with BaseUomCode.				
Buyer	Sets the Buyer on the master item	Text; The Buyer Name must already be in the list of Buyers in the system	Evp	Yes	
CategoryCode	Sets the Category on a sales listing by using the Code as a value	Text; Must be a valid existing Category	Sales	No	
CategoryName	Sets the Category on a sales listing by using the Name as a value	Text; Must be a valid existing Category	Sales	No	
CheckRestrictions	Forces a restriction check on a sales listing	True, yes, y, or 1 will trigger the operation	Sales	No	Yes
CommissionCode	Sets the Commission Code on a sales listing using the Code as a value	Text; Must be a valid existing Commission Code	Sales	Yes	Yes
Condition	Sets the Condition of the master item.	Text; Must be a valid exiting Condition	Evp	No	Yes

Cost	Sets the cost for a supplier record, and marks all sales listings on the master item as having changed availability.	Decimal	Supplier	No	
CountryOfOrigin	Sets the Country of Origin on a master item.	ISO2 code, ISO3 code, or Name of Country	Evp	Yes	
CreateChannelImage	Flag that controls whether a channel image should be created for a sales channel. One column should be created for each sales channel that you want channel images created on.	Any value except blank will set the flag to true	Sales	No	
DangerousGoodsCode	Sets the Dangerous Goods Code on a master item	A valid Dangerous Goods Code (01, 02, 03, 04, 05, 06, 07, 08, 09)	Evp	Yes	

DefaultSupplierName	Sets the Default Supplier (used in replenishment) for the master item	Text; Must be the name of a supplier that already exists in EVP and supplies the item	Sales	Yes	
Delist	Triggers a delist operation on a sales listing	True, yes, y, or 1 will trigger the operation	Sales	No	Yes
Delete	Triggers a delete operation on a sales listing	True, yes, y, or 1 will trigger the operation	Sales	No	Yes
EAN	Loads an additional identifier on the master item of type EAN. If (remove) is used, all identifiers of type EAN are removed.	Text formatted number (can have leading zeros)	Evp	Yes	
EnablePlanning	Sets whether planning should be enabled for a sales listing.	True, yes, y, or 1 sets the value to True. Any other value except blank sets it to false.	Sales	No	
EvaluateShippingPolicy	Triggers an evaluation of a	True, yes, y, or 1 will trigger	Sales	No	Yes

	shipping policy on a sales listing	the reset			
ExpireMAP	Expires the current MAP price on a sales listing or supplier record	True, yes, y, or 1 will trigger the expiration	Sales, Supplier	No	Retired in LCM; Use Map with (remove) instead
ExpireUPP	Expires the current UPP price on a sales listing or supplier record	True, yes, y, or 1 will trigger the expiration	Sales, Supplier	No	Retired in LCM; Use Upp with (remove) instead
ForceAvailabilityPublication	Resets the LastUpdateAvailability date on a sales listing	True, yes, y, or 1 will trigger the reset	Sales	No	
ForceImagesPublication	Resets the LastUpdateAvailability date on a sales listing	True, yes, y, or 1 will trigger the reset	Sales	No	
ForcePricePublication	Resets the LastUpdatePrice date on a sales listing	True, yes, y, or 1 will trigger the reset	Sales	No	
ForceProductDetailsPublication	Resets the LastUpdateItem date on a sales listing	True, yes, y, or 1 will trigger the reset	Sales	No	

ForceShipping Publication	Resets the LastCalculateShippingPolicyTime date on a sales listing	True, yes, y, or 1 will trigger the reset	Sales	No	
FulfillmentLatency	Sets the Fulfillment Latency on a supplier record	An integer value will set the latency.	Supplier	Yes	
FulfillmentMode	Sets the Fulfillment Mode on a supplier record	Accepted values: Direct, Dropship, CrossDock, ThreePl, All	Supplier	No	
GTIN	Loads an additional identifier on the master item of type GTIN. If (remove) is used, all identifiers of type GTIN are removed.	Text formatted number (can have leading zeros)	Evp	Yes	
HarmonizedTariff	Sets the Harmonized Tariff Code on the master item	Text. Only the first 32 characters are loaded.	Evp	Yes	
ImageFileName	File path to an image to be loaded	Text	Evp	No	

ImageSequence	Sequence number for an image to be loaded	Integer	Evp	No	
ImageUrl	URL for an image to be loaded	Text	Evp	No	
ImageVariation	Name of the Image Variation	Text; Needs to match an existing variation value on the master item; Must immediately follow the ImageFileName column.	Variations	No	
ISBN	Loads an additional identifier on the master item of type ISBN. If (remove) is used, all identifiers of type ISBN are removed.	Text formatted number (can have leading zeros)	Evp	Yes	
Manufacturer	Sets the Manufacturer on the master item	Text (Name of Manufacturer)	Sales, Supplier Although the manufacturer is set on the master item, it uses the	No	

			channel's name variations to map the value		
ManualCeiling	Sets the Manual Ceiling Price on a sales listing	Integer	Sales	Yes	Yes
ManualFloor	Sets the Manual Floor Price on a sales listing	Integer	Sales	Yes	Yes
Map	Sets the MAP on a sales listing	Decimal	Sales	Yes	Support for (remove) is new
MaxOrderQty	Sets the Max Order Quantity on a supplier record	Integer	Supplier	Yes	Yes
MaxPublishQty	Sets the Max Publish Quantity on a sales listing	An integer value will set the Max Publish Quantity.	Sales	Yes	
MaxStockLevel	Sets the Max Stock Level (for replenishment) on a sales listing	A positive integer number will set the Max Stock Level.	Sales	Yes	
MfrPartNo	Sets the Manufacturer Part Number	Text; may be a number formatted as	Evp	No	

	on the master item	text (leading zeros ok)			
MinOrderQty	Sets the Min Order Quantity on a supplier record	Integer	Supplier	Yes	Yes
MinQtyThreshold	Sets the Min Quantity Threshold on a sales listing	An integer value will set the Min Quantity Threshold.	Sales	Yes	
MinStockLevel	Sets the Min Stock Level (for replenishment) on a sales listing	A positive integer number will set the Min Stock Level.	Sales	Yes	
Msrp	Sets the MSRP on a sales listing	Decimal	Sales	Yes	Support for (remove) is new
Notes	Sets the Notes on the master item	Text	Evp	Yes	
OrmD	Sets the ORMD flag on the master item	True, yes, y, or 1 will set the flag to true. Any other value except blank will set the flag to false.	Evp	No	
PackageTypeCode	Used with PackageTypeQuantity to	Text; Code of the Package Type; Package	Evp	No	

	assign a package type code to a quantity of a master item. A new entry for the specified quantity will be created. If an entry already exists for the quantity, the package type code for the entry will be updated.	Type Code must already exist in EVP			
PackageTypeQuantity	See PackageTypeCode	Integer	Evp	No	
PackageTypeWeight	Optionally used with PackageTypeCode and PackageTypeQuantity to set the Weight of the entry. If weight is specified, the weight unit must also be specified.	Decimal	Evp	No	
PackageTypeWeightUnit	See PackageTypeWeight	Accepted values: Pound, Ounce, Gram,	Evp	No	

		Milligram, Kilogram			
PhysicalLocation	Sets the Physical Location for the master item. Any existing Physical Locations for the item will first be removed.	Text; Must be a valid existing Physical Location in EVP To add multiple physical locations to an item, include this column multiple times in your file.	Evp	No	
Price (same as Standard)	Sets the selling price on a sales listing	Decimal	Sales	No	Yes
PricingBand	Sets the Pricing Band on a sales listing	Text; Must be a valid existing Pricing Band name	Sales	Yes	Yes
PricingPolicy	Sets the Price Policy on a sales listing	Text; Must be a valid existing Pricing Policy Name	Sales	Yes	Yes
ProductTypeCode	Sets the Product Type on a sales listing by using the Code as a value	Text; Must be a valid existing Product Type Code	Sales	No	
ProductTypeName	Sets the Product Type on a sales	Text; Must be a valid existing	Sales	No	

	listing by using the Name as a value	Product Type Name			
PublicationMode	Sets the Publication Mode on a sales listing	Text; Must be a valid Publication Mode value (Off, PriceAvailability, Full)	Sales	No	Yes
PublicationTemplateName	Sets the Publication Template on a sales listing	Text; Must be a valid Publication Template name	Sales	Yes	Yes
ReviewStatus	Sets the Review Status on a sales listing	Text; Must be a valid Review Status (Unverified, Rejected, Review Confirm, Verified)	Sales	No	Yes
SalePrice	Sets the Sale Price (not the regular selling price, but a discounted sale price) on a sales listing.	Decimal	Sales	Yes	Yes
SalePriceStart Date	Sets the start date for a sales price on a sales listing.	Date	Sales	Yes	Yes

SalePriceEndDate	Sets the end date for a sales price on a sales listing.	Date	Sales	Yes	Yes
Sequence	Used with multi-value attributes (like bullet points) to set the sequence of the value	Integer or Auto	Sales, Supplier	No	
Shipping	Sets the Shipping Price on a sales listing	Decimal	Sales	Yes	Support for (remove) is new
ShippingPolicyName	Sets the Shipping Policy on a sales listing	Text; Must be an existing Shipping Policy Name that is valid for the channel	Sales	Yes	Support for (remove) is new
Sku	Channel Sku or Master Sku, required for lookup/matching of new master items, sales listings, or supplier records	Text	Evp, Sales, Supplier	No	

Standard	Sets the selling price on a sales listing (same as Price)	Decimal	Sales	No	No
Status	If used with an EVP header, sets the status of the master item. If used with a sales channel header, sets the status of the sales listing.	Accepted values for master items: Active, Inactive, Delete Accepted values for sales channel records: New, Existing, Delete	Evp, Sales	No	
Supplier	Used to designate the Supplier Name when loading supplier data	Text; Must be an existing Supplier Name	Numbered Supplier Only	No	
Title	Sets the Title of the master item	Text; First 250 characters used	Evp	No	
UseAutoPricePolicies	Sets the Auto Price Policy Flag on a sales listing, which controls whether or not EVP should try to assign a price policy to a listing using	True, yes, y, or 1 will set the flag to true. Any other value except blank will set the flag to false.	Sales	No	Yes

	selection criteria.				
UseAutoPricing	Sets the Use Auto Price Flag on a sales listing, which controls whether or not EVP should try to reprice the item.	True, yes, y, or 1 will set the flag to true. Any other value except blank will set the flag to false.	Sales	No	Yes
UomCode	UOMs can be specified at the master item, sales listing, and supplier record level. If the UOM code does not exist it will be created using the optionally specified UomHeight, UomLength, UomWidth, UomWeight and UomQuantity. If the UOM code already exists, the specified values will be updated.	Text	Evp, Sales, Supplier	No	

UomHeight	Sets the UOM Height for the specified UOM Code	Decimal	See UomCode	No	
UomLength	Sets the UOM Length for the specified UOM Code	Decimal	See UomCode	No	
UomQuantity	The UOM Quantity for the specified UOM Code	Integer	See UomCode	No	
UomWeight	Sets the UOM	Decimal	See UomCode	No	

†Usage denotes which type of channel a header can be used with. Evp = the EVP Master Item, Sales = any sales channel or Etail, Supplier = any supplier channel or Etail

The MCI allows using numbered supplier headers in addition to using named supplier headers. When using a numbered supplier header, you may only specify the supplier name (Supplier), Sku, and Cost.

Header for Variations	Function	Values	Supports (remove)
Attribute	Attribute name of the variation, like Color.	Text	No
Code	Abbreviated value of variation - appended to sku when new items are created, like BLU.	Text	No
Value	Value of the Variation, like Blue	Text	No
Parent	Parent Sku for use when creating	Text	No

Variations

Attribute	Value	Code
Size	Large	L
Color	Royal Blue	ROYBL